

MAPS

Legend of symbols and codes used on maps

Maps of refits and tools of non-flint rocks (Map 16-25)


- ★ Rock with bifacially trimmed edges ('heavy duty tool')
- ▲ Rock with impact traces/random flaking
- * Hammerstone/*retouchoir*
- ✕ Flake (presence of a bulb of percussion)
- TL8 Sample submitted for TL-dating
- Fracture refit
- >— Refit of flake to 'core-tool'


Note: shaft polishers and slabs with traces of haematite grinding, or with cutting traces, are labelled individually.

Maps of flint refits (Map 27-113)


- Chip
- o Flake or blade
- Core
- ▲ Burin
- Scraper
- l Burin spall
- k Krukowski microburin
- I Lateral modified laminar piece
- s Borer/bec/reamer
- ◇ Other retouched tool
- ☆ Composite tool
- >— Refit of debitage sequence (ventro-dorsal)
- ...>... Modification refit (tool waste on tool)
- - - - - Break refit

Map 1 *Rekem 1984-86. General map of excavation trenches.*




Map 3 *Rekem 1. Distribution of individually recorded flint artefacts.*

- core
- chipped flint
- ////// disturbed zone


Map 2 *Rekem 1. Distribution of rocks (sandstone, quartzite, quartz).*

- burnt sandstone & quartzite
- unburned sandstone & quartzite
- quartz
- ////// disturbed zone


Map 4 *Rekem 4. Distribution of rocks (sandstone & quartzite), flint & red ochre.*




Map 5 *Rekem 5. Distribution of rocks (sandstone, quartzite, quartz).*




Map 6 *Rekem 5. Distribution of individually recorded flint artefacts & red ochre.*




Map 7 *Rekem 6. Distribution of rocks (sandstone, quartzite, quartz).*




Map 8 *Rekem 6. Distribution of individually recorded
flint artefacts & red ochre.*




Map 9 *Rekem 7. Distribution of rocks (sandstone, quartzite), flint & red ochre.*




Map 10 *Rekem 10. Distribution of rocks (sandstone, quartzite, quartz).*



Map 11 *Rekem 10. Distribution of individually recorded flint artefacts.*



Map 14 *Rekem 15. Distribution of rocks (sandstone, quartzite) & flint.*




See at the end of the volume:


Map 12 *Rekem 11 & Rekem 13. Distribution of rocks (sandstone, quartzite, quartz), flint & red ochre.*

Map 13 *Rekem 12. Distribution of rocks (sandstone, quartzite, quartz) & flint.*


Map 15 *Rekem 16. Distribution of rocks (sandstone, quartzite), flint & red ochre.*



Map 16 *Rekem 1. Refits & tools of non-flint rocks.*




Map 17 Rekem 5. Refits & tools of non-flint rocks.




REKEM 6


Map 18 Rekem 6. Refits & tools of non-flint rocks.




Map 19 *Rekem 7. Refits & tools of non-flint rocks.*



Map 20 *Rekem 10. Refits & tools of non-flint rocks.*



Map 23 *Rekem 15. Refits & tools of non-flint rocks.*




See at the end of the volume:


Map 21 *Rekem 11 & Rekem 13. Refits & tools of non-flint rocks.*

Map 22 *Rekem 12. Refits & tools of non-flint rocks.*


Map 24 *Rekem 16. Refits & tools of non-flint rocks.*




Map 25 *Rekem 1984-86. Habitation zone 1. Inter-locus refits of rocks.*




Map 26 *Rekem 1984-86. Habitation zone 1. Flint tools, cores & refitting artefacts.*




Map 27 *Rekem 1984-86. Habitation zone 1. All flint refits.*




Map 28 *Rekem 1. Co-set 01c01.*




Map 29 *Rekem 1. Co-set 01c02.*




Map 30 *Rekem 1. Co-set 01c03.*




Map 31 *Rekem 1. Co-set 01c04.*




Map 32 *Rekem 1. Co-set 01c05.*




Map 33 *Rekem 1. Co-set 01c06.*




Map 34 *Rekem 1. Co-set 01c07.*




Map 35 *Rekem 1. Co-set 01c08 and 01c10.*




Map 36 *Rekem 1. Co-set 01c11.*




Map 37 *Rekem 1. Co-set 01c12.*




Map 38 *Rekem 1. All refit sets (01s01-01s50).*




Map 39 *Rekem 1. All flint refits.*




Map 40 *Rekem 4. Co-set 04c01.*




Map 41 *Rekem 4. Co-set 04c02.*




Map 42 *Rekem 4. All flint refits.*




Map 43 *Rekem 5. Co-sets 05c01 and 05c02.*




Map 44 *Rekem 5. Co-set 05c03.*




Map 45 *Rekem 5. Co-sets 05c04 and 05c05.*




Map 46 *Rekem 5. Co-set 05c06.*




Map 47 *Rekem 5. Co-set 05c07.*




Map 48 *Rekem 5. Co-set 05c08.*




Map 49 *Rekem 5. Co-set 05c09.*




Map 50 *Rekem 5. Co-sets 05c10 and 05c11.*




Map 51 *Rekem 5. Co-sets 05c12 and 05c13.*




Map 52 *Rekem 5. Co-sets 05c14, 05c15 and 05c16.*




Map 53 *Rekem 5. Co-sets 05c17 and 05c18.*




Map 54 *Rekem 5. Co-set 05c19.*




Map 55 *Rekem 5. Co-sets 05c20 and 05c21.*




Map 56 *Rekem 5. Co-sets 05c22, 05c23, 05c24, 05c30, 05c31, 05c32, and refit sets (05s124 and 05s125).*




Map 57 *Rekem 5. All refit sets (05s001-05s125).*




Map 58 *Rekem 5. All flint refits.*




Map 59 *Rekem 6. Co-sets 06c01 and 06c02.*




Map 60 *Rekem 6. Co-set 06c03.*




Map 61 *Rekem 6. Co-sets 06c04 and 06c05.*




Map 62 *Rekem 6. Co-sets 06c06 and 06c07.*




Map 63 *Rekem 6. All refit sets (06s01-06s68).*




Map 64 *Rekem 6. All flint refits.*




Map 65 *Rekem 7. Co-set 07c02.*




Map 66 *Rekem 7. Co-sets 07c03 and 07c05.*




Map 67 *Rekem 7. Co-set 07c06.*




Map 68 *Rekem 7. Co-set 07c07.*




Map 69 *Rekem 7. Co-set 07c08.*




Map 70 *Rekem 7. Co-set 07c09.*




Map 71 *Rekem 7 and Rekem 13. All refit sets (07s01-07s37; 13s01-13s06).*




Map 72 *Rekem 7 and Rekem 13. All flint refits.*




Map 73 *Rekem 10. Co-set 10c01.*




Map 74 *Rekem 10. Co-set 10c02.*




Map 75 *Rekem 10. Co-set 10c03.*




Map 76 *Rekem 10. Co-set 10c06.*




Map 77 *Rekem 10. Co-set 10c06.*




Map 78 *Rekem 10. All refit sets (10s01-10s63).*




Map 79 *Rekem 10. All flint refits.*




Map 80 *Rekem 11. Co-set 11c01.*




Map 81 *Rekem 11. Co-set 11c02.*




Map 82 *Rekem 11. Co-set 11c03.*




Map 83 *Rekem 11. Co-set 11c04.*




Map 84 *Rekem 11. Co-sets 11c05 and 11c06.*




Map 85 *Rekem 11. Co-set 11c07.*




Map 86 *Rekem 11. Co-set 11c08.*




Map 87 *Rekem 11. All refit sets (11s01-11s26).*




Map 88 *Rekem 11. All flint refits.*




Map 89 *Rekem 12. Co-set 12c01.*




Map 90 *Rekem 12. Co-set 12c03.*




Map 91 *Rekem 12. Co-set 12c04.*




Map 92 *Rekem 12. Co-set 12c05.*




Map 93 *Rekem 12. Co-set 16c01.*




Map 94 *Rekem 12. All refit sets (12s01-12s43).*




Map 95 *Rekem 12. All flint refits.*




Map 96 *Rekem 13. Co-set 13c01.*




Map 97 *Rekem 13. Co-set 13c02.*




Map 98 *Rekem 15. Co-set 15c01.*




Map 99 *Rekem 15. Co-set 15c02.*




Map 100 *Rekem 15. Co-set 15c03.*




Map 101 *Rekem 15. Co-set 15c04.*




Map 102 *Rekem 15. Co-set 15c05.*




Map 103 *Rekem 15. Co-set 15c06.*




Map 104 *Rekem 15. All refit sets (15s01-15s07).*




Map 105 *Rekem 15. All flint refits.*




Map 106 *Rekem 16. Co-set 16c01.*




Map 107 *Rekem 16. Co-set 16c02.*




Map 108 *Rekem 16. Co-set 16c03.*




Map 109 *Rekem 16. Co-set 16c04.*




Map 110 *Rekem 16. Co-set 16c05.*




Map 111 *Rekem 16. Co-sets 16c06 & 16c07.*




Map 112 *Rekem 16. All refit-sets (16s01-16s26).*




Map 113 *Rekem 16. All flint refits.*




Map 114 *Rekem 15. All artefacts. Distribution of various raw material types.*




Map 115 *Rekem 7. Distribution of flint types of artefacts involved in refits.*




Map 116 *Rekem 7. Distribution of various types of tools & tool waste products.*




Map 117 *Rekem 7. Distribution of tools by flint type.*




Map 118 *Rekem 7. Distribution of lateral modified laminar pieces by flint type, with the possible position of the knapper of flint type 7/21.*





Map 119 *Rekem habitation zone 1. Distribution of LMP & Krukowski microburins, with functional interpretation:*


- | | |
|---|---|
| 1: (Nearly) entire slender point, no functional diagnosis. | 11: Long central or basal fragment of used projectile bead. |
| 2: (Nearly) entire slender point or bladelet, used projectile head. | 12: (Nearly) entire bladelet, no functional diagnosis. |
| 3: (Nearly) entire slender point, tooling mishap. | 13: Barb. |
| 4: Point-tip fragment, no functional diagnosis. | 14: (Nearly) entire bladelet, tooling mishap. |
| 5: Point-tip fragment of used projectile head. | 15: Large LMP, no functional diagnosis. |
| 6: Point-tip fragment, tooling mishap. | 16: Butchering knife. |
| 7: Short central or basal fragment, no functional diagnosis. | 17: Large LMP, tooling mishap. |
| 8: Short central or basal fragment of used projectile head. | 18: Barb re-used as projectile bead. |
| 9: Central or basal fragment, tooling mishap. | 19: Krukowski microburin. |
| 10: Long central or basal fragment, no functional diagnosis. | |




Map 120 *Rekem habitation zone 1. Distribution of LMP, with reference to the origin of the blanks made use of.*

- 1: Refitted in a local reduction sequence including debitage waste material.
- 2: Unrefitted, but debitage waste material of this specific flint type is refitting at the locus.
- 24: Refitted with other tool only, but debitage waste material of this specific flint type is refitting at the locus.
- 3: Unrefitted, but member of a specific flint type including non-refitting debitage waste material at the locus.
- 5: Unrefitted and member of an unspecified flint type.
- 54: Member of an unspecified flint type refitted in a dorsal-ventral refit lacking debitage (i.e. only with other tools).
- 6: Unrefitted member of a flint type lacking debitage waste material.
- 74: Refitted with tools of other locus.

Map 121 *Rekem 7. Distribution of LMP & Krukowski microburins: functional interpretation. For legend of symbols, see map 119.*




Map 122 *Rekem 11. Distribution of LMP & Krukowski microburins: functional interpretation. For legend of symbols, see map 119.*




Map 123 *Rekem 5. Distribution of LMP & Krukowski microburins: functional interpretation. For legend of symbols, see map 119.*



Map 124 *Rekem 10. Distribution of LMP & Krukowski microburin: functional interpretation. For legend of symbols, see map 119.*




Map 125 *Rekem 6. Distribution of LMP: functional interpretation. For legend of symbols, see map 119.*




Map 126 *Rekem 12. Distribution of LMP & Krukowski microburins: functional interpretation. For legend of symbols, see map 119.*




Map 127 *Rekem 1. Distribution of LMP & Krukowski microburins: functional interpretation. For legend of symbols, see map 119.*




Map 128 *Rekem habitation zone 1. Distribution of scrapers by flint type.*






Map 129 *Rekem habitation zone 1. Distribution of scrapers, with reference to the origin of the blanks made use of.*

- 1: Refitted in a local reduction sequence including debitage waste material.
- 2: Unrefitted, but debitage waste material of this specific flint type is refitting at the locus.
- 3: Unrefitted, but member of a specific flint type including non-refitting debitage waste material at the locus.
- 5: Unrefitted and member of an unspecified flint type.
- 54: Member of an unspecified flint type refitted in a dorsal-ventral refit lacking debitage (i.e. only with other tools).
- 6: Unrefitted member of a flint type lacking debitage waste material.
- 74: Refitted with tools of other locus.




Map 130 *Rekem habitation zone 1. Distribution of scrapers, with reference to the usewear determination.*


Map 131 *Rekem 5. Distribution of flint types, with emphasis on flint types related to scrapers.*




Map 132 *Rekem 5. Distribution of scrapers by flint type.*




Map 133 *Rekem 5. Distribution of scrapers, with reference to the usewear determination.*






Map 134 *Rekem habitation zone 1. Distribution of burins & burin spalls, with refitting results.*

- 1: Not refitted.
- 2: Refitted in a debitage reduction sequence.
- 3: Refitted in a tooling sequence.
- 4: Refitted in a break.
- 5: Refitted in a reduction sequence and in a tooling sequence.
- 6: Refitted in a reduction sequence and in a break.
- 7: Refitted in a tooling sequence and in a break.
- 8: Joined in 3 types of refitting (reduction, tooling, and break).



Map 135 *Rekem habitation zone 1. Distribution of burins, with reference to the origin of the blanks made use of.*


- 1: Refitted in a local reduction sequence including debitage waste material.
- 2: Unrefitted, but debitage waste material of this specific flint type is refitting at the locus.
- 3: Unrefitted, but member of a specific flint type including non-refitting debitage waste material at the locus.
- 5: Unrefitted and member of an unspecified flint type.
- 54: Member of an unspecified flint type refitted in a dorsal-ventral refit lacking debitage (i.e. only with other tools).
- 6: Unrefitted member of a flint type lacking debitage waste material.
- 74: Refitted with tools of other locus.




Map 136 *Rekem habitation zone 1. Distribution of burins & burins spalls, with reference to the usewear determination.*

- | | |
|---|--|
| 1: No usewear traces. | 13: Scraping dry hide. |
| 2: Not studied for usewear. | 14: Cutting fresh/wet hide. |
| 3: Too much altered. | 15: Cutting dry hide. |
| 4: Cutting soft animal matter. | 16: Grooving dry hide. |
| 5: Sawing bone/antler. | 17: Scraping & sawing bone/antler. |
| 6: Butchering. | 18: Scraping & graving bone/antler. |
| 7: Fire-lighter. | 19: Graving & boring bone/antler. |
| 8: Scraping bone/antler. | 20: Scraping & graving dry hide. |
| 9: Graving bone/antler. | 21: Cutting & graving dry hide. |
| 10: Boring bone/antler. | 22: Scraping & sawing & graving bone/antler. |
| 11: Undetermined action on bone/antler. | 23: Scraping & cutting dry hide, and scraping bone/antler. |
| 12: Splitting hard non-woody plants. | |


Map 137 *Rekem 10 & Rekem 11. Distribution of burins & burin spalls, by flint type.*




Map 138 *Rekem 10 & Rekem 11. Distribution of burins & burin spalls, with refitting results.*




Map 139 *Rekem 10 & Rekem 11. Distribution of burins & burin spalls, with results of usewear determination.*




Map 140 *Rekem 12. Distribution of burins & burin spalls, by flint type.*




Map 141 *Rekem 12. Distribution of burins & burin spalls, with refitting results.*




Map 142 *Rekem 12. Distribution of burins & burin spalls, with reference to the usewear determination.*




Map 143 *Rekem 5. Distribution of burins & burin spalls, by flint type.*




Map 144 *Rekem 5. Distribution of burins & burin spalls, with refitting results.*




Map 145 *Rekem 5. Distribution of burins & burin spalls, with reference to the usewear determination.*




Map 146 *Rekem 6. Distribution of burins & burin spalls, by flint type.*




Map 147 *Rekem 6. Distribution of burins & burin spalls, with refitting results.*




Map 148 *Rekem 6. Distribution of burins & burin spalls, with reference to the usewear determination.*






Map 149 *Rekem 1. Distribution of burins & burin spalls, by flint type*




Map 150 *Rekem 1. Distribution of burins & burin spalls, with refitting results.*



- 1: Not refitted.
2: Refitted in a debitage reduction sequence.
3: Refitted in a tooling sequence.
5: Refitted in a reduction sequence and in a tooling sequence.
6: Refitted in a reduction sequence and in a break.


Map 151 *Rekem 1. Distribution of burins & burin spalls, with reference to the usewear determination.*

- 1: No usewear traces.
2: Not studied for usewear.
3: Too much altered.
6: Butchering.
9: Graving bone/antler.
18: Scraping & graving bone/antler.




Map 152 *Rekem habitation zone 1. Distribution of borers, becs, reamers, truncated tools & composite tools, with reference to the origin of the blanks made use of.*

- 1: Refitted in a local reduction sequence including debitage waste material.
- 2: Unrefitted, but debitage waste material of this specific flint type is refitting at the locus.
- 24: Refitted with other tool only, but debitage waste material of this specific flint type is refitting at the locus.
- 3: Unrefitted, but member of a specific flint type including non-refitting debitage waste material at the locus.
- 5: Unrefitted and member of an unspecified flint type.
- 6: Unrefitted member of a flint type lacking debitage waste material.



Map 153 *Rekem habitation zone 1. Distribution of truncated tools: functional interpretation.*

- 1: No traces.
- 2: Too much altered.
- 3: No traces, interpreted as a LMP.
- 4: Too much altered, interpreted as LMP.
- 5: No traces, interpreted as scraper.
- 6: No traces, interpreted as burin.
- 7: Too much altered, interpreted as burin.
- 8: Too much altered, interpreted as borer.
- 9: Cutting soft animal matter.
- 10: Sawing bone/antler.
- 11: Butchering.
- 12: Boring hard material.
- 13: Used projectile.



Map 154 *Rekem habitation zone 1. Distribution of borers, becs & reamers, with reference to the usewear determination.*

- 1: No traces.
- 2: No traces, but macroscopic evidence of boring activity.
- 3: Too much altered.
- 4: Fire-lighter.
- 5: Graving bone/ antler.
- 6: Boring bone/ antler.
- 7: Boring unspecified hard matter.
- 8: Graving dry hide.
- 9: Piercing dry hide.

Annex 1. Database of cores

LEGEND OF CODES

Serial number

Identification number (used for mapping)

2. Plain (created by core tablet removal)
3. Faceted (scars of several small removals)

Number of inventory

- Locus
Number of locus (Rekem 1 to Rekem 16)
- North and East
Geographical coördinates of 4 m² square
- Number
Serial number of the piece within the square

Angle between (principal) striking platform and reduction face (measured near centre of reduction face)

0. Undetermined
6. 55°-65°
7. 65°-75°
8. 75°-85°
9. 85°-95°

Location

- Ny
North co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)
- Ex
East co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)
- Z
Level (in m)

Reduction face: type of production

0. Undetermined
1. Blades
2. Bladelets
3. Laminar flakes
4. Flakes

Maximum dimensions (in mm)

- Length
- Width
- Thickness

Reduction face(s): direction of production

1. Unipolar
2. Bipolar
3. Multiple directions

Weight (in gram)

Raw material

0. Undetermined (patinated or heavily burnt)
1. Fine grained grey flint traditionally called 'Hesbaye Flint'
2. Coarse grained grey flint
3. Mat fine grained grey flint with numerous light dots
4. Translucent fine grained brown flint
5. Fine grained "opaline" flint

Reduction face(s): extension

0. Undetermined
1. Front
2. Front + one side
3. Front + two sides
4. All round

Core flank(s) (combinations are possible)

0. Undetermined
1. Cortical/natural
2. Shaped intentionally (lateral removals)
3. Covered by reduction face
4. Affected by former removals

Silex

Flint type (only for loci of habitation zone 1; cf. description in chapter 4 of vol. 1)

Possible reason for discard (combinations are possible)

0. Undetermined (no obvious knapping accidents)
1. Final removal(s) hinged
2. Final removal(s) plunged
3. Internal flaws or irregularities in flint
4. Broken
5. Size (exhausted)

Core morphology (shape of core)

0. Undetermined (core fragment)
1. Prismatic
2. Pyramidal
3. Multifaceted (globular)
4. Flat
5. Irregular
6. Tested block

Refitting

- Refitting-type
 0. No refit
 1. Reduction sequence
 3. Broken piece
 5. 1+3
- Refitting-inventory nr.
Identification nr. of the refitment in which the core belongs

Striking platforms: number and disposition

0. Undetermined
1. Single platform
2. Two opposed platforms
3. Two platforms, changed directions
4. Multiple platforms

Illustrations

- Author of drawing
 1. M. Van Meenen (I.A.P.)
- Plate
Reference to the Plates where the piece is illustrated

Striking platform(s): state of surface (combinations are possible)

0. Undetermined (eg. burnt)
1. Cortical/natural surface/flaw

Serial number	Locus	North	East	Number	Ny	Ex	Z	Length	Width	Thickness	Weight	Raw material	Silex	Core morphology	Platform number	Platform state	Platform angle	Type of production	Direction of production	Reduction face extension	Core flank(s)	Discard	Refitting-type	Refitting-inventory nr.	Author of drawing	Plate
2001	1	10	34	6	11,60	34,51	9,04	58	41	34	135	2	125	1	1	2	8	1	1	1	2	1	1	01c05	-	-
2002	1	10	34	12	11,86	34,71	9,04	55	16	36	32	1	129	1	2	3	8	3	2	2	13	1	1	01c04C	-	-
2003	1	10	34	13	12,00	34,70	9,04	39	36	30	45	2	120	3	2	3	9	4	1	1	2	1	0	-	1	10.2
2004	1	10	34	37	11,14	34,86	9,04	36	33	15	19	1	129	2	1	2	9	2	1	1	1	15	1	01s04	-	-
2005	1	10	34	38	11,16	34,70	9,04	38	36	31	40	2	120	1	1	13	8	3	1	2	1	5	0	-	1	10.3
2006	1	10	34	56	11,83	34,72	9,02	45	37	34	72	2	120	1	2	3	9	1	2	4	3	1	0	-	1	10.1
2007	1	10	34	70	11,96	35,92	8,99	58	57	60	230	2	120	3	1	12	8	3	1	2	13	0	1	01c07	-	-
2008	1	10	34	116	11,24	35,44	9,08	75	37	49	114	2	120	0	-	-	-	-	-	-	-	4	3	01s08	-	-
2009	1	10	34	224	11,94	34,71	8,89	40	32	18	22	2	120	2	1	12	8	3	1	1	1	5	0	-	-	-
2010	1	10	36	72	10,12	37,80	8,80	47	48	45	137	2	120	3	4	3	9	4	3	4	4	0	0	-	-	-
2011	1	12	34	48	13,15	35,68	9,11	56	31	17	27	2	120	2	1	3	7	1	1	1	4	5	0	-	-	-
2012	1	12	34	80	13,65	35,23	9,05	62	47	20	59	2	121	4	1	3	7	1	1	1	2	0	1	01s10	-	-
2013	1	12	34	94	13,95	35,64	9,06	43	20	48	53	2	121	0	2	3	9	1	2	0	0	4	1	01s20	-	-
2014	1	12	34	131	13,47	35,26	9,07	34	23	13	12	2	120	1	2	2	9	2	2	1	1	5	1	01s09	-	-
2015	1	12	34	311	13,37	35,56	9,00	25	46	18	26	1	129	2	1	2	8	2	2	1	12	15	3	01c04B	-	-
2016	1	12	34	355	13,26	35,37	9,00	43	15	32	32	2	127	5	2	1	7	0	2	1	4	5	0	-	-	-
2017	1	12	34	418	13,50	35,46	9,03	39	30	18	25	2	120	2	1	3	9	1	1	2	23	2	1	01s15	-	-
2018	1	12	34	465	13,33	35,83	9,02	53	33	46	93	2	122	1	1	1	8	1	1	2	23	1	1	01c11	-	-
2019	1	12	34	475	13,64	35,23	9,02	44	35	31	52	2	120	1	1	2	8	3	1	1	12	1	0	-	1	10.4
2020	1	12	34	536	13,06	35,67	9,04	46	32	22	32	2	120	1	1	3	7	2	2	1	1	15	0	-	-	-
2021	1	12	34	760	12,10	35,82	9,06	55	15	56	33	1	129	4	2	3	7	2	2	2	13	5	5	01c04A	-	-
2022	1	12	34	903	13,35	35,81	8,95	52	46	45	133	2	120	3	2	3	9	2	2	2	2	1	1	01c08	-	-
2023	1	12	34	933	12,61	35,27	9,03	40	22	42	43	2	120	0	1	2	7	3	1	1	1	4	0	-	-	-
2024	1	14	34	6	14,17	35,58	9,16	36	27	20	22	2	120	2	1	3	7	1	1	3	23	2	1	01c06	-	-
2025	1	16	34	4	16,36	35,81	9,04	69	43	18	52	2	120	0	-	-	-	-	-	-	-	4	5	01s07	-	-
2026	1	16	36	16	16,43	37,52	9,06	64	66	76	340	2	128	5	2	3	9	1	2	1	12	0	1	01c10	-	-
2027	1	16	36	19	16,47	37,91	9,03	65	55	25	72	2	120	0	-	-	-	-	-	-	-	4	5	01s07	-	-
2028	1	16	36	34	16,30	36,29	9,03	83	40	61	203	2	120	0	-	-	-	-	-	-	-	4	5	01s07	-	-
2029	1	84	RE	15	-	-	-	85	38	38	125	2	127	1	2	3	7	1	2	1	12	1	1	01s42	-	-
2030	1	84	RE	15	-	-	-	60	42	36	131	2	120	1	2	3	9	1	2	4	3	1	0	-	-	-
2031	1	-	-	1	-	-	-	52	45	53	115	2	120	5	4	3	9	3	3	1	1	1	0	-	-	-
2032	1	-	-	4	-	-	-	46	42	20	42	1	110	4	3	3	8	4	3	4	2	3	0	-	-	-
2033	2	6	6	11	-	-	-	58	37	30	70	2	2	1	2	3	8	1	2	2	23	1	0	-	1	11.3
2034	2	6	8	6	-	-	-	85	45	43	70	2	2	0	-	-	-	-	-	-	-	4	3	-	-	-
2035	2	6	12	3	-	-	-	28	47	27	43	2	2	0	-	-	-	-	-	-	-	4	0	-	-	-
2036	2	8	4	2	-	-	-	53	37	26	66	2	2	1	2	3	8	1	2	3	3	3	0	-	-	-
2037	2	8	8	7	-	-	-	75	48	44	147	2	2	1	1	1	7	3	1	1	12	0	0	-	-	-
2038	2	10	4	1	-	-	-	44	31	29	40	2	2	2	1	3	8	3	1	3	13	1	0	-	1	10.5
2039	2	14	8	1	-	-	-	53	35	57	105	2	2	4	1	1	9	3	1	1	1	0	0	-	-	-
2040	2	-	-	6	-	-	-	57	30	22	47	1	1	1	2	3	7	1	2	2	13	1	0	-	1	11.1
2041	2	-	-	16	-	-	-	79	39	33	105	2	2	1	2	3	9	1	2	2	23	4	3	-	1	10.6
2042	2	-	-	21	-	-	-	145	85	50	580	2	2	6	-	-	-	-	-	-	-	3	0	-	-	-
2043	2	-	-	34	-	-	-	58	55	62	186	2	2	5	2	3	8	3	2	1	1	0	0	-	1	11.5
2044	2	-	-	40	-	-	-	62	43	30	104	2	2	1	2	3	8	1	2	2	23	1	0	-	-	-
2045	4	84	RE	17	-	-	-	33	35	33	41	1	410	2	1	2	8	4	1	1	1	1	0	-	-	-
2046	4	-	-	33	-	-	-	41	28	19	21	2	420	6	-	-	-	-	-	-	-	5	0	-	1	11.6
2047	4	-	-	94	11,65	30,80	8,98	78	63	47	321	2	420	6	-	-	-	-	-	-	-	0	0	-	-	-
2048	4	-	-	110	8,24	40,65	9,16	71	41	29	72	2	420	5	1	3	8	3	1	2	1	1	1	04c01	-	-
2049	4	-	-	143	5,36	38,04	8,94	73	45	28	88	2	420	1	2	2	7	3	2	1	1	0	0	-	1	11.2
2050	4	-	-	146	5,22	36,36	8,92	47	32	48	87	2	420	5	3	2	8	3	3	2	1	13	1	04s07	-	-
2051	4	-	-	156	8,94	37,64	8,90	46	23	16	22	2	421	2	2	2	7	2	2	3	1	15	1	04c02	-	-
2052	4	-	-	162	8,22	36,54	8,90	54	31	58	102	2	420	4	2	2	8	1	2	1	1	1	1	04s09	1	11.4
2053	4	-	-	175	9,24	41,83	8,90	39	35	16	23	2	420	1	2	1	8	4	2	1	1	15	0	-	-	-
2054	5	12	4	1	12,50	4,30	9,00	65	30	35	82	2	528	1	2	2	7	1	2	1	12	1	5	05c07B	-	-
2055	5	12	6	71	13,77	6,98	8,95	56	38	30	72	2	528	1	2	23	8	3	2	1	1	0	5	05c07A	-	-
2056	5	12	8	319	12,00	8,26	8,80	60	40	37	90	2	5215	2	1	3	9	1	1	2	23	1	1	05s020	-	-
2057	5	12	10	44	13,49	10,17	9,04	50	42	37	74	2	527	1	1	2	9	3	1	2	2	1	0	-	-	-
2058	5	14	2	21	15,50	3,85	8,88	55	24	33	44	2	5216	1	2	3	8	1	2	1	1	1	0	-	-	-
2059	5	14	6	649	15,74	7,19	8,94	41	23	20	18	0	0	2	1	2	8	2	1	1	12	2	0	-	-	-
2060	5	14	8	478	15,50	8,18	8,84	50	31	17	27	1	511	4	1	3	7	2	2	1	2	1	1	05s115	1	12.1
2061	5	14	8	514	15,34	8,09	8,83	50	35	28	52	2	521	2	1	3	8	1	1	2	13	2	1	05c01	-	-
2062	5	14	8	913	15,32	8,55	8,70	62	40	43	142	2	520	1	2	3	9	1	2	4	3	0	0	-	1	12.5
2063	5	14	8	930	15,43	8,77	8,65	40	33	33	45	2	527	1	2	2	8	2	2	3	3	5	1	05c20	-	-
2064	5	14	10	52	15,98	10,38	9,01	61	54	30	139	2	5212	1	2	23	9	1	2	1	12	0	1	05s019	-	-

Serial number	Locus	North	East	Number	Ny	Ex	Z	Length	Width	Thickness	Weight	Raw material	Silex	Core morphology	Platform number	Platform state	Platform angle	Type of production	Direction of production	Reduction face extension	Core flank(s)	Discard	Refitting-type	Refitting-inventory nr.	Author of drawing	Plate
2065	5	14	10	79	15,62	10,66	8,99	48	40	34	58	1	512	2	2	3	8	3	2	3	23	1	1	05s018	-	-
2066	5	14	10	84	15,41	10,17	8,64	49	46	31	92	2	523	2	2	2	7	1	2	2	1	0	1	05c05	-	-
2067	5	14	-0	6	15,59	-0,80	8,86	43	48	26	57	1	510	0	-	-	-	-	-	-	-	0	0	-	-	-
2068	5	16	2	24	17,36	3,26	8,99	43	33	30	51	2	5213	1	2	2	8	3	2	3	3	1	1	05s050	-	-
2069	5	16	4	64	17,34	4,46	8,95	26	18	19	9	1	510	2	1	2	8	2	1	1	14	5	0	-	1	12.3
2070	5	16	6	144	17,68	7,94	9,10	52	35	18	43	1	511	2	2	2	8	2	2	2	1	1	1	05c13	-	-
2071	5	16	8	138	17,06	8,69	9,09	30	35	30	33	2	528	0	-	-	-	-	-	-	-	4	1	05s028	-	-
2072	5	16	8	333	16,21	8,88	9,01	37	22	19	18	2	520	1	2	2	8	2	2	2	2	15	0	-	-	-
2073	5	16	10	100	16,71	11,40	8,95	43	35	33	54	2	521	2	1	3	8	1	1	4	3	0	1	05c08	1	12.4
2074	5	16	-0	6	16,44	-1,35	8,98	88	42	54	247	2	520	1	1	13	8	4	1	1	1	1	0	-	-	-
2075	5	18	2	32	18,76	2,85	9,05	61	28	54	92	2	520	6	-	-	-	-	-	-	-	4	3	05c33	-	-
2076	5	18	4	20	18,78	4,14	9,03	70	40	25	72	2	5213	1	2	23	8	1	2	3	1	1	1	05c02	-	-
2077	5	18	-0	6	18,73	-1,94	9,04	44	25	24	29	2	520	1	1	2	6	2	1	3	3	1	0	-	1	12.2
2078	5	18	-0	15	19,15	-1,10	8,99	67	36	33	83	2	5212	2	2	3	8	1	2	2	24	1	1	05c17	-	-
2079	5	20	0	13	20,60	1,14	9,07	70	65	65	273	2	5214	1	2	3	7	3	2	1	1	1	1	05c16	-	-
2080	5	-	-	13	16,84	9,40	9,23	44	21	29	29	2	520	0	-	-	-	-	-	-	-	4	1	05s021	-	-
2081	5	-	-	132	15,10	9,40	9,00	70	60	40	163	2	527	5	1	3	8	3	1	2	13	13	1	05c21	-	-
2082	6	0	0	7	1,08	1,25	8,85	57	43	43	93	2	620	5	1	3	8	1	1	2	1	0	0	-	-	-
2083	6	0	0	24	1,02	1,98	8,84	45	35	20	42	2	620	1	2	2	8	1	2	3	3	1	0	-	-	-
2084	6	0	0	28	1,05	1,59	8,83	41	36	35	59	2	620	3	1	2	9	3	1	1	4	0	0	-	-	-
2085	6	0	8	4	1,18	9,58	9,01	52	21	32	38	1	610	1	2	2	8	1	2	1	12	1	0	-	-	-
2086	6	0	8	12	1,07	9,78	8,99	46	41	21	60	1	612	1	2	2	7	3	2	1	2	3	1	06c01	-	-
2087	6	2	0	28	2,86	1,62	8,96	50	19	30	28	1	610	0	1	2	7	1	1	0	0	0	0	-	-	-
2088	6	2	0	33	2,97	1,16	8,87	60	37	22	59	2	620	1	2	3	8	1	2	1	1	1	0	-	-	-
2089	6	2	2	26	3,83	2,06	9,00	36	26	34	16	4	4	2	1	2	9	3	1	3	3	5	0	-	-	-
2090	6	2	4	129	2,77	5,63	8,97	84	77	51	427	2	620	1	1	3	9	3	1	1	2	0	0	-	1	14.1
2091	6	2	4	164	2,47	5,70	8,87	33	29	25	33	2	625	1	2	2	9	3	2	3	1	5	0	-	-	-
2092	6	2	6	140	2,83	7,68	9,00	115	50	78	380	2	620	2	1	3	9	1	1	1	1	1	1	06s66	1	13.1
2093	6	2	6	143	3,00	7,74	9,01	54	65	69	155	2	620	3	4	2	-	4	3	4	4	1	1	06s03	-	-
2094	6	2	8	38	3,83	8,14	9,00	57	33	18	43	2	623	2	1	3	8	1	1	3	3	1	1	06s10	-	-
2095	6	2	8	74	2,67	8,68	9,01	55	47	27	86	2	620	6	-	-	-	-	-	-	-	0	0	-	-	-
2096	6	2	8	159	2,85	8,85	8,91	37	33	23	36	1	611	2	1	2	9	3	1	1	12	0	1	06s50	-	-
2097	6	2	10	5	3,61	10,54	9,08	41	44	21	39	2	622	2	2	3	7	1	2	2	2	0	1	06c04	-	-
2098	6	2	12	2	3,68	13,18	9,07	60	60	70	193	2	620	2	1	2	7	3	1	2	14	1	1	06s37	-	-
2099	6	4	0	25	4,11	0,30	8,88	56	46	47	150	2	620	1	2	3	9	1	2	1	24	0	0	-	1	15.1
2100	6	4	6	120	5,95	7,39	9,02	45	41	35	78	2	620	3	2	2	8	3	2	3	3	0	0	-	-	-
2101	6	4	6	154	4,96	6,69	8,98	87	27	40	127	2	620	1	2	3	9	1	2	2	12	1	1	06s67	1	15.2
2102	6	4	6	173	4,04	6,20	8,98	48	44	27	63	2	620	2	1	3	9	3	2	2	13	1	1	06s05	-	-
2103	6	4	6	205	5,56	6,11	8,97	41	52	47	125	2	620	3	1	2	8	3	1	1	4	0	1	06c06	-	-
2104	6	4	6	212	5,50	7,66	9,00	52	35	37	54	2	620	6	-	-	-	-	-	-	-	3	3	06c07	-	-
2105	6	4	6	288	5,13	7,84	8,95	30	25	32	34	2	620	0	-	-	-	-	-	-	-	4	3	06c07	-	-
2106	6	4	6	316	4,80	7,30	8,90	50	32	37	66	2	624	1	1	12	7	3	1	2	13	1	1	06c02	-	-
2107	6	4	8	9	4,43	8,28	9,06	51	33	20	29	2	620	1	1	2	5	1	1	2	13	0	0	-	-	-
2108	6	4	8	20	5,25	8,67	9,01	53	20	47	55	2	620	4	1	1	7	1	1	1	1	0	5	06s02	-	-
2109	6	4	8	32	5,76	8,03	9,00	57	21	34	42	2	620	2	1	2	8	3	2	2	1	1	0	-	-	-
2110	6	4	10	1	4,34	10,31	9,10	58	30	34	67	2	620	5	1	2	7	4	1	1	1	1	5	06s02	-	-
2111	6	4	10	7	5,39	10,81	8,97	40	19	31	33	1	610	2	2	3	8	3	2	2	12	1	0	-	-	-
2112	6	6	0	19	7,72	0,80	8,72	53	31	23	40	2	620	2	2	2	7	1	2	2	1	1	1	06s11	-	-
2113	6	6	6	28	6,72	6,82	8,87	50	23	32	47	2	620	1	2	2	8	1	2	3	3	1	0	-	-	-
2114	6	6	8	25	6,29	8,48	8,93	37	17	32	22	1	610	0	-	-	-	-	-	-	-	4	0	-	-	-
2115	6	6	8	28	6,72	9,79	8,91	32	27	44	45	2	620	5	2	2	9	2	2	1	4	1	0	-	-	-
2116	6	6	10	7	6,60	10,31	9,03	29	28	28	28	1	610	1	1	2	8	3	1	2	1	1	0	-	-	-
2117	6	6	12	1	7,08	12,50	9,10	40	37	22	33	1	610	1	1	3	8	3	1	1	12	0	0	-	-	-
2118	6	-0	4	2	-0,48	5,32	8,90	73	34	46	159	2	620	1	2	3	9	1	2	1	12	0	0	-	-	-
2119	6	-	-	47	6,12	7,38	9,00	47	26	36	56	2	620	1	2	2	9	1	2	3	23	1	0	-	-	-
2120	6	-	-	80	1,65	35,30	9,00	59	88	72	278	2	620	4	1	1	8	3	1	3	3	0	0	-	-	-
2121	6	-	-	86	-	-	-	47	35	16	25	1	611	4	1	3	7	1	1	1	12	5	0	-	-	-
2122	6	-	-	87	-	-	-	68	32	29	61	2	626	1	2	3	8	1	2	3	3	1	1	06s01	-	-
2123	6	-	-	87	-	-	-	29	32	33	48	2	620	1	1	12	8	3	1	1	1	5	0	-	-	-
2124	6	-	-	87	-	-	-	58	47	51	141	2	620	3	4	0	-	4	3	4	4	0	0	-	-	-
2125	7	-8	34	2	-8,16	34,34	9,10	53	31	26	50	2	720	1	2	13	7	1	2	1	12	0	0	-	1	15.5
2126	7	-8	34	3	-8,15	34,39	9,08	59	45	29	91	2	720	1	1	2	9	1	1	1	1	0	5	07s25	-	-
2127	7	-6	32	50	-7,78	33,96	9,01	49	39	22	51	2	720	1	2	3	7	1	2	2	2	1	0	-	-	-
2128	7	-6	32	64	-6,62	33,27	9,02	54	56	48	128	2	722	1	2	2	8	1	2	2	12	1	1	07c05	1	16.3

Serial number	Locus	North	East	Number	Ny	Ex	Z	Length	Width	Thickness	Weight	Raw material	Silex	Core morphology	Platform number	Platform state	Platform angle	Type of production	Direction of production	Reduction face extension	Core flank(s)	Discard	Refitting-type	Refitting-inventory nr.	Author of drawing	Plate	
2129	7	-6	34	5	-7,92	34,52	9,02	59	42	25	76	2	722	1	2	3	8	1	1	2	12	1	1	07s01	1	16.1	
2130	7	-6	34	304	-7,10	34,50	9,03	52	24	35	46	1	710	2	1	3	8	2	1	3	3	0	1	07c07	1	15.4	
2131	7	-6	34	468	-7,97	34,48	9,01	38	31	19	23	2	721	1	2	3	9	3	2	2	2	5	0	-	-	-	
2132	7	-6	34	510	-7,17	34,70	8,97	39	34	29	26	1	710	2	1	2	7	2	1	2	23	5	1	07s05	-	-	
2133	7	-4	32	41	-5,94	34,00	9,04	64	37	29	78	1	710	5	4	1	-	4	3	0	1	3	1	07s08	-	-	
2134	7	-	-	13	-	-	-	53	26	31	44	2	722	1	2	3	8	1	2	2	2	0	1	07s02	1	15.3	
2135	7	-	-	13	-	-	-	65	47	30	106	2	720	1	1	1	7	1	1	1	2	1	1	07s04	-	-	
2136	7	-	-	13	-	-	-	81	76	37	185	2	720	6	-	-	-	-	-	-	-	0	0	-	-	-	
2137	7	-	-	13	-	-	-	59	40	14	36	2	720	1	1	3	7	1	1	1	1	5	5	07s25	-	-	
2138	10	16	90	16	-20,80	27,13	9,00	65	55	31	97	2	1020	6	-	-	-	-	-	-	-	0	0	-	-	-	
2139	10	16	90	155	-20,98	27,40	8,58	48	43	47	125	2	1022	3	4	2	-	3	3	4	4	0	1	10c01	-	-	
2140	10	16	90	158	-20,64	26,50	8,58	37	25	30	39	2	1020	3	1	2	8	3	1	2	24	5	1	10s05	-	-	
2141	10	16	92	119	-20,83	28,63	8,78	53	37	30	69	2	1020	5	2	2	7	3	2	2	4	1	1	10s12	-	-	
2142	10	16	92	138	-20,93	27,88	8,66	53	29	29	58	1	1011	1	1	2	9	3	1	1	1	1	1	10s01	-	-	
2143	10	16	92	197	-21,39	28,93	8,52	48	22	20	33	2	1020	2	2	3	8	2	2	3	34	1	1	10s13	-	-	
2144	10	16	94	32	-20,08	31,62	8,67	29	25	11	13	1	1011	0	-	-	-	-	-	-	-	4	1	1	10s02	-	-
2145	10	18	88	51	-19,20	24,49	8,72	119	92	51	384	2	1020	6	-	-	-	-	-	-	-	0	0	-	-	-	
2146	10	18	94	32	-18,59	30,44	8,86	40	26	22	22	2	1020	1	2	3	8	2	2	2	2	5	0	-	1	16.5	
2147	10	20	88	8	-17,51	25,05	8,93	29	37	19	24	2	1024	0	-	-	-	-	-	-	-	4	5	10c06	-	-	
2148	10	20	88	21	-17,26	25,50	8,86	23	33	17	16	2	1024	0	-	-	-	-	-	-	-	4	5	10c06	-	-	
2149	10	20	88	54	-16,63	24,75	8,82	30	29	20	33	2	1020	0	1	2	7	1	2	3	3	2	1	10c02	-	-	
2150	10	20	90	101	-17,52	27,53	8,93	34	41	27	40	2	1020	5	3	1	7	2	1	1	1	1	1	10s23	1	16.2	
2151	10	20	94	1	-17,60	31,08	9,11	56	40	53	87	2	1020	5	1	3	9	3	1	2	4	1	1	10s03	-	-	
2152	11	20	108	7	-16,04	44,16	8,89	42	45	22	52	2	1123	1	1	2	8	1	1	2	2	4	5	11c02	-	-	
2153	11	20	108	8	-16,05	44,05	8,88	38	37	17	48	2	1123	0	-	-	-	-	-	-	-	4	5	11c02	-	-	
2154	11	22	102	4	-14,49	37,83	9,15	67	40	14	41	2	1120	4	1	2	7	3	1	1	1	5	0	-	-	-	
2155	11	22	104	17	-15,44	41,52	9,14	57	38	29	79	2	1126	1	2	3	9	1	2	3	23	1	1	11s04	-	-	
2156	11	22	106	10	-14,14	42,22	9,15	47	44	54	148	2	1123	3	4	2	-	4	3	4	4	0	1	11s24	-	-	
2157	11	22	106	56	-14,40	42,45	9,10	66	40	21	48	2	1125	4	1	2	8	1	1	1	12	3	1	11c07	-	-	
2158	11	22	106	88	-14,44	43,40	9,10	43	41	21	48	2	1127	2	1	1	8	2	1	3	3	1	1	11c03	-	-	
2159	11	22	106	179	-13,98	42,50	9,09	50	45	50	110	2	1123	3	2	3	8	3	1	2	2	0	1	11c01	-	-	
2160	11	22	106	269	-15,42	43,75	9,03	90	33	35	175	2	1120	5	1	2	9	3	1	2	1	1	5	11c06A	-	-	
2161	11	22	108	11	-14,06	44,40	9,15	62	55	35	172	2	1120	5	2	1	9	1	1	1	12	0	1	11s01	-	-	
2162	11	22	108	31	-15,15	43,90	9,09	52	74	34	203	2	1124	1	2	3	8	1	2	2	13	1	1	11c04A	1	17.2	
2163	11	22	108	35	-15,35	43,95	9,09	93	87	37	278	2	1120	4	1	3	7	1	1	1	1	0	1	11s13	1	17.1	
2164	11	22	108	47	-15,65	44,10	9,06	71	41	31	156	2	1124	1	1	2	9	4	1	1	1	0	1	11c04B	-	-	
2165	11	22	108	57	-15,63	44,23	9,07	31	25	28	31	1	1111	1	2	3	9	2	2	3	3	5	0	-	-	-	
2166	11	22	108	73	-15,93	44,20	9,01	86	44	49	195	2	1120	1	2	12	8	1	2	1	1	1	1	11c06B	-	-	
2167	11	-	-	1	-13,64	42,17	9,14	80	39	52	68	2	1120	1	2	3	9	1	2	3	13	1	1	11s02	1	16.4	
2168	12	6	16	11	22,13	-5,43	9,14	45	21	16	22	1	1211	1	1	3	7	1	2	2	23	2	1	12s02	-	-	
2169	12	6	16	14	22,12	-5,81	9,12	41	40	26	52	2	1220	1	2	2	8	3	2	1	12	0	0	-	-	-	
2170	12	8	10	4	22,83	-11,50	9,11	53	36	38	70	2	1220	2	2	2	7	1	2	3	3	0	0	-	-	-	
2171	12	8	12	72	22,52	-9,67	9,13	49	32	30	79	2	1220	1	2	3	9	1	2	3	3	1	0	-	-	-	
2172	12	8	12	77	23,78	-10,24	9,11	77	47	67	314	2	1220	6	-	-	-	-	-	-	-	0	0	-	-	-	
2173	12	8	14	31	23,20	-7,19	9,12	75	65	46	348	2	1221	4	2	3	7	1	2	2	2	0	1	12c01B	-	-	
2174	12	8	14	174	23,47	-8,12	9,17	51	55	22	44	2	1220	2	1	2	8	2	2	4	3	1	1	12s07	1	18.2	
2175	12	8	14	210	23,35	-7,90	9,19	40	40	25	56	1	1211	1	2	1	8	3	2	1	12	0	1	12c04	-	-	
2176	12	8	16	7	22,31	-6,24	9,25	90	90	34	289	2	1222	4	1	3	8	1	1	1	1	0	1	12c03	1	18.1	
2177	12	8	24	1	23,48	2,01	9,08	64	43	41	81	2	1220	0	-	-	-	-	-	-	-	4	0	-	-	-	
2178	12	10	16	24	24,95	-5,92	9,23	56	61	78	291	2	1220	3	4	3	-	4	3	4	4	0	0	-	-	-	
2179	12	10	16	31	26,04	-5,04	9,21	41	52	50	108	2	1220	6	-	-	-	-	-	-	-	0	0	-	-	-	
2180	12	10	16	45	24,90	-5,61	9,08	56	36	37	97	2	1220	1	2	2	9	1	2	3	23	1	0	-	-	-	
2181	12	10	16	58	24,90	-6,11	9,09	52	17	27	22	2	1220	2	1	2	7	1	2	3	3	5	0	-	1	17.3	
2182	12	16	20	19	30,80	-2,76	8,99	38	25	24	22	4	4	2	1	3	8	2	1	4	3	1	0	-	1	17.4	
2183	12	-	-	2	-	-	-	39	35	26	43	1	1210	1	2	2	8	2	2	2	1	1	0	-	-	-	
2184	13	26	100	29	-10,20	36,78	9,10	55	65	45	116	2	1321	0	-	-	-	-	-	-	-	4	1	13c02	-	-	
2185	13	-	-	35	-10,98	32,38	9,09	57	37	20	38	2	1320	1	2	2	8	1	2	1	1	1	0	-	-	-	
2186	13	-	-	38	-13,98	33,98	9,08	52	34	24	43	2	1320	1	2	2	8	1	2	3	23	1	0	10s63	-	-	
2187	13	-	-	46	-10,13	36,58	9,05	55	37	28	63	2	1320	1	2	2	8	1	2	2	3	1	0	-	1	18.3	
2188	14	14	20	1	-	-	-	171	80	115	2206	2	2	6	-	-	-	-	-	-	-	0	0	-	-	-	
2189	14	16	18	1	-	-	-	48	41	28	51	2	2	1	2	3	8	3	2	2	1	1	0	-	-	-	
2190	14	18	18	5	-	-	-	88	61	55	391	2	2	1	2	1	9	1	2	2	23	0	0	-	1	19.1	
2191	14	18	18	6	-	-	-	65	64	43	199	2	2	3	4	2	-	4	3	4	4	1	0	-	-	-	
2192	14	18	20	33	-	-	-	38	25	28	21	2	2	0	-	-	-	-	-	-	-	1	0	-	-	-	

Annex 1. Database of cores. (4/4)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Length	Width	Thickness	Weight	Raw material	Silex	Core morphology	Platform number	Platform state	Platform angle	Type of production	Direction of production	Reduction face extension	Core flank(s)	Discard	Refitting-type	Refitting-inventory nr.	Author of drawing	Plate
2193	14	18	20	38	-	-	-	56	61	31	95	2	2	5	2	3	9	4	1	1	12	1	0	-	-	
2194	14	18	22	63	-	-	-	91	45	72	339	2	2	5	4	1	9	4	3	1	1	0	0	-	-	
2195	14	20	18	3	-	-	-	68	67	35	185	2	2	1	2	3	9	3	2	2	1	1	0	-	-	
2196	14	20	18	14	-	-	-	56	45	27	83	2	2	1	2	3	8	1	2	2	1	0	0	-	20,2	
2197	14	20	18	16	-	-	-	59	50	60	206	2	2	1	2	3	9	1	1	2	23	1	0	-	20,1	
2198	14	22	20	2	-	-	-	74	73	39	186	2	2	6	-	-	-	-	-	-	-	0	0	-	-	-
2199	14	-	-	19	-	-	-	69	54	48	162	2	2	3	4	3	9	3	3	1	14	0	0	-	-	-
2200	15	10	-0	3	32,78	15,00	9,11	45	55	35	82	2	2	1522	2	2	8	3	2	2	34	1	1	15c03	-	-
2201	15	12	0	4	35,12	17,23	9,13	65	50	60	181	2	2	1522	2	2	9	3	2	1	1	1	1	15c06	-	-
2202	15	12	2	1	34,30	18,10	9,14	35	51	37	68	2	2	1523	3	1	8	4	1	2	1	1	1	15c05	-	-
2203	15	12	-0	44	34,45	14,28	9,13	80	70	50	236	2	2	1521	5	3	8	3	1	1	1	1	1	15c02	-	-
2204	15	14	0	1	36,73	16,14	9,13	110	70	75	503	2	2	1521	1	2	8	3	2	1	1	1	1	15c01	-	-
2205	16	2	2	3	24,93	18,85	8,95	65	48	27	82	2	2	1623	0	1	9	4	1	1	1	0	5	16s24	-	-
2206	16	2	2	4	25,70	18,83	8,82	50	60	20	78	2	2	1623	0	2	8	3	2	2	13	0	5	16s24	-	-
2207	16	4	4	11	27,80	20,37	9,02	44	32	23	43	2	2	1620	1	2	8	1	2	3	3	1	0	-	20,3	-
2208	16	4	4	24	27,94	20,32	8,89	68	57	39	130	2	2	1621	1	2	8	3	2	2	23	0	1	16c03	-	-
2209	16	4	4	47	26,55	20,80	8,88	43	22	39	47	2	2	1620	4	1	9	3	1	1	1	0	0	-	-	-
2210	16	4	6	13	27,15	21,86	8,97	39	40	31	42	2	2	1620	0	-	-	-	-	-	-	4	5	16s04	-	-
2211	16	6	2	61	29,10	19,00	8,99	74	53	32	64	2	2	1620	0	-	-	-	-	-	-	4	5	16c06	-	-
2212	16	6	2	63	29,05	17,85	9,00	56	40	25	66	2	2	1622	1	2	8	1	2	2	13	1	1	16c02	-	-
2213	16	6	2	80	28,30	18,96	8,99	29	28	19	15	1	1	1610	5	2	7	3	2	3	4	5	0	-	-	-
2214	16	6	2	139	29,95	17,95	9,06	112	75	73	794	2	2	1620	6	-	-	-	-	-	-	0	0	-	-	-
2215	16	8	2	6	30,57	18,72	9,02	78	31	35	95	2	2	1625	1	1	8	3	1	3	3	1	1	16c05	-	-

Annex 2. Database of flint tools, tool waste & edge-damaged pieces

LEGEND OF CODES

I. Common attributes

Serial number

Identification number (used for mapping)

Number of inventory:

- Locus
- Number of locus (Rekem 1 to Rekem 16)
- North and East
- Geographical co-ordinates of 4 m² square
- Number
- Serial number of the piece within the square

Location:

- Ny
- North co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)
- Ex
- East co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)

Maximum dimensions of piece as a whole (in mm)

- Length
- Width
- Thickness

Weight (in gram)

Raw material

- 0. Undetermined (patinated or heavily burnt)
- 1. Fine grained grey flint traditionally called 'Hesbaye Flint'
- 2. Coarse grained grey flint
- 3. Mat fine grained grey flint with numerous light dots
- 4. Translucent fine grained brown flint
- 5. Fine grained "opaline" flint

Silex

Flint type (only for loci of habitation zone 1; cf. description in chapter 4 of vol. 1)

Origin of blank

- 1. Refitted in a local reduction sequence including debitage waste material
- 2. Unrefitted, but debitage waste material of this specific flint type is refitting at the locus
- 24. Refitted with other tool only, but debitage waste material of this specific flint type is refitting at the locus
- 3. Unrefitted, but member of a specific flint type including non-refitting debitage waste material at the locus
- 5. Unrefitted and member of an unspecified flint type
- 54. Member of an unspecified flint type refitted in a dorsal-ventral refit lacking debitage (i.e. only with other tools)
- 6. Unrefitted member of a flint type lacking debitage waste material
- 7. Refitted with artefacts of other locus
- 74. Refitted with tool of other locus

Blank type

- 0. Unknown (fragment)
- 1. Cortical element (>1/3 of dorsal surface covered with cortex)
- 2. Trimming piece
- 3. Blank with parallel edges and ridges
- 4. Irregular blank

Cross-section of blank (toward the tooling end)

- 0. Not observable
- 1. Triangular
- 2. Trapezoidal

3. Multi-faceted

4. Irregular

Refitting

- Refitting-type
 - 0. No refit
 - 1. Reduction sequence
 - 2. Tooling (modification)
 - 3. Broken piece
 - 4. 1+2
 - 5. 1+3
 - 6. 2+3
 - 7. 1+2+3
- Refitting-inventory nr.
- Identification nr. of the refitment in which the item belongs

Microwear analysis (partly after Vaughan & Plisson, 1984-1986)

Tool as a whole

- Condition
 - 0. Not altered (seemingly unaffected by natural traces)
 - 1. Slightly altered (weak "background noise" of mechanical natural traces)
 - 2. Fairly altered (medium "background noise" of mechanical natural traces)
 - 3. Heavily altered (strong "background noise" of mechanical natural traces)
 - 4. Burnt
 - 5. Patined
 - 12. 1-2
 - 13. 1-3
 - 23. 2-3
- Presence of ZTTs (zones with technological traces)
 - 0. No ZTTs
 - 1. Evidence for hafting
- Number of IUZs (Independent Use Zones)
- Action (in various columns, each presenting a different use-motion)
 - 0. No IUZs
 - 1. Transverse (scraping, planning, chopping, whittling, etc.)
 - 2. Longitudinal (cutting, slicing, sawing, etc.)
 - 3. Groove
 - 4. Bore
 - 5. Projectile
 - 9. Uncertain
- Worked substance (WS; in various columns, each presenting a different material class)
 - 1. Mineral
 - 2. Vegetal matter
 - 3. Soft animal matter (meat, hide, tendons)
 - 4. Hard animal matter (bone, antler, etc.)
 - 5. Carcass (bone + meat + skin)
 - 7. Unspecified material
 - 9. Unidentifiable material
- Cumulative use time
 - 0. No IUZ
 - 1. Up to ca. 5 minutes
 - 2. Few to ca. 20 minutes
 - 3. ca. 20-60 minutes
 - 4. ca. 1-2 hours
 - 9. Uncertain




Individual IUZs

- Area
- Position of IUZs: see illustration (p. 208).
- Type
 - 1. Isolated IUZ
 - 2. IUZ overlapping slightly with a contiguous IUZ
 - 3. IUZ more or less completely coinciding with another IUZ

- Use-Modification-Reuse cycles (U-M-R)
 0. No such cycle
 1. Involved in U-M-R cycle
- Edge thickness

<ol style="list-style-type: none"> 1. 0°-15° 2. 15°-25° 3. 25°-35° 4. 35°-45° 5. 45°-55° 6. 55°-65° 7. 65°-75° 8. 75°-90° 9. > 90° 	<ol style="list-style-type: none"> 0. Irregular 1. Rectilinear 2. Denticulated 3. Notch 4. Concave 5. Convex 6. Sinuous 7. Pointed 8. Nosed 9. Dorsal ridge
--	---
- Edge state
 1. Plain
 2. Break edge
 3. Irregular edge removals (continuous over at least 5 mm)
 4. Regular edge removals (continuous over at least 5 mm)
 5. Crescent breaks (continuous over at least 5 mm)
 6. "Splintered retouch"
 7. Burin bevel
 8. Side of burin facet
 9. Dorsal ridge
- Edge rounding (only for traces of hide and mineral working)
 0. No edge rounding
 1. Slight micro-rounding
 2. Pronounced micro-rounding
 3. Slight macro-rounding
 4. Pronounced macro-rounding
- Action
 1. Transverse (scraping, planning, chopping, whittling, etc.)
 2. Longitudinal (cutting, slicing, sawing, etc.)
 3. Groove
 4. Bore
 5. Projectile
 9. Uncertain
- Surface and angle (only for transverse actions and graving)
 0. Not an IUZ
 1. Ventral is contact surface; 0°-33° contact angle
 2. Ventral is contact surface; 33°-66° contact angle
 3. Ventral is contact surface; 66°-90° contact angle
 4. Ventral is contact surface; indet. contact angle
 5. Dorsal is contact surface; 0°-33° contact angle
 6. Dorsal is contact surface; 33°-66° contact angle
 7. Dorsal is contact surface; 66°-90° contact angle
 8. Dorsal is contact surface; indet. contact angle
- Contact material
 10. Mineral
 23. Hard non-woody plants
 24. Wood
 30. Soft animal matter (meat, hide, tendons)
 32. Hide
 40. Hard animal matter (bone, antler, etc.)
 41. Bone¹
 50. Carcass (bone + meat + skin)
 70. Unspecified material
 71. Soft material
 72. Medium material
 73. Hard material
 90. Unidentifiable contact material (eg. projectiles: contact is too short)
- Degree of certainty in the interpretation of the nature of the contact material
 0. More or less certain
 9. Element of uncertainty present
- State of contact material (only for hide-working)
 0. Not an IUZ
 1. Fresh/wet²
 2. Dry
 3. Supple/dry
 9. Indeterminable
- Additives (only for hide-working)
 1. Clean (no additive)
 2. Material was dirty (moderate presence of additives)
 3. Abrasive added (abundant presence of additives)

Schematized drawings of basic types of stone tools to show the codification of geometrically defined areas, designed to record the approximate position of modifications and use-wear traces (after Vaughan & Plisson 1984-86: fig. 2).



- Alternative: possible alternative contact material 00000. Alternative interpretation is not necessary
- 99999. Very similar to natural or accidental traces: possible nonuse origin
- Use time of IUZ
 1. Up to ca. 5 minutes
 2. Few to ca. 20 minutes
 3. ca. 20-60 minutes
 4. ca. 1-2 hours
 9. Uncertain
- Width of hole or groove (in mm; only for hard animal matter)
- Depth of penetration (in mm; only for hard animal matter)

Illustrations

- Author of drawing
 1. M. Van Meenen (I.A.P.)
 2. C. Casseyas
- Plate

Reference to the Plates where the piece is illustrated

II. Specific attributes for the different types of tool and tool waste

Laterally modified laminar pieces (LMP)

Type

- 11 Curved backed point
- 12 Rectilinear backed point
- 13 Angled backed point
- 14 Obliquely backed point
- 21 Backed bladelet
- 22 Bladelet with marginal retouch
- 23 Bladelet with both edges retouched
- 31 Curved backed pointed blade
- 32 Rectilinear backed pointed blade
- 33 Undulated backed pointed blade
- 41 Backed blade
- 42 Blade with marginal retouch
- 43 Blade with both edges retouched

Morpho-technic description

- State of fragmentation
 0. Entire (no fractures)
 1. Nearly entire, but with a tiny apical fracture (in case of blade(let)s: a tiny fracture at the distal end)
 2. Nearly entire, but with a tiny fracture at the basis (in case of blade(let)s, a tiny fracture at the proximal end)

¹ Micropolish presents tiny cracks running almost parallel to the edge.

² Micropolish is relatively bright (as opposed to dry hide polish).

3. Nearly entire, but with tiny fractures at both extremities
4. Pointed part (for blade(let)s: distal part)
5. Pointed part with a tiny apical fracture
6. Central part
7. Basic part (for blade(let)s: proximal part)
8. Basic part with a tiny fracture at the basis
9. Apical fragment
- Position of the tip (only for pointed elements)
 0. Undetermined
 1. Proximal
 2. Distal

Description of the retouched edge (RE)

- Lateralisation: location of the modified edge (according to the flaking direction for blade(let)s; for the pointed elements, the point-tip is erected)
 1. Left side
 2. Right side
 3. Both sides
- Extent of retouch (for blade(let)s with two retouched edges: first figure = left side, second figure = right side)
 1. Continuous
 2. Partial
- Edge-shape (for blade(let)s with two retouched edges: first figure = left side, second figure = right side)
 0. Non-observable
 1. Rectilinear
 2. Convex
 3. Concave
 4. Sinuous
 5. Angled
- Aspect (origin of retouch) (for blade(let)s with two retouched edges: first figure = left side, second figure = right side)
 1. Obverse (direct)
 2. Inverse
 3. Alternating (obverse/inverse)
 4. Partly crossed (bidirectional)
- Location of crossed retouch
 1. at the tip (or distal part for blade(let)s)
 2. at the central part
 3. at the basis (or proximal part for blade(let)s)
 4. (1.+2.)
 6. (1.+2.+3.)

Description of the opposed edge (edge opposite the backing; OE) (except for blade(let)s with both edges retouched)

- Aspect
 1. Continuous series of small scars (length between 0.2 and 1 mm)
 2. Retouch
 3. (1.+2.)
- Position
 1. close to the basis (or proximal part for blade(let)s)
 2. at the central part
 3. close to the tip (or distal part for blade(let)s)
 4. (1.+2.)
 6. (1.+3.)

Macroscopic fractures

- Fracture-position
 1. Proximal or, in case of points, at the basis
 2. Distal or, in case of points, at the tip
 3. At both extremities
- Fracture-type(s) (according to Fischer et al. 1984; in case of 2 opposite fractures: first figure=proximal or at the basis, second figure=distal or at the tip)
 1. Cone fracture
 2. Snap terminating bending fracture
 3. Feather terminating bending fracture
 4. Hinge terminating bending fracture
 5. Step terminating bending fracture
 6. Snap terminating bending fracture with bulb
 7. Thermic fracture
- Length of cone fractures and of the 'languette' of the bending fractures (in mm) (in case of 2 opposite fractures: first figure=proximal or at the basis, second figure=distal or at the tip)

1. $0.2 < x < 1.0$
2. $1.0 < x < 2.0$
3. $2.0 < x < 3.0$
4. $3.0 < x < 4.0$
5. $4.0 < x < 5.0$
6. $5.0 < x < 6.0$
7. $6.0 < x < 7.0$
8. $7.0 < x < 8.0$
9. $8.0 < x$

"Spin-off" fractures

- Position (in case of 2 opposite fractures: first figure=proximal or at the basis, second figure=distal or at the tip)
 0. Bending fracture without "spin-off"
 1. Bending fracture with spin-off(s) on the ventral face
 2. Bending fracture with spin-off(s) on the dorsal face
 3. Bending fracture with spin-off(s) on the fracture face
 4. Bending fracture with spin-off(s) on both ventral and dorsal faces, or on ventral/dorsal and fracture face
- Frequency (in case of 2 opposite fractures: first figure=proximal or at the basis, second figure=distal or at the tip)
 1. $1 < x < 3$ spin-off(s)
 2. $x > 3$ spin-offs
- Length (in mm)
 1. $0.2 < x < 1.0$
 2. $1.0 < x < 2.0$
 3. $2.0 < x < 3.0$
 4. $3.0 < x < 4.0$
 5. $4.0 < x < 5.0$

Burin-like spin-offs (burinations)

- Position
 1. Proximal or, in case of points, along the basis
 2. Distal or, in case of points, along the tip
 3. At both extremities
- Type (in case of 2 opposite burin-like spin-offs: first figure=proximal or at the basis, second figure=distal or at the tip)
 1. Flat-faced burin-like spin-off.
 2. Lateral burin-like spin-off
- Length (in mm; in case of 2 opposite burin-like spin-offs: first figure=proximal or at the basis, second figure=distal or at the tip)
 1. $0.2 < x < 1.0$
 2. $1.0 < x < 2.0$
 3. $2.0 < x < 3.0$
 4. $3.0 < x < 4.0$
 5. $4.0 < x < 5.0$
 6. $5.0 < x < 6.0$
 7. $6.0 < x < 7.0$
 8. $7.0 < x < 8.0$
 9. $8.0 < x$

Lateral cone-fractures (≥ 1 mm)

- Frequency
 1. $x < 3$
 2. $3 < x$
- Position
 1. close to the tip (or distal part for blade(let)s)
 2. at the central part
 3. at the basis (or proximal part for blade(let)s)
 4. (1.+2.)
 5. (2.+3.)
 6. (1.+3.)
 7. (1.+2.+3.)

Action as evidenced by microwear traces

0. No IUZs
2. Longitudinal (cutting, slicing, sawing, etc.)
5. Projectile head
6. Projectile barb
7. Projectile barb reused as projectile head

Position of MLITs

1. on ventral face
2. on dorsal face
3. (1.+2.)

Function code used in spatial analysis

- First code: S= Slender; R= Robust; (H=Barb reused as projectile head)
- Second code: Evaluation of macroscopic features : typical bending fractures, cone fractures, burin-like spin-offs, lateral cone fractures and spin-offs of which the frequency or length > 1 were all considered as diagnostic parameters of a projectile function.

	No diagnosis	Projectile
(Nearly) complete point	1	6
(Apical) pointfragment	2	7
Median fragment	3	8
Base fragment	4	9
(Nearly) complete blade(let)	5	0 (barb)

- Third code (added only when second code is 1 to 5)
 0. No microscopic traces of use
 1. Microscopic traces of use '*en percussion posée*'
 2. Microscopic linear impact-traces (MLIT)
 3. Barb
- Last numerical code : 4 = burnt element
- Last code: T = with trihedral point; s = short fragment (< 25 mm); l = long fragment (>= 25 mm).

Krukowski microburins

Type

1. Proximal microburin
2. Distal microburin

Morpho-technic description

- Description of the opposed end
 1. Apical
 2. Blunt
 3. Broken
- Description of a possible trihedral point
 1. Unmodified
 2. Retouched
- Position of butt (origin of the microburin blow)
 1. Ventral
 2. Dorsal
- Lateralisation: location of the modified edge (according to the flaking direction for blunted or broken ends; for the pointed elements, the point-tip is erected)
 1. Left side
 2. Right side
- Aspect (origin of retouch)
 1. Obverse (direct)
 2. Inverse
 3. Alternating (obverse/inverse)
 4. Crossed (bidirectional)

Secondary fractures

- Bending fracture type (according to Fischer et al. 1984)
 3. Feather terminating bending fracture
 4. Hinge terminating bending fracture
 5. Step terminating bending fracture
- Length of the 'languette' of the bending fractures (in mm)
 1. $0.2 < x \leq 1.0$
 2. $1.0 < x \leq 2.0$
 3. $2.0 < x \leq 3.0$
 4. $3.0 < x \leq 4.0$

"Spin-off" fractures

- Position
 1. Spin-off(s) on the ventral surface along the edge opposed to the butt
 2. Spin-off(s) on the dorsal surface along the edge opposed to the butt
- Frequency
 1. $1 < x \leq 3$ spin-off(s)
 2. $x > 3$ spin-offs
- Length (in mm)
 1. $0.2 < x \leq 1.0$
 2. $1.0 < x \leq 2.0$

Burins

Type

- 112 Lateral burin on oblique unmodified end
- 113 Lateral burin on transverse unmodified end
- 122 Medial burin on oblique unmodified end
- 131 Transverse burin on unmodified edge
- 212 Lateral burin on oblique break
- 213 Lateral burin on transverse break
- 222 Medial burin on oblique break
- 231 Transverse burin on broken edge
- 312 Lateral burin on oblique truncation
- 313 Lateral burin on transverse truncation
- 322 Medial burin on oblique truncation
- 323 Medial burin on transverse truncation
- 331 Transverse burin on retouched edge
- 412 Lateral atypical Lacan burin with oblique truncation
- 413 Lateral atypical Lacan burin with transverse truncation
- 422 Medial atypical Lacan burin with oblique truncation
- 431 Transverse atypical Lacan burin

- 512 Lateral dihedral burin with oblique spall platform
- 513 Lateral dihedral burin with transv. spall platform
- 522 Medial dihedral burin with oblique spall platform
- 531 Transverse dihedral burin

- 600 Multiple burin (burin edges classified in the same way as simple burins above)

Burin edge (BE; several lines in case of multiple burins: first proximal, second distal; first left, second right (=clockwise)).

- Burin facet
 - Length
 - Maximum width
 - Minimal number of spall removals
- Spall platform (SP)
 - Length (of retouch or of former burin facet, or untill clear interruption)
 - Width
 - Minimal number of spall removals (in case of dihedral burin)
- Angle of burin edge
 4. 35° - 45°
 5. 45° - 55°
 6. 55° - 65°
 7. 65° - 75°
 8. 75° - 85°
 9. 85° - 95°
 10. 95° - 105°
 11. 105° - 115°
 12. 115° - 125°
 13. 125° - 135°
- Position of final spall scar (left or right according to upward burin edge)
 1. Proximal-right
 2. Distal-right
 3. Proximal-left
 4. Distal-left
- Orientation of burin tip on blank extremity
 1. Symmetric
 2. Asymmetrical right
 3. Asymmetrical left
- Nature of the spall platform
 1. Unmodified
 2. Burin facet
 3. Truncation
 4. (Lateral) Retouch
 5. Break
- Shape of spall platform
 0. Irregular
 1. Rectilinear
 2. Denticulated

3. Notch
4. Concave
5. Convex
6. Sinuous
- Orientation of burin facet
 1. Lateral (right-angled with ventral face of burin)
 2. Flat-faced ventral (*burin plan*)
 3. Flat-faced dorsal
 4. Oblique - canted on ventral face of burin
 5. Oblique - canted on dorsal face of burin
 6. Polyhedral ventral-dorsal
- Termination of final spall scar (i.e. base of burin facet)
 0. Unknown
 1. Feathered
 2. Hinged
 3. Plunged
 4. Terminated by retouch or notch
- Opposed end of burin edge
 1. Complete
 2. Burin edge
 3. Broken
 4. Retouch
 5. Disappeared with plunged burin edge
- Fracture-type
 2. Snap terminating bending fracture
 3. Feather terminating bending fracture
 4. Hinge terminating bending fracture
 5. Step terminating bending fracture
 6. Snap terminating bending fracture with bulb
 7. Thermic fracture

Burin spalls

- Type
 1. Primary spall
 2. Sharpening spall (with negative of former spall removal)
- Proximal end (butt)
 0. Unidentified
 1. Natural surface (unprepared)
 2. Former spall removal
 3. Truncation
 4. (Lateral) Retouch
 5. Not preserved
- Distal end
 0. Unidentified
 1. Feathered ('regular')
 2. Hinged
 3. Plunging
 4. Not preserved
- Original position on the burin (left or right according to upward burin edge)
 0. Unidentified
 1. Proximal-right
 2. Distal-right
 3. Proximal-left
 4. Distal-left
 5. Right (without specification)
 6. Left (without specification)
- Lateral edge
 0. Unmodified
 1. Retouched
 2. 'Tertiary modification'
- Original orientation on the burin
 0. Unidentified
 1. Lateral (right-angled with ventral face of burin)
 2. Flat-faced ventral (*burin plan*)
 4. Oblique - canted on ventral face of burin
 5. Oblique - canted on dorsal face of burin

Scrapers

Type

- 110 Simple long endscraper on blade ($L \geq 2W$)
- 111 Simple long endscraper on blade with retouched lateral edges ($>1:3$ of total edge)

- 120 Simple short endscraper on blade ($L < 2W$)
- 130 Simple endscraper on broken blade
- 131 Simple endscraper on broken blade with retouched lateral edges ($>1:3$ of edge)
- 210 Simple endscraper on flake
- 211 Simple endscraper on flake with scraperhead covering $>1:3$ of edges
- 212 Double endscraper on flake
- 220 Simple thumbnail-scraper (L and $W < 2.5$ cm)
- 221 Simple thumbnail-scraper with scraperhead covering $>1:3$ of edges
- 222 Double thumbnail-scraper
- 230 Simple endscraper on broken flake
- 231 Simple endscraper on broken flake with scraperhead covering $>1:3$ of edges

Scraperhead (SH; two lines in case of two scraperheads).

- Dimensions (in mm)
- SH-Length (of whole retouched curve, except in case of obvious angle, or in case of interruption).
- SH-Width (= length of straight line between the two extremities of the scraping edge)
- Max. SH-Thickness
- SH-Angle (measured between the ventral face of the blank and the retouched surface of the scraperhead, at the midpoint of the scraping edge)
 4. $35^\circ-45^\circ$
 5. $45^\circ-55^\circ$
 6. $55^\circ-65^\circ$
 7. $65^\circ-75^\circ$
 8. $75^\circ-85^\circ$
 9. $85^\circ-90^\circ$
- SH-Position
 1. Proximal
 2. Distal
- SH-Orientation
 0. Not observable
 1. Symmetric
 2. Asymmetric to the right
 3. Asymmetric to the left
- SH-Angle of orientation (small angle between the flaking axis of the blank and a straight line connecting the two extremities of the scraping edge)
 0. Not observable
 4. $35^\circ-45^\circ$
 5. $45^\circ-55^\circ$
 6. $55^\circ-65^\circ$
 7. $65^\circ-75^\circ$
 8. $75^\circ-85^\circ$
 9. $85^\circ-90^\circ$
- SH-Outline
 0. Irregular
 1. Rectilinear
 5. Convex
 6. Sinuous
 8. Nosed
- SH-Convexity
 0. Not applicable or unknown
 1. Ogival
 2. Regular
 3. Flattened
- SH-Retouch pattern
 0. Not observable
 1. Convergent
 2. Semi-convergent
 3. Non-convergent
- SH-'Irregularities' on the retouched edge (combinations are possible)
 0. Indeterminable (eg. SH strongly affected by burning)
 1. No irregularities (regularized scraping edge)
 2. Slight overhang; small removals hinging at less than 1 mm from the edge
 3. Pronounced overhang; substantial hinging further away from the edge
 4. Crushed edge, due to repeated attempts of retouching

5. Partial fracture in edge (generally associated with 'weak' flint area)
6. Small concavity or notch in scraping edge outline, mostly corresponding with a particularly large retouch removal
7. Gibbosity in scraping edge outline
8. Fine indentations on the scraping edge outline (edge was not regularized)
9. Other irregularities: denticulated edge, atypical scraper, irregularity on blank prevents resharpening, ...)

Opposed end of SH

1. Complete
2. Scraperhead
3. Broken

Fracture of broken scraper

- Fracture-type
 2. Snap terminating bending fracture
 3. Feather terminating bending fracture
 4. Hinge terminating bending fracture
 6. Snap terminating bending fracture with bulb
 7. Thermic fracture
- Origin of fracture
 0. Indeterminable
 1. Direct (fracturing coercion applied on the ventral surface)
 2. Inverse (fracturing coercion applied on the dorsal surface)
 3. Lateral (fracturing coercion applied on a lateral edge)
 7. Thermic

Lateral edge-modification (LM)

- LM-Type
 2. Semi-abrupt retouch
 3. Marginal retouch
 4. Flattened retouch (low angle)
 5. Splinter/scar
- LM-Origin
 1. Obverse
 2. Inverse
 3. Alternating (obverse/inverse)
 5. Bifacial
- LM-Location: see illustration above

Truncated tools

Type

- 11 Blade with transverse truncation
- 12 Blade with oblique truncation
- 14 Blade with two oblique truncations
- 15 Blade with two different truncations (oblique and transverse)
- 21 Flake with transverse truncation
- 22 Flake with oblique truncation

Truncation (TR; two lines in case of two truncations: first proximal, second distal)

- Dimensions (in mm)
 - TR-Length: length of retouch on extremity of the blank
 - TR-Width: maximum 'thickness' of retouch
- TR-Position
 1. Proximal
 2. Distal
- TR-Contour
 0. Irregular
 1. Rectilinear
 3. Notch
 4. Concave
 5. Convex
 6. Sinuous
- TR-Orientation
 1. Transverse
 2. Oblique, right end up
 3. Oblique, left end up

- TR-Angle of orientation (after Movius et al. 1968: 19)

2. 15°-25°
3. 25°-35°
4. 35°-45°
5. 45°-55°
6. 55°-65°
7. 65°-75°
8. 75°-85°
9. 85°-95°

- TR-Retouch type

1. Abrupt
2. Semi-abrupt
3. Marginal

- TR-Retouch extent

1. Covers entire extremity
2. Covers part of extremity
3. Extremity is partly broken

- TR-Fracture-type (of break associated with the truncation)

0. Undetermined
 1. Cone fracture
 2. Snap terminating bending fracture
 3. Feather terminating bending fracture
 4. Hinge terminating bending fracture
 6. Snap terminating bending fracture with bulb

- TR-Origin of fracture

0. Indeterminable
 1. Direct (fracturing coercion applied on the ventral surface)
 2. Inverse (fracturing coercion applied on the dorsal surface)

Opposed end

1. Complete
2. Truncation
3. Broken

Fracture-type of broken opposed end

2. Snap terminating bending fracture
3. Feather terminating bending fracture
4. Hinge terminating bending fracture
5. Step terminating bending fracture
7. Thermic fracture

Lateral edge-modification (LM)

- LM-Type
 2. Semi-abrupt retouch
 3. Marginal retouch
- LM-Origin
 1. Obverse (direct)
 2. Inverse
- LM-Location: see illustration above.

Interpretation:

1. Projectile
2. LMP-manufacturing mishap
3. Scraper
4. Burin
5. Bec/borer/reamer

Becs/borers/reamers

Type

- 11 Simple bec
- 12 Double bec
- 13 'Drill' bit fragment of bec
- 21 Simple borer (piercer)
- 23 Drill fragment of borer
- 31 Simple reamer (Fr. *Alésoir*)
- 33 'Drill' fragment of reamer

Drill bit (two lines in case of double drill point: first proximal, second distal)

- Dimensions (in mm)
 - Length
 - Width near to the shoulder(s), or at the meeting point with at least one unmodified edge
 - Maximum height (thickness) at the same point
- Small angle enclosed by the two edges of the drill
 - 2. 15°-25°
 - 3. 25°-35°
 - 4. 35°-45°
 - 5. 45°-55°
 - 6. 55°-65°
 - 7. 65°-75°
 - 8. 75°-85°
 - 9. 85°-95°
- Retouch type
 - 1. Scaled/abrupt
 - 2. Scaled/semi-abrupt
 - 3. Scaled/marginal
- Position
 - 0. Unknown
 - 1. Proximal
 - 2. Distal
- Orientation
 - 1. Symmetric
 - 2. Asymmetrical right
 - 3. Asymmetrical left
- Presence of shoulder
 - 0. Absent
 - 1. Left
 - 2. Right
 - 3. On both sides
- State of the drill bit
 - 1. Complete
 - 2. Broken at the tip
 - 3. Broken elsewhere
- Fracture type
 - 1. cone fracture
 - 2. snap terminating bend- ing fracture
 - 3. feather terminating bending fracture
 - 4. hinge terminating bend ing fracture
 - 5. step terminating bending fracture
 - 6. snap terminating bending fracture with bulb
 - 7. thermic fracture
 - 8. twisted (*torsadée*) fracture
- Origin of fracture
 - 0. Indeterminable
 - 1. Direct (fracturing coercion applied on the ventral face)
 - 2. Inverse (fracturing coercion applied on the dorsal face)
 - 3. Lateral (fracturing coercion applied on a lateral edge)
 - 4. Twisted/clockwise rotation
 - 5. Twisted/counter-clockwise rotation
 - 6. Impact fracture
 - 7. Thermic fracture
 - 8. Knapping accident
- Macroscopic edge-damage ascribed to utilisation
 - 0. Direction not specified
 - 4. Clockwise rotation
 - 6. Alternating rotation
 - 9. Edge-damage due to use as fire-lighter

Opposed end

- State
 - 1. Complete
 - 2. Borer/bec
 - 3. Broken
 - 5. Broken in the drill
- Fracture-type
 - 1. Cone fracture
 - 2. Snap terminating bending fracture
 - 3. Feather terminating bending fracture
 - 4. Hinge terminating bending fracture
 - 5. Step terminating bending fracture
 - 6. Snap terminating bending fracture with bulb
 - 7. Thermic fracture
 - 8. Twisted (*torsadée*) fracture

- Origin of fracture
 - 0. Indeterminable
 - 1. Direct (fracturing coercion applied on the ventral face)
 - 2. Inverse (fracturing coercion applied on the dorsal face)
 - 3. Lateral (fracturing coercion applied on a lateral edge)
 - 4. Twisted/clockwise rotation
 - 5. Twisted/counter-clockwise rotation
 - 6. Impact fracture
 - 7. Thermic fracture
 - 8. Knapping accident

Composite tools

Type

- 12 Burin-Scraper
- 13 Burin-Borer/bec
- 14 Burin-Truncation
- 24 Scraper-Truncation

Recording of the individual tooling ends: see the attributes of the simple tools

Other retouched tools

Type

- 1 Blade with 'random' edge-retouch
- 2 Flake with 'random' edge-retouch
- 3 Unidentifiable tool-fragment

Modification

- Position (area) (see fig. 1; 0=undetermined)
- Contour (shape)
 - 1. Rectilinear
 - 2. Denticulated
 - 3. Notch
 - 4. Concave
 - 5. Convex
 - 6. Sinuous
- Retouch type
 - 1. Scaled/abrupt
 - 2. Scaled/semi-abrupt
 - 3. Scaled/marginal
 - 4. Scaled/flattened
- Aspect (origin of retouch)
 - 1. Obverse (direct)
 - 2. Inverse

Edge-damaged pieces

Edge damage type

- 1. 'Use retouch': scars possibly provoked by utilisation
- 2. Piece with one or several notches
- 3. Piece with a short series of tiny edge-scars
- 4. 'Spontaneous retouch' (provoked during debitage)
- 5. Recent damage (provoked during excavation or later)

Artefact type

- 1. Flake
- 21. Laminar flake
- 22. Blade
- 7. Lump (Debris)

State of blade

- 1. Complete
- 2. Proximal fragment
- 3. Medial fragment
- 4. Distal fragment

Annex 2a. Database of tools: Laterally Modified Laminar Pieces.(1/4)

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw material	Silex	Origin of blank	State of fragmentation	Point-sip position	RE-Lateralisation	RE-Extent	RE-Shape	RE-Aspect	RE-crossed retouch	OE-Aspect	OE-Position	Fracture-Position	Fracture-Type	Fracture-Length	Spin-offs-Position	Spin-offs-Frequency	Spin-offs-Length	Burination-Position	Burination-Type	Burination-Length	Lat-Cone-Frequency	Lat-Cone-Position	Refitting-type	Refitting-Inventary	Condition	Action	MLT-Position	Function	Author of drawing	Plate
11	11	1	-	-	3	12,40	35,00	50	12	4	3,0	2	120	5	1	2	1	2	4	1	2	3	2	1	2	0	-	-	-	-	-	-	-	-	-	-	0	5	2	S6	1	68,3
163	21	1	-	-	3	12,80	35,20	19	11	5	1,1	0	0	5	6	-	1	1	2	1	1	2	3	25	1	00	-	-	-	-	-	-	-	-	-	4	-	-	S84s	-	-	
222	21	1	-	-	3	13,20	35,60	12	8	4	0,4	2	125	2	7	-	1	1	0	1	-	-	2	3	2	0	-	-	-	-	-	-	-	-	0	0	-	S9s	-	-		
67	12	1	10	34	20	11,90	35,10	46	11	5	2,4	2	120	5	1	2	2	1	1	1	-	1	1	2	0	-	-	-	-	-	-	-	-	0	0	-	S10	1	68.12			
165	21	1	10	34	220	11,06	35,24	21	10	3	0,7	1	110	5	6	-	2	2	5	1	-	-	3	27	-	1	2	3	-	-	-	-	-	4	-	-	S84l	1	68.20			
145	21	1	10	34	221	11,34	35,90	34	9	3	0,9	2	120	5	3	-	1	1	1	1	-	1	1	3	52	9	00	-	-	-	-	-	-	0	5	2	S6	1	68.19			
164	21	1	10	34	224	11,77	35,40	20	10	2	0,5	2	120	5	6	-	2	1	1	1	-	-	3	25	5	00	-	-	-	-	-	-	1	2	2	S8s	-	-				
46	11	1	10	34	52	11,50	34,97	26	10	5	1,1	2	120	5	5	2	2	1	2	4	6	-	3	45	39	00	-	-	-	-	-	-	-	0	5	1	S7	-	-			
63	12	1	10	34	63	11,56	34,89	35	9	4	1,2	1	110	5	0	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	68.10			
103	21	1	10	36	59	10,70	36,83	29	9	2	0,7	1	110	5	0	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1-2	0	-	S50	1	68.16			
309	33	1	12	34	1058	12,76	35,60	21	14	6	1,4	2	125	1	4	2	1	1	4	1	-	-	1	2	-	2	1	2	-	-	-	-	-	5	01c05	0	0	-	R20	1	68.26	
56	11	1	12	34	1162	12,94	35,73	26	11	4	0,9	2	120	5	7	2	1	1	2	1	-	-	2	2	-	0	-	-	-	-	-	-	-	3	01s49	4	-	S404l	1	68.9		
126	21	1	12	34	1165	12,94	35,63	28	10	4	1,4	1	110	5	1	-	2	1	1	1	-	-	2	2	-	0	-	-	-	-	-	-	-	0	6	-	S53	1	68.18			
35	11	1	12	34	1219	12,98	35,46	17	11	5	0,7	2	125	2	4	2	2	1	2	1	-	-	1	2	-	0	-	-	-	-	-	-	-	1	0	-	S20T	-	-			
2	11	1	12	34	1247	12,58	35,45	44	12	5	2,1	1	710	74	0	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	07s32	0	0	-	S10T	1	68.1,75.2		
310	33	1	12	34	1251	12,74	35,40	30	13	6	2,0	2	125	1	4	2	1	1	4	4	1	-	1	2	-	0	-	-	-	-	-	-	-	1	01c05	0	0	-	R20	-	-	
25	11	1	12	34	1259	12,86	35,66	39	9	3	1,2	2	120	5	2	1	2	2	2	4	1	1	2	1	1	2	0	-	-	-	-	-	-	-	0	0	-	S6	1	68.6		
31	11	1	12	34	183	13,78	35,55	20	10	5	0,7	0	0	5	4	2	2	1	2	1	-	-	1	2	-	0	-	-	-	-	-	-	-	4	-	-	S204	-	-			
64	12	1	12	34	234	13,30	34,52	55	12	4	2,2	2	120	5	0	1	1	1	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	68.11			
312	33	1	12	34	406	13,40	35,10	35	14	5	2,5	2	120	5	7	2	1	2	4	1	-	-	2	2	-	0	-	-	-	-	-	-	-	-	0	0	-	R40	1	68.24		
166	21	1	12	34	427	13,85	35,78	27	10	3	0,7	2	120	5	6	-	1	1	1	1	-	1	2	3	32	1	00	-	-	-	-	-	-	-	0	5	1	S8l	1	68.21		
92	13	1	12	34	434	12,71	34,83	28	10	4	1,1	2	120	5	0	2	2	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	68.14			
12	11	1	12	34	499	12,75	35,64	31	11	6	1,6	2	120	5	1	2	2	1	2	4	6	-	2	4	1	0	-	-	-	-	-	-	2	2	5	-	0	0	-	S6	1	68.4
32	11	1	12	34	508	12,13	35,69	22	11	5	1,2	2	120	5	4	2	2	1	2	1	-	-	1	2	-	2	1	1	-	-	-	-	-	4	-	-	S204T	1	68.7			
1	11	1	12	34	581	13,59	35,06	28	10	4	1,1	2	120	5	0	1	2	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	68.2		
104	21	1	12	34	688	12,94	35,46	29	11	6	1,5	2	129	2	0	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50T	1	68.17			
96	13	1	12	34	694	12,88	35,80	21	9	3	0,5	2	120	5	4	2	2	5	4	1	-	-	1	2	-	2	1	1	-	-	-	-	-	4	-	-	S204	1	68.15			
33	11	1	12	34	711	13,22	35,61	23	8	2	0,4	2	120	5	4	2	2	1	2	1	-	-	1	7	-	-	-	-	-	-	-	-	-	4	-	-	S204	-	-			
34	11	1	12	34	778	12,56	35,72	23	8	3	0,4	2	120	5	4	2	2	1	2	1	-	-	1	7	-	-	-	-	-	-	-	-	-	4	-	-	S204	-	-			
223	21	1	12	34	909	12,15	35,83	19	10	4	0,9	2	120	5	7	-	1	1	1	1	-	-	2	7	-	-	-	-	-	-	-	-	-	4	-	-	S404s	-	-			
94	13	1	12	34	914	12,24	35,64	29	12	4	1,2	2	120	5	1	2	1	5	1	-	-	2	7	-	0	-	-	-	-	-	-	-	-	4	-	-	S104	-	-			
335	41	1	12	34	999	12,60	35,90	20	13	3	0,9	0	0	5	7	-	2	1	1	1	-	-	2	2	-	0	-	-	-	-	-	-	-	4	-	-	R404	-	-			
59	11	1	12	35	-	12,50	35,50	11	7	3	0,2	2	120	5	9	2	1	1	0	1	-	-	1	2	-	0	-	-	-	-	-	-	-	-	0	0	-	S20	-	-		
13	11	1	12	36	106	13,72	36,14	35	11	3	1,0	1	110	5	1	2	2	1	2	4	1	1	1	2	-	0	-	-	-	-	-	-	1	2	-	1-3	5	1	S10	-	-	
14	11	1	12	36	182	13,76	36,45	44	11	6	2,8	2	120	5	1	1	2	2	4	4	-	-	2	2	-	0	-	-	-	-	-	-	-	2	01s47	0	0	-	S10T	2	68.5	
77	12	1	12	36	222	13,53	36,11	28	9	5	1,0	1	110	5	3	2	1	1	1	1	-	-	3	55	15	00	-	-	-	-	-	-	-	-	1-2	5	1	S6	1	68.13		
36	11	1	12	36	28	13,27	36,11	16	8	4	0,3	2	120	5	4	2	1	1	2	1	-	-	1	2	-	0	-	-	-	-	-	-	-	0	0	-	S20	-	-			
311	33	1	12	36	289	12,40	36,41	30	16	5	2,1	0	0	5	5	1	1	1	4	1	-	-	3	77	-	-	-	-	-	-	-	-	-	4	-	-	R204	-	-			
336	41	1	12	36	292	12,49	36,07	24	13	5	1,2	2	120	5	7	-	1	1	3	1	-	-	2	6	-	0	-	-	-	-	-	-	-	4	-	-	R404	-	-			
97	13	1	12	36	313	13,29	36,20	20	10	5	0,9	0	0	5	4	2	2	5	4	1	-	-	1	5	3	4	1	1	-	-	-	-	-	4	-	-	S74	-	-			
313	33	1	12	36	35	13,32	36,32	31	18	6	3,5	2	125	1	7	2	1	2	4	1	-	-	2	2	-	0	-	-	-	-	-	-	-	5	01c05	0	0	-	R40	1	68.27	
321	41	1	12	36	37	12,97	36,20	33	13	4	1,4	0	0	5	4	-	1	1	4	1	-	-	1	2	-	2	1	1	-	-	-	-	-	4	-	-	R404	-	-			
224	21	1	13	35	20	13,15	35,12	29	12	4	1,2	2	125	2	7	-	1	1	3	1	-	-	2	4	9	2	1	1	-	-	-	-	-	0	0	-	S9s	1	68.23			
285	22	1	13	35	35	13,21	35,41	29	11	3	1,1	0	0	5	7	-	2	2	1	1	-	1	2	2	-	4	1	2	2	2	7	-	-	4	-	-	S94l	-	-			
337	41	1	14	34	16	14,02	35,08	31	14	6	2,4	2	125	2	7	-	1	1	3	1	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	R40	-	-			
314	33	1	14	34	5	14,14	35,76	36	17	6	4,0	2	125	24	7	2	1	1	4	1	-	-	2	6	-	0	-	-	-	-	-	-	-	1	01s50	0	0	-	R40T	1	68.2	

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw material	Silex	Origin of blank	State of fragmentation	Point-tip position	RE-Lateralisation	RE-Extent	RE-Shape	RE-Aspect	RE-crossed retouch	OE-Aspect	OE-Position	Fracture-Position	Fracture-Type	Fracture-Length	Spin-offs-Position	Spin-offs-Frequency	Spin-offs-Length	Burination-Position	Burination-Type	Burination-Length	Lat-Cone-Frequency	Lat-Cone-Position	Refitting-type	Refitting-Inventory	Condition	Action	MLIT-Position	Function	Author of drawing	Plate
86	12	5	14	8	292	15,35	8,07	21	8	3	0,5	2	5212	2	5	2	2	1	1	1	-	1	3	22	-	00	-	-	-	-	-	-	-	-	-	-	0	0	-	S20	-	-
178	21	5	14	8	427	15,91	8,08	19	8	3	0,6	1	510	5	6	-	1	1	1	1	-	-	-	3	54	68	21	21	21	-	-	-	-	-	-	1-2	0	-	S84s	1	70.6	
317	41	5	14	8	47	14,34	8,21	36	13	4	1,9	2	520	5	1	-	1	2	5	4	3	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S7	1	70.18		
549	11	5	14	8	542	15,52	8,17	24	8	4	0,8	1	511	2	5	2	1	1	2	4	1	-	-	3	31	11	20	1	1	-	-	-	-	3	05s105	0	0	-	S10	-	69.14	
70	12	5	14	8	560	14,36	8,10	25	6	2	0,4	2	5212	2	1	2	1	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S91	-	-		
233	21	5	14	8	618	14,80	8,67	22	8	2	0,5	2	520	5	7	-	2	1	1	1	-	-	-	2	5	1	0	-	-	-	-	-	-	-	0	0	-	S421	1	69.13		
57	11	5	14	8	629	14,80	8,56	32	8	2	0,9	1	519	3	7	2	2	1	2	1	-	2	1	2	2	-	0	-	-	-	-	-	-	-	1	5	1	S50	-	-		
250	22	5	14	8	667	14,24	8,89	20	7	1	0,2	2	520	5	0	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S64	-	-			
140	21	5	14	8	735	14,66	8,78	21	6	2	0,3	2	520	5	2	-	2	1	2	1	-	-	-	1	5	1	0	-	-	1	2	2	-	-	4	-	-	S10T	1	69.5		
4	11	5	14	8	793	15,20	8,48	40	9	2	0,9	1	519	3	0	1	2	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	3	05s106	0	5	1	S8s	1	70.8		
176	21	5	14	8	86	15,11	9,84	17	10	2	0,4	1	519	3	6	-	1	1	1	1	-	-	-	3	52	2	20	1	1	-	-	-	-	3	05s105	0	5	1	S91	1	69.15	
58	11	5	14	8	865	15,00	8,34	23	8	4	0,9	1	511	2	8	2	1	1	2	1	-	-	-	3	53	11	12	22	31	-	-	-	-	-	0	5	1	S81	1	70.10		
179	21	5	14	8	869	14,86	8,32	25	8	2	0,6	1	519	3	6	-	1	1	2	1	-	-	-	3	45	12	00	-	-	-	-	-	-	-	0	5	1	S94s	-	-		
234	21	5	14	8	880	15,92	8,21	17	8	3	0,5	0	5	7	-	-	1	1	1	1	-	-	-	2	2	-	1	1	3	2	2	5	-	-	4	-	-	S64	-	-		
71	12	5	14	8	894	14,39	9,24	29	10	2	0,5	0	5	1	1	1	1	1	1	1	-	-	-	2	4	5	2	1	1	-	-	-	-	-	4	-	-	S81	-	-		
267	22	5	14	8	910	15,81	8,51	26	8	2	0,5	2	520	5	6	-	2	1	2	1	-	-	-	3	23	1	00	-	-	-	-	-	-	-	0	5	3	S6	-	-		
177	21	5	14	8	96	14,53	8,80	14	8	3	0,3	2	5212	2	6	-	2	1	1	1	-	-	-	3	52	1	00	-	-	-	-	2	2	3	05s104	0	6	-	S304s	-	-	
360	42	5	14	10	1	15,08	10,48	15	16	3	1,2	2	520	5	7	-	2	2	3	1	-	-	-	2	2	-	0	-	-	-	-	-	-	2-3	0	-	R40	-	-			
251	22	5	14	10	2	14,92	10,31	34	8	4	1,1	2	520	5	0	-	2	2	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	-	-			
180	21	5	14	10	28	14,79	10,69	18	7	3	0,4	2	5212	2	6	-	2	1	1	1	-	1	2	3	22	-	00	-	-	-	-	-	-	3	05s104	0	0	-	S30s	-	-	
129	21	5	14	10	31	15,43	10,41	27	7	2	0,5	4	3	1	-	-	2	1	1	1	-	-	-	2	3	2	1	1	1	-	-	-	-	1	0	-	S6	-	-			
329	41	5	15	8	-	15,50	8,50	12	12	3	0,3	1	511	2	6	-	2	1	3	4	2	-	-	3	66	-	00	-	-	-	-	-	-	3	05s108	0	0	-	R30T	1	70.20	
268	22	5	16	2	84	17,94	3,41	20	6	1	0,1	0	5	6	-	-	2	2	1	1	-	-	-	3	72	-	0	-	-	-	-	-	-	4	-	-	S304s	-	-			
307	33	5	16	4	36	17,58	4,14	46	18	5	3,5	2	5212	2	0	2	1	2	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	3	0	-	R10	1	70.17			
16	11	5	16	4	39	17,38	5,45	39	9	3	1,6	1	510	5	1	2	1	1	2	1	-	-	-	2	2	-	1	1	1	-	-	-	2	4	-	1	5	2	S6	1	69.8	
263	22	5	16	4	44	16,65	5,96	13	7	2	0,1	1	510	5	4	-	2	2	0	1	-	-	-	1	2	-	2	1	2	-	-	-	-	0	0	-	S30s	-	-			
235	21	5	16	6	168	17,05	6,53	18	8	4	0,6	1	510	5	7	-	2	1	1	1	-	-	-	2	5	2	1	2	5	-	-	-	-	0	5	3	S9s	1	70.12			
27	11	5	16	6	179	16,73	6,47	34	8	3	0,9	1	510	5	3	2	2	1	2	1	-	2	1	3	51	12	00	-	-	-	-	-	-	0	0	-	S6	1	69.9			
107	21	5	16	6	180	16,36	6,78	37	7	3	0,9	1	510	5	0	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	6	-	S0	1	69.22		
236	21	5	16	6	254	16,04	7,56	22	9	3	0,4	1	510	5	7	-	2	1	1	1	-	-	-	2	7	-	-	-	-	-	-	-	-	4	-	-	S404l	-	-			
108	21	5	16	6	259	17,39	7,67	41	9	3	1,4	1	510	54	0	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	05s109	0	0	-	S50	1	69.23,75.5			
50	11	5	16	6	290	16,83	6,09	17	9	2	0,4	4	3	5	2	2	1	2	4	2	1	2	3	27	-	3	1	1	-	-	-	-	-	4	5	3	S224	-	-			
237	21	5	16	6	329	17,00	7,67	27	10	3	0,9	1	510	5	7	-	1	1	1	1	-	-	-	2	7	-	-	-	-	-	-	-	-	4	-	-	S404l	-	-			
269	22	5	16	6	356	16,85	6,58	29	7	3	0,6	2	520	5	6	-	2	2	1	1	-	-	-	3	22	-	00	-	-	-	-	-	-	-	0	0	-	S30l	-	-		
238	21	5	16	6	500	17,16	7,20	10	9	3	0,3	1	510	5	7	-	2	1	1	1	-	-	-	2	5	2	2	1	1	2	2	7	-	-	0	5	2	S9s	-	-		
181	21	5	16	8	10	16,72	9,26	18	7	2	0,3	2	520	5	6	-	2	2	1	1	-	1	2	3	22	-	20	1	1	-	-	-	-	0	0	-	S30s	-	-			
109	21	5	16	8	120	17,69	9,19	37	7	4	0,9	1	511	2	0	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	-	-			
130	21	5	16	8	246	17,20	8,86	45	11	3	2,0	1	510	54	1	-	2	2	1	1	-	-	-	2	2	-	0	-	-	-	-	-	1	05s109	0	0	-	S50	1	69.24		
303	32	5	16	8	254	16,50	8,54	70	21	5	7,1	1	510	5	0	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	0	2	-	R11	1	70.16			
81	12	5	16	8	259	16,03	9,65	22	10	3	0,5	1	510	5	4	2	2	1	1	4	1	-	-	1	5	2	0	-	-	-	-	-	-	0	0	-	S7	-	-			
5	11	5	16	8	420	17,53	9,38	51	12	3	2,2	1	510	5	0	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0	-	S10	1	69.6			
72	12	5	16	8	441	16,61	8,10	45	10	2	1,1	1	519	3	1	2	2	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S10	1	69.18		
95	13	5	16	8	492	16,66	9,57	40	11	4	2,0	1	510	5	1	2	2	2	5	1	-	-	-	2	5	6	4	1	2	2	2	9	-	-	1-3	5	2	S6	1	69.20		
65	12	5	16	8	545	16,12	8,25	35	8	3	0,9	4	3	0	2	1	1	1	1	1	-	3	6	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	69.16		
239	21	5	16	9	-	16,50	9,50	12	6	3	0,5	2	520	5	7	-	2	1	1	2	-	-	-	2	2	-	2	1	1	-	-	-	-	-	0	0	-	S40s	-	-		
131	21	5	16	10	101	16,73	11,74	30	10	4	0,7	2	520	5	1	-	2	2	2	1	-	-	-	2	5	1	0	-	-	-	-	-	-	-	0	0	-	S6	-	-		

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw material	Silic	Origin of blank	State of fragmentation	Point-tip position	RE-Lateralisation	RE-Extent	RE-Shape	RE-Aspect	RE-crossed retouch	OE-Aspect	OE-Position	Fracture-Position	Fracture-Type	Fracture-Length	Spin-offs-Position	Spin-offs-Frequency	Spin-offs-Length	Burination-Position	Burination-Type	Burination-Length	Lat.Cone-Frequency	Lat.Cone-Position	Refitting-type	Refitting-Inventary	Condition	Action	MLIT-Position	Function	Author of drawing	Place
113	21	6	4	6	326	4,82	6,56	32	9	2	0,7	4	4	2	0	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	1	71.11	
40	11	6	4	6	348	4,21	6,54	28	7	4	0,5	0	0	5	4	2	1	1	2	4	6	-	-	2	7	-	-	-	-	-	-	-	-	-	0	0	-	S204	1	71.3		
133	21	6	4	6	35	5,28	6,58	36	10	2	0,7	4	4	2	1	-	1	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S50	-	-		
273	22	6	4	7	-	4,60	7,60	10	2	0,3	2	620	5	6	-	1	1	1	1	1	-	-	-	3	25	1	04	2	2	2	21	95	-	-	-	0	0	-	S8s	1	71.21	
288	22	6	4	7	-	4,40	7,40	14	7	2	0,3	4	4	2	7	-	1	1	1	1	-	-	-	2	5	2	2	1	1	2	1	5	-	-	-	0	5	1	S9s	1	71.23	
357	42	6	4	8	53	4,09	9,89	12	18	6	1,2	1	610	5	6	-	1	1	1	1	-	-	-	3	24	2	00	-	-	-	-	-	-	-	-	0	0	-	R30	-	-	
75	12	6	6	2	2	6,84	3,45	33	10	3	0,8	1	610	5	0	2	1	1	1	4	1	2	4	2	1	6	0	-	-	-	-	-	-	-	3	0	-	S6	1	71.5		
308	33	6	6	8	19	6,51	9,60	43	18	6	3,4	1	610	5	0	2	1	2	4	1	3	6	-	-	-	0	-	-	-	-	-	-	-	-	1	0	-	R10	1	71.24		
143	21	6	6	8	21	6,80	9,89	35	8	3	0,8	1	610	5	2	-	2	2	1	1	-	-	-	1	5	2	0	-	-	-	-	-	-	-	0	0	-	S6	-	-		
134	21	6	6	8	4	6,86	9,18	38	11	3	1,3	1	610	54	1	-	1	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	1	06s68	0	0	-	S50	1	71.13,26	
289	22	6	6	10	5	6,83	10,53	15	9	2	0,3	1	610	5	7	-	1	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S40s	-	-		
17	11	6	-	-	44	6,88	9,52	46	10	3	1,9	1	610	54	1	1	2	1	2	1	-	-	-	2	2	-	0	-	-	-	-	-	-	1	06s68	1	0	-	S10	1	71.2,26	
18	11	6	-	-	86	-	-	36	10	3	1,0	2	620	5	1	2	1	2	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S10	-	-		
111	21	6	-	-	86	-	-	30	10	4	0,8	4	2	0	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	1	71.12		
185	21	6	-	-	86	-	-	18	9	2	0,3	2	620	5	6	-	2	1	5	1	-	-	-	3	52	5	30	1	2	-	-	-	-	-	-	0	5	1	S8s	1	71.19	
39	11	6	-	-	87	-	-	32	12	4	1,4	2	620	5	4	2	2	1	2	1	-	-	-	1	4	2	2	1	6	1	2	3	2	1	-	3-4	0	-	S7	-	-	
73	12	6	-	-	87	-	-	38	11	3	1,1	2	620	5	1	1	2	1	1	1	-	1	2	2	2	-	0	-	-	-	-	-	-	-	0	0	-	S10	1	71.6		
296	23	6	-	-	89	-	-	10	10	5	0,6	0	5	7	-	3	22	11	11	-	-	-	-	2	2	-	0	-	-	-	-	-	-	-	4	-	-	S404s	-	-		
52	11	6	-	-	90	-	-	27	11	3	1,0	0	5	5	1	1	1	2	4	1	1	2	3	22	-	00	-	-	-	-	-	-	-	-	5	-	-	S20	1	71.4		
74	12	6	-	-	90	-	-	45	10	4	1,7	1	610	5	1	2	1	1	1	4	5	1	4	2	5	1	0	-	-	-	-	-	-	2	4	-	3-4	0	-	S6	1	71.7
362	43	6	-	-	90	-	-	33	29	4	5,1	3	3	7	-	3	22	22	21	-	-	-	-	1	2	-	1	2	2	-	-	-	-	-	2-3	0	-	R40	1	71.25		
344	41	7	-8	32	1	-8,65	33,94	32	14	5	2,0	0	5	7	-	2	1	1	1	1	-	-	-	2	6	-	0	-	-	-	-	-	-	-	4	-	-	R404T	-	-		
254	22	7	-6	28	1	-7,16	39,67	35	8	4	0,9	1	710	5	0	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	-	-		
192	21	7	-6	32	-	-6,75	33,97	6	5	2	0,1	2	720	5	6	-	2	1	1	1	-	-	-	3	22	-	00	-	-	-	-	-	-	-	-	0	0	-	S30s	-	-	
20	11	7	-6	32	119	-7,76	33,97	58	10	5	3,2	2	720	5	1	1	1	2	4	3	-	-	-	2	5	2	0	-	-	-	-	-	-	2	4	-	1-2	5	1	S6	1	72.4
21	11	7	-6	32	122	-7,42	33,83	58	12	5	3,3	2	720	5	1	2	2	1	2	4	1	-	-	2	5	4	2	1	2	-	-	-	-	1	1	-	0	5	2	S6	1	72.5
66	12	7	-6	32	15	-6,09	32,47	43	12	4	2,2	2	721	2	0	1	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S10	1	72.6	
330	41	7	-6	32	208	-7,60	33,96	28	18	7	3,2	2	720	5	6	-	1	2	1	1	-	-	-	3	42	1	00	-	-	-	-	-	-	-	-	-	0	0	-	R30	-	-
60	11	7	-6	34	-	-6,60	34,60	8	5	3	0,1	2	721	2	9	2	2	1	0	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	S20	1	75.12
61	11	7	-6	34	-	-6,40	34,40	9	8	2	0,2	2	720	5	9	1	1	1	0	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	0	0	-	S20T	-	-	
315	33	7	-6	34	144	-6,90	34,43	38	19	6	4,5	2	721	2	7	2	1	1	4	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	R40	1	72.14
322	41	7	-6	34	146	-7,16	34,39	33	13	4	1,7	0	5	4	-	2	1	1	4	2	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	4	-	-	R404	-	-	
41	11	7	-6	34	147	-6,76	34,70	30	11	4	0,8	0	5	4	2	2	1	2	1	1	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-	4	-	-	S204	-	-	
114	21	7	-6	34	186	-7,65	35,58	19	11	3	0,5	2	721	2	0	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	07s29	0	0	-	S50T	1	72.9	
241	21	7	-6	34	191	-7,21	34,78	15	11	5	0,9	0	5	7	-	1	1	3	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	4	-	-	S404s	-	-		
22	11	7	-6	34	198	-7,98	35,12	34	10	5	1,1	2	722	2	1	2	2	2	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	0	0	-	S10	-	-	
304	32	7	-6	34	201	-6,10	34,55	37	14	8	3,4	2	721	24	1	1	1	2	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	1	07s36	0	0	-	R10	1	72.3,75.9	
306	32	7	-6	34	215	-7,55	34,36	27	16	6	2,4	2	722	2	7	1	2	2	1	1	-	-	-	2	6	-	0	-	-	-	-	-	-	3	07s27	0	0	-	R40T	1	72.13	
193	21	7	-6	34	276	-7,26	34,26	13	10	3	0,4	0	5	6	-	2	1	1	1	1	-	-	-	3	77	-	-	-	-	-	-	-	-	-	4	-	-	S304s	-	-		
301	31	7	-6	34	281	-6,66	34,17	36	18	7	3,9	2	721	1	7	2	1	2	2	1	-	-	-	2	6	-	2	1	1	-	-	-	-	5	07c06	0	0	-	R40T	2	72.11,18,75.7	
323	41	7	-6	34	303	-7,07	34,73	23	14	4	1,0	2	721	2	4	-	2	2	2	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	0	0	-	R40	1	75.14	
331	41	7	-6	34	321	-7,12	34,42	21	14	6	1,6	1	710	5	6	-	1	1	2	1	-	-	-	3	62	-	02	1	2	-	-	-	-	3	07s30	0	0	-	R30T	1	72.15	
240	21	7	-6	34	359	-6,91	34,65	21	11	4	0,5	2	721	2	7	1	2	0	4	2	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	0	0	-	S30Ts	1	75.13	
299	31	7	-6	34	373	-6,70	35,00	31	17	7	3,0	2	721	1	4	2	1	1	2	1	-	-	-	1	6	-	0	-	-	-	-	-	-	5	07c06	0	0	-	R20T	2	72.10,18,75.7	
345	41	7	-6	34	414	-7,45	34,65	31	15	6	2,5	0	5	7	-	2	1	2	1	1	-	-	-	2	6	-	0	-	-	-	-	-	-	-	4	-	-	R404T	-	-		
7	11	7	-6	34	44	-7,57	34,78	40	11	5	2,1	2	720	1	0	2	2	2	1	1	-	1	1	-	-	-	-															

Annex 2a. Database of tools: Laterally Modified Laminar Pieces.(4/4)

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw material	Silicex	Origin of blank	State of fragmentation	Point-tip position	RE-Lateralisation	RE-Extent	RE-Shape	RE-Aspect	RE-crossed retouch	OE-Aspect	OE-Position	Fracture-Position	Fracture-Type	Fracture-Length	Spin-offs-Position	Spin-offs-Frequency	Spin-offs-Length	Burination-Position	Burination-Type	Burination-Length	Lat.Cone-Frequency	Lat.Cone-Position	Refitting-type	Refitting-Inventary	Condition	Action	MLIT-Position	Function	Author of drawing	Place	
207	21	10	20	90	105	-17,72	27,30	18	8	3	0,5	2	1020	5	6	-	1	1	1	4	2	-	-	3	54	11	00	-	-	-	-	-	-	-	-	-	0	0	-	S8s	-	-	
88	12	10	20	90	196	-17,62	26,77	14	10	3	0,4	2	1020	5	5	1	2	1	1	1	-	-	-	3	25	2	40	1	1	-	-	-	-	-	-	0	0	-	S7	-	-		
54	11	10	20	90	205	-17,86	26,95	31	9	3	1,1	2	1020	5	5	2	1	1	2	1	-	-	-	3	21	2	00	-	-	-	-	-	-	-	-	1-2	0	-	S7	1	73,3		
89	12	10	20	90	206	-17,42	26,91	26	8	4	1,2	2	1020	5	5	2	1	1	1	1	-	2	2	3	55	35	00	-	-	2	2	4	2	1	-	2-3	5	2	S7	1	73,5		
280	22	10	20	90	212	-17,78	26,94	22	6	2	0,4	2	1020	5	6	-	1	1	1	1	-	1	2	3	25	2	00	-	-	-	-	-	-	-	-	2	0	-	S8l	-	-		
208	21	10	20	90	241	-17,28	25,78	25	8	3	0,7	2	1020	5	6	-	2	1	1	4	2	-	3	52	2	00	-	-	-	-	-	-	-	-	-	2-4	0	-	S8l	-	-		
156	21	10	20	90	251	-17,83	26,47	12	7	3	0,4	2	1020	5	4	-	2	1	1	1	-	1	3	1	5	1	0	-	-	-	-	-	-	-	4	-	-	S94s	-	-			
206	21	10	20	90	3	-17,49	26,86	20	8	3	0,5	2	1020	5	6	-	2	1	2	4	2	-	3	22	-	00	-	-	-	-	-	-	-	-	-	1	6	-	S33	-	-		
155	21	10	20	90	89	-16,92	27,05	12	8	3	0,3	2	1020	5	4	-	2	1	1	1	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	1	0	-	S40s	-	-		
42	11	11	20	100	45	-18,00	36,19	24	9	4	0,6	2	1120	5	4	2	1	1	2	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	0	0	-	S20	1	73,15		
157	21	11	20	100	7	-16,90	36,72	32	8	3	0,8	2	1120	5	4	-	1	1	1	1	-	-	-	1	2	-	2	1	1	-	-	-	-	3	11s21	1	0	-	S40l	1	73,19		
245	21	11	20	100	9	-16,90	36,07	26	7	2	0,6	2	1120	5	7	-	1	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	3	11s21	1	0	-	S40l	1	73,20		
116	21	11	20	102	8	-17,90	38,25	32	8	2	0,5	2	1120	5	0	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	S50	-	-		
332	41	11	20	106	6	-16,24	42,52	16	15	4	1,2	2	1121	2	6	-	2	2	3	1	-	-	-	3	62	-	00	-	-	-	-	-	-	-	-	-	0	0	-	R30T	-	-	
281	22	11	22	106	-	-15,50	42,20	12	7	3	0,2	0	5	6	-	-	1	1	2	1	-	-	-	3	27	-	0	-	-	-	-	-	-	-	-	-	4	-	-	S304s	-	-	
333	41	11	22	106	-	-15,80	42,90	7	14	3	0,1	2	1120	5	6	-	2	1	2	1	-	-	-	3	22	-	00	-	-	-	-	-	-	3	11s20	0	0	-	R30	-	-		
334	41	11	22	106	112	-14,28	43,45	29	22	5	3,6	2	1121	2	6	-	1	2	3	1	-	-	-	3	22	-	00	-	-	-	-	-	-	-	-	0	0	-	R30	-	-		
83	12	11	22	106	114	-15,40	42,20	33	11	4	1,0	0	5	4	2	1	1	1	1	-	-	-	-	1	7	-	-	-	-	-	-	-	-	-	4	-	-	S204	-	-			
348	41	11	22	106	12	-14,25	41,85	32	20	4	1,5	2	1123	2	7	-	2	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	R40	-	-	
43	11	11	22	106	147	-15,30	42,65	27	10	4	1,2	0	5	4	2	1	2	2	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	-	4	-	-	S204	1	73,16		
209	21	11	22	106	15	-14,13	42,56	29	9	4	1,0	2	1123	2	6	-	1	1	2	4	2	-	3	22	-	04	1	1	-	-	-	-	-	-	-	0	0	-	S30l	-	-		
55	11	11	22	106	191	-14,98	42,66	16	11	3	0,6	2	1123	2	5	1	2	1	2	1	-	-	-	3	22	-	00	-	-	-	-	-	-	-	-	-	0	0	-	S20	-	-	
210	21	11	22	106	196	-14,70	41,88	14	11	4	0,5	0	5	6	-	-	1	1	1	1	-	-	-	3	77	-	-	-	-	-	-	-	-	-	-	4	-	-	S304s	-	-		
246	21	11	22	106	26	-15,43	43,10	17	12	5	1,1	2	1120	5	7	-	2	1	3	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	S40s	-	-	
90	12	11	22	106	263	-14,14	43,11	22	8	3	0,7	0	5	5	1	1	1	1	1	-	-	-	3	47	3	10	1	1	-	-	-	-	-	-	-	4	-	-	S74	-	-		
326	41	11	22	106	284	-15,69	43,53	15	13	3	0,4	2	1120	5	4	-	2	1	3	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	R40	-	-	
300	31	11	22	106	291	-15,46	42,18	26	14	7	1,4	2	1120	1	4	2	1	1	2	1	-	-	-	1	6	-	2	1	1	-	-	-	-	5	11c08	4	-	-	R204T	2	73,21,23		
319	41	11	22	106	342	-15,71	42,40	43	16	6	3,5	2	1120	5	1	-	2	1	2	1	-	-	-	2	2	-	1	1	1	-	-	-	-	-	-	0	2	-	R51	1	73,18		
302	31	11	22	106	343	-15,45	43,02	45	18	9	8,2	2	1120	1	7	2	1	1	2	1	-	-	-	2	6	-	0	-	-	-	-	-	-	-	5	11c08	0	2	-	R41T	2	73,22,23	
320	41	11	22	106	345	-15,68	42,60	48	14	7	4,5	2	1120	1	1	-	2	2	3	4	1	-	-	2	2	-	0	-	-	-	-	-	-	1	11s17	0	0	-	R50	-	-		
349	41	11	22	106	59	-15,07	43,09	14	14	3	0,3	2	1120	5	7	-	2	2	3	1	-	-	-	2	2	-	0	-	-	-	-	-	-	3	11s20	0	0	-	R40	-	-		
350	41	11	22	106	83	-15,24	42,41	40	18	5	4,9	2	1123	2	7	-	1	2	4	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	0	2	-	R41	-	-		
351	41	11	22	106	93	-14,85	43,17	17	17	9	2,1	2	1120	5	7	-	2	2	3	1	-	-	-	2	6	-	0	-	-	-	-	-	-	-	-	-	0	0	-	R40T	-	-	
282	22	11	22	107	-	-15,50	43,20	5	5	3	0,1	1	1110	5	6	-	2	1	1	1	-	-	-	3	43	11	41	21	21	-	-	-	-	-	-	-	0	5	1	S8s	-	-	
211	21	11	22	108	27	-14,78	43,74	13	11	4	0,5	2	1123	2	6	-	2	1	1	1	-	-	-	3	22	-	00	-	-	-	-	-	-	-	-	-	0	0	-	S30s	-	-	
98	13	11	22	108	66	-15,53	43,80	17	10	3	0,5	2	1123	2	4	2	1	1	5	1	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-	0	0	-	S20T	1	73,17	
212	21	11	23	106	-	-14,50	42,20	20	9	6	0,7	0	5	6	-	-	1	1	0	1	-	-	-	3	77	-	-	-	-	-	-	-	-	-	-	4	-	-	S304s	-	-		
213	21	11	23	107	-	-14,50	43,20	12	8	3	0,2	2	1123	2	6	-	2	1	1	4	2	-	-	3	22	-	30	1	1	-	-	-	-	-	-	-	-	0	0	-	S30s	-	-
247	21	12	-	-	-	24,14	-6,50	36	10	4	1,5	2	1220	5	7	-	1	1	1	1	-	-	-	2	2	-	2	1	3	-	-	-	-	-	-	-	0	0	-	S40l	-	-	
327	41	12	6	16	45	22,59	-4,48	26	14	3	1,2	1	1210	5	4	-	2	2	3	1	-	-	-	1	2	-	0	-	-	-	-	-	-	-	-	0	0	-	R40	1	74,12		
136	21	12	6	16	8	21,90	-4,60	32	8	2	0,6	2	1220	5	1	-	2	2	2	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	S50	-	-	
23	11	12	8	12	29	22,73	-8,41	49	10	4	2,2	2	1220	5	1	2	2	1	2	1	-	-	-	2	5	2	0	-	-	-	-	-	-	-	-	1	0	-	S6	1	74,2		
352	41	12	8	12	30	24,17	-7,54	19	13	5	1,1	2	1220	5	7	-	2	1	1	1	-	-	-	2	2	-	0	-	-	-	-	-	-	-	-	-	0	0	-	R40	-	-	
214	21	12	8	14	134	23,72	-6,92	20	8	2	0,5	2	1220	5	6	-	2	1	1	1	-	-	-	3	23	1	10	1	2	-	-	-	-	-	-	-	0	5	1	S8s	-	-	
215	21	12	8	14	185	22,62	-8,33	16	9	2																																	

Annex 2b. Database of tools: usewear on large Laterally Modified Laminar Pieces.

Serial number	Type	Locus	North	East	Number	Condition	ZTTs	Number of IUZs	Action 1	WS 1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time
302	31	11	22	106	343	0	0	1	2	5	2	8-9	1	0	4	6	1	0	2	50	0	-	-	00000	2
303	32	5	16	8	254	0	0	1	2	5	2	8-9	1	0	4	1	1	0	2	50	0	-	-	00000	2
316	33	10	18	90	424	0	0	1	2	5	2	8-9	1	0	4	1	1	0	2	50	0	-	-	00000	2
319	41	11	22	106	342	0	0	1	2	5	2	3-4	1	0	3	4	1	0	2	50	0	-	-	00000	2
350	41	11	22	106	83	0	0	1	2	5	2	8-9	1	0	3	1	1	0	2	50	0	-	-	00000	2
354	42	7	-6	34	743	0	0	1	2	5	2	4	1	0	3	1	3	0	2	50	0	-	-	00000	2

Serial number	Type	Locus	North	East	Number	Ny	Ex	Raw material	Opposed end	Trihedral point	Butt position	Lateralisation	Aspect	Fracture type	Fracture-Length	Spin-offs-Position	Spin-offs-Frequency	Spin-offs-Length	Refitting-type	Refitting-inventory	Condition	Use	Author of drawing	Plate
365	2	1	12	34	298	13,10	35,40	2	2	-	1	2	4	-	-	2	1	1	2	01s47	0	0	2	68,5
366	1	1	12	34	605	12,93	35,90	2	2	-	1	1	1	-	-	-	-	-	-	-	4	0	2	74.28
367	2	1	12	34	1197	12,96	35,57	2	1	2	1	2	1	-	-	-	-	-	-	-	0	0	2	74.29
368	2	1	12	35	-	12,20	35,60	2	2	2	1	2	4	-	-	2	1	1	-	-	0	0	-	-
369	2	1	12	35	-	12,40	35,40	2	1	-	2	1	4	-	-	-	-	-	-	-	0	0	2	74.30
370	2	1	-	-	3	-	-	2	1	2	1	2	1	-	-	-	-	-	-	-	0	0	-	-
371	2	1	-	-	3	-	-	2	2	-	1	1	1	-	-	-	-	-	-	-	0	0	-	-
372	2	5	14	6	885	15,18	7,10	1	1	2	1	2	1	-	-	2	1	1	-	-	0	0	-	-
373	2	5	14	6	916	15,70	6,73	2	2	-	1	1	1	-	-	-	-	-	2	05s102	0	0	2	70.1
374	2	5	16	8	66	16,16	8,94	1	1	-	1	2	4	-	-	2	2	1	-	-	0	0	-	-
375	2	5	18	0	-	18,50	0,50	1	1	-	2	2	4	-	-	1	2	2	-	-	0	0	-	-
376	2	7	-7	32	-	-7,20	32,90	2	1	-	2	1	4	-	-	1	1	1	-	-	0	0	2	74.31
377	2	7	-7	34	-	-7,20	34,60	1	1	-	1	2	1	4	4	-	-	-	-	-	0	0	-	-
378	2	7	-7	34	-	-7,40	34,40	2	3	-	1	2	1	-	-	2	2	2	-	-	0	0	-	-
379	2	7	-7	34	-	-7,60	34,80	1	2	2	1	2	1	-	-	2	1	1	-	-	0	0	-	-
380	2	7	-7	34	-	-7,80	34,20	1	1	2	1	1	1	-	-	-	-	-	-	-	0	0	-	-
381	2	7	-7	35	-	-7,50	35,50	2	2	2	1	1	1	5	2	-	-	-	-	-	0	0	-	-
382	2	7	-6	33	-	-6,80	33,90	2	1	2	1	1	1	-	-	2	1	1	-	-	0	0	-	-
383	2	7	-6	33	-	-6,60	33,80	2	1	-	1	2	1	-	-	2	1	2	-	-	0	0	-	-
384	2	7	-6	34	28	-7,04	35,02	2	1	-	1	1	1	-	-	2	1	1	-	-	0	0	-	-
385	1	7	-6	34	260	-6,96	34,54	1	2	2	1	1	1	-	-	2	2	1	-	-	2-3	0	2	74.32
386	2	7	-6	34	360	-6,71	34,58	1	1	2	1	2	1	-	-	2	1	1	2	07s29	0	0	2	72.9
387	2	7	-6	34	442	-6,98	34,87	1	1	2	1	2	4	-	-	2	2	2	-	-	4	0	2	74.33
388	2	7	-6	34	450	-6,92	34,18	2	2	1	1	1	1	5	1	-	-	-	2	07s28	4	0	2	72.8
389	2	7	-6	34	-	-6,20	34,60	1	1	2	1	1	1	-	-	2	2	2	-	-	0	0	-	-
390	2	7	-6	34	-	-6,80	34,80	1	3	-	1	1	1	-	-	2	2	2	-	-	0	0	-	-
391	2	7	-6	35	-	-6,50	35,50	2	2	2	1	2	1	-	-	2	2	2	-	-	0	0	2	74.34
392	2	7	-4	34	78	-5,97	34,63	1	1	2	1	1	1	-	-	2	1	1	-	-	0	0	2	74.35
393	2	10	18	90	281	-19,00	26,86	2	2	-	1	1	1	-	-	2	2	2	-	-	2	0	-	-
394	2	11	22	104	42	-14,89	41,03	2	3	-	1	1	1	-	-	2	2	1	-	-	0	0	-	-
395	2	11	22	104	47	-14,53	41,26	2	1	-	1	2	1	-	-	-	-	-	-	-	0	0	-	-
396	2	11	22	106	65	-14,94	43,59	2	1	2	1	1	4	-	-	2	2	2	-	-	0	0	-	-
397	2	11	22	106	-	-15,40	42,50	1	3	2	1	1	4	-	-	2	2	1	-	-	0	0	-	-
398	2	11	22	107	-	-15,20	42,90	1	1	-	1	1	1	5	1	2	1	1	-	-	0	0	-	-
399	2	11	22	107	-	-15,70	43,40	2	2	-	1	1	1	-	-	2	2	1	-	-	0	0	-	-
400	2	11	23	106	-	-14,60	42,60	2	2	1	1	2	4	-	-	2	2	1	-	-	0	0	-	-
401	1	11	24	104	8	-12,55	40,08	2	2	-	2	1	1	-	-	1	2	1	-	-	0	0	-	-
402	2	11	24	106	-	-13,50	42,15	2	1	-	1	2	1	-	-	-	-	-	-	-	0	0	-	-
403	2	12	6	14	21	21,82	-6,61	1	2	-	1	1	4	-	-	-	-	-	-	-	0	0	2	74.36
404	2	12	8	16	140	21,62	-7,04	2	1	2	1	2	1	-	-	-	-	-	-	-	0	0	-	-
405	2	12	8	16	-	21,78	-6,90	1	2	-	1	2	1	-	-	2	2	1	-	-	0	0	-	-
406	1	12	10	16	34	23,30	-6,73	2	2	-	1	2	1	5	1	-	-	-	-	-	0	0	-	-

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientation	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientation	Burin facet-Termination	Opposed end
410	522	522	1	12	34	197	13,23	35,72	55	44	14	22	2	120	5	4	4	25	8	2	22	10	1	8	3	1	2	1	1	1	
411	522	522	1	84	RE	4	-	-	79	27	7	12	2	120	5	1	1	8	5	2	34	7	1	7	3	1	2	1	1	1	
412	322	322	1	14	34	18	15,41	35,66	48	22	10	8	2	120	5	3	2	14	5	2	13	5	-	7	4	1	3	4	4	2	1
413	322	322	1	16	36	1	16,14	36,36	40	17	5	4	2	120	54	3	1	22	5	1	13	5	-	7	4	1	3	1	1	1	3
414	322	322	1	12	36	322	13,13	36,40	29	16	4	2	2	124	2	3	2	7	2	1	3	1	-	9	2	1	3	3	1	1	3
415	312	312	1	12	34	670	12,35	35,65	33	27	7	6	1	110	5	4	2	20	4	2	16	5	-	8	3	3	3	1	1	2	1
416	313	313	1	12	34	668	12,24	35,37	50	21	7	9	2	120	5	3	2	49	7	1	5	3	-	9	1	2	3	1	2	1	3
417	413	413	1	-	-	2	-	-	37	30	10	9	2	120	5	4	4	22	5	1	11	2	-	9	2	2	3	4	1	2	1
418	422	422	1	14	36	56	14,12	36,44	46	17	5	3	2	120	5	3	1	15	1	1	10	3	-	6	2	1	3	1	1	1	1
419	431	431	1	10	36	51	10,73	36,27	47	31	12	16	2	120	5	4	3	28	7	1	14	6	-	8	2	3	4	1	1	1	1
420																															
421	113	113	1	12	36	342	13,29	36,25	69	20	13	17	2	122	1	3	1	15	6	3	16	10	-	8	4	3	1	4	1	1	1
422	213	213	1	14	36	55	16,00	37,60	51	26	13	16	2	123	1	3	3	32	8	1	20	10	-	6	4	3	5	1	1	4	1
423	322	322	1	12	34	724	13,36	35,25	83	32	9	22	2	124	1	3	1	26	3	2	16	6	-	7	2	1	3	4	1	4	1
424	313	313	1	-	-	3	-	-	36	30	7	13	2	121	1	1	1	15	4	2	21	6	-	8	2	2	3	4	4	2	1
425	313	313	1	12	34	79	13,68	35,31	58	54	20	55	2	121	1	4	4	47	21	3	20	7	-	8	4	3	3	6	2	1	1
426	113	113	1	84	RE	15	-	-	41	29	16	11	1	110	5	2	4	21	5	3	21	8	-	9	1	2	1	1	1	2	1
427	512	512	1	10	34	60	11,41	34,72	53	21	5	6	2	120	5	1	2	30	5	3	14	4	1	7	2	2	2	1	1	1	1
428																															
429	422	422	1	-	-	3	-	-	24	23	4	2	2	120	5	3	2	15	3	1	8	3	-	7	1	1	3	3	1	1	3
430	122	122	1	10	34	45	11,36	34,86	85	29	12	16	2	721	7	2	1	10	1	1	10	1	-	6	4	1	1	1	1	1	1
431	422	422	1	-	-	2	-	-	39	14	4	2	2	120	5	3	2	2	2	4	7	2	-	9	4	1	3	4	1	1	1
432	312	312	2	-	-	14	-	-	92	43	18	74	2	2	-	1	2	41	13	1	22	6	-	7	2	2	3	1	1	1	1
433	313	313	2	-	-	28	-	-	28	17	10	3	2	2	-	3	2	32	10	2	14	7	-	8	1	2	3	4	1	3	5
434	122	122	2	-	-	29	-	-	52	31	12	10	2	2	-	2	1	17	4	1	6	4	-	7	4	1	1	1	1	2	1
435	531	531	2	8	8	6	-	-	50	17	7	4	2	2	-	4	1	15	2	2	29	4	1	8	1	3	2	1	1	2	1
436	522	522	2	-	-	35	-	-	30	16	9	5	2	2	-	3	2	14	5	1	19	8	1	7	1	1	2	1	1	1	1
437																															
438	322	322	2	-	-	39	-	-	34	26	10	10	1	1	-	4	4	21	9	1	18	4	-	8	4	1	3	2	1	1	1
439	322	322	4	-	-	97	12,10	18,64	45	22	8	6	2	420	5	3	2	15	4	1	14	5	-	7	2	1	3	4	1	2	1
440																															
441																															
442	522	522	4	-	-	177	9,23	23,61	54	48	14	36	2	420	5	1	4	54	15	3	51	15	2	8	3	1	2	5	1	1	1
443	131	131	4	84	RE	17	-	-	73	19	10	14	2	420	5	3	1	24	9	3	-	11	-	6	2	3	1	1	1	1	1
444																															
445	422	422	4	84	RE	16	-	-	60	14	6	6	2	420	5	1	1	26	5	1	9	3	-	8	3	1	3	4	1	2	1
446	222	222	5	14	8	850	14,67	8,23	36	27	8	6	4	4	3	1	4	25	7	7	18	7	-	8	1	1	5	1	1	1	3
447	113	113	5	14	10	83	14,47	10,15	42	15	7	3	2	529	2	3	1	14	4	2	14	5	-	9	2	2	1	1	2	1	1
448	122	122	5	12	10	27	12,95	10,80	49	29	10	11	2	529	2	1	2	42	6	1	16	8	-	7	4	1	1	5	4	1	1
449	522	522	5	16	8	510	16,90	9,00	50	18	5	7	2	520	5	3	2	4	3	3	17	3	1	8	2	1	2	1	4	4	1
450																															
451	212	212	5	16	4	66	17,50	4,50	35	17	7	4	2	520	5	1	2	6	3	1	15	5	-	8	4	3	5	4	4	2	3
452	522	522	5	16	8	374	16,95	8,15	55	16	4	4	1	511	2	1	4	10	2	1	18	2	1	7	2	1	2	1	1	4	1
453	531	531	5	10	8	1	11,80	9,06	36	20	5	4	2	520	5	3	2	9	4	5	5	1	1	8	2	3	2	1	1	2	1
454	522	522	5	16	0	28	16,78	1,18	28	13	6	2	2	520	5	2	1	3	1	2	7	2	1	7	2	1	2	1	4	4	3
455	531	531	5	16	8	184	16,78	8,79	13	10	3	1	2	520	5	3	1	5	3	1	7	2	1	7	2	3	2	1	5	4	3
456	531	531	5	16	8	214	16,37	9,55	22	17	7	3	2	520	5	3	1	13	3	2	7	5	1	7	2	3	2	5	4	4	3
457	322	322	5	18	0	185	19,72	1,43	43	23	10	10	2	520	5	3	3	33	6	1	13	6	-	7	2	1	3	1	1	1	1
458																															
459	322	322	5	14	8	17	15,85	8,94	16	18	6	3	2	520	5	3	2	14	5	2	15	6	-	7	2	1	3	1	1	0	3
460	322	322	5	14	8	828	14,96	8,44	27	15	5	2	2	520	5	3	1	7	3	1	11	5	-	7	4	1	3	1	1	4	3
461	512	512	5	16	8	563	16,10	9,10	51	19	11	12	1	510	5	1	4	29	6	2	6	7	2	6	1	2	2	1	6	2	1
462	322	322	5	14	10	53	14,10	10,82	60	50	12	37	2	520	5	4	3	21	5	1	16	6	-	8	2	1	3	4	5	1	1
463	322	322	5	16	6	152	16,92	6,91	35	17	5	3	1	511	2	1	1	22	4	1	10	5	-	7	3	1	3	4	1	1	1
464	312	312	5	14	6	151	14,32	6,91	42	16	6	5	2	520	5	3	1	13	6	2	12	5	-	7	2	2	3	5	1	1	1
465	322	322	5	12	8	105	13,59	8,27	20	12	4	2	2	520	5	1	1	10	2	1	11	4	-	8	4	1	3	5	1	4	3
466	323	323	5	12	8	77	13,76	9,26	25	20	5	3	2	520	5	3	1	19	5	2	12	5	-	9	2	1	3	5	6	1	1
467	412	412	5	12	6	6	13,76	7,25	42	20	5	5	2	520	5	3	1	12	3	1	18	3	-	7	4	3	3	5	1	4	1
468	422	422	5	16	6	384	16,06	7,15	20	13	5	2	4	4	3	3	3	12	2	1	19	4	-	6	4	1	3	1	1	4	1
469	522	522	5																												

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.16
-	0	-	1	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.7	
3	4	01s44	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	76.8
2	0	-	1	-	-	-	-	-	-	-	-	6	1	0	-	-	-	-	-	-	-	-	-	-	00000	2	2	1	1	76.9
2	0	-	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	76.4	
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.10	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.11	
-	0	-	0	0	2	-	1	3	-	4	3	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	76.14
-	1	01c11	0	0	0	-	-	0	-	0	0	16	1	0	8	1	8	-	1	3	41	0	-	-	00000	2	-	-	-	76.1
-	5	01s01	2	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.3,89.3	
-	1	01c03	2	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.5	
-	1	01c02	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.6	
-	4	01c01	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89.1	
-	0	-	1	0	1	-	-	3	-	4	2	2	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	76.2
-	0	-	0	0	2	-	1	3	-	4	3	8	1	0	8	1	8	-	1	3	41	0	-	-	00000	2	3	2	1	76.15
2	0	-	0	0	1	-	-	2	-	5	3	3-4	1	0	5	1	1	-	2	-	50	0	-	-	00000	3	-	-	-	76.13
-	1	07c06	0	0	1	-	-	2	-	5	3	3-4	1	0	4	6	3	-	2	-	50	0	-	-	00000	3	-	-	-	72.18
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.12	
-	0	-	0	0	1	-	-	2	-	2	2	8-9	1	0	7	1	1	1	2	-	24	0	-	-	00000	2	-	-	-	77.5
-	0	-	4	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77.6	
-	0	-	0	0	1	-	-	3	-	4	1	6	1	0	-	7	7	-	3	3	40	9	-	-	00000	1	1	1	1	77.4
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	4	1	77.9
-	0	-	0	0	2	-	1	3	-	4	3	6	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	2	1	77.8
-	2	02s01	0	0	0	-	-	0	-	0	0	19-20	2	0	9	9	9	-	1	-	41	0	-	-	00000	2	-	-	-	-
-	0	-	0	0	3	-	2	3	-	3	4	7	1	0	-	7	7	2	3	3	32	0	2	3	00000	3	-	-	-	77.7
-	0	-	12	0	2	-	-	1	-	3	4	3-4	1	0	4	4	1	2	2	-	32	0	2	3	00000	3	-	-	-	77.10
-	0	-	0	0	0	-	-	0	-	0	0	9	1	0	5	1	3	2	2	-	32	0	2	3	00000	3	-	-	-	-
-	0	-	12	-	-	-	-	-	-	-	-	8	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77.11
6	0	-	0	0	1	-	-	3	-	4	2	1	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	5	4	1	78.12
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.3
-	0	-	2	-	-	-	-	-	-	-	2	5	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	5	4	1	78.4
-	0	-	0	0	2	-	1	3	-	4	2	4	2	0	8	1	8	-	1	3	40	9	-	-	00000	1	-	-	-	80.19
5	0	-	0	0	0	-	-	0	-	0	0	4	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	4	1	78.6
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	4	1	80.18
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.8
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.2
6	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.12
-	0	-	0	0	2	-	1	3	-	4	3	6	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	3	1	81.11
6	0	-	0	0	2	-	1	3	-	4	3	7-8	2	0	9	1	8	-	1	3	41	0	-	-	00000	2	-	-	-	79.7
6	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.17
6	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.14
-	0	-	3	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.16
-	0	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.3
-	0	-	12	0	1	-	-	3	-	4	2	10	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	79.8
-	0	-	0	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	7	5	1	78.14
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.16
-	0	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.18
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	5	4	1	80.4
-	0	-	0	0	1	-	-	4	-	4	2	6	1	0	-	7	7	-	4	-	40	0	-	-	00000	2	-	-	-	80.13
-	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.1
-	0	-	0	0	2	-	1	3	-	4	2	7	2	0	-	7	7	-	3	7	40	0	-	-	00000	1	1	1	1	80.9
-	0	-	0	0	1	-	-	-	-	-	-	17	2	0	9	1	8	-	1	7	40	0	-	-	00000	1	-	-	-	-
0	0	-	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	6	4	1	80.10

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientation	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientation	Burin facet-Termination	Opposed end
473	312	312	5	16	8	392	16,99	8,13	48	15	6	4	1	511	2	3	1	13	2	1	11	2	-	6	4	3	3	1	1	1	3
474	422	422	5	14	8	901	15,60	8,70	31	24	4	3	2	520	5	4	4	9	2	1	9	2	-	7	4	1	3	1	1	4	3
475	331	331	5	14	8	614	14,54	8,12	30	23	6	4	1	511	1	3	2	12	6	2	11	3	-	8	4	2	4	5	1	2	1
476	313	313	5	14	10	77	14,71	11,50	85	40	21	58	2	521	1	3	2	71	7	1	20	10	-	9	4	3	3	1	1	1	1
477	322	322	5	16	4	10	16,78	5,07	23	11	5	2	2	520	5	3	2	24	5	1	9	4	-	11	2	1	3	5	1	3	5
478	331	331	5	14	6	352	15,62	7,09	34	28	12	10	2	524	1	1	1	33	8	1	23	2	-	7	2	3	4	1	1	1	3
479	331	331	5	14	6	915	15,17	6,89	75	31	7	21	2	524	1	3	2	31	6	1	15	3	-	8	2	3	4	5	1	1	1
480	331	331	5	16	6	388	16,42	7,60	29	24	9	5	2	524	1	1	1	12	6	3	30	3	-	8	2	3	4	5	4	2	3
481	531	531	5	12	8	261	13,60	8,40	44	34	7	9	2	524	1	1	4	7	3	2	26	3	1	7	2	3	2	1	1	1	1
482	531	531	5	16	6	340	17,52	7,26	71	50	12	50	2	524	1	3	3	34	10	2	35	6	1	7	2	3	2	1	3	1	1
483	531	531	5	16	6	398	16,42	7,90	36	22	7	6	2	524	1	3	1	15	7	2	11	3	1	8	2	3	2	1	1	1	1
484	531	531	5	14	6	797	15,36	7,90	45	18	6	6	2	524	1	3	1	7	3	2	9	2	1	7	1	3	2	4	1	4	1
485	312	312	5	14	6	308	15,87	6,85	34	18	9	6	2	524	1	3	1	24	6	2	6	6	-	8	4	3	3	1	1	1	1
486	412	412	5	14	8	486	15,19	8,65	12	12	5	1	2	524	1	3	2	11	4	1	9	4	-	9	4	3	3	5	1	0	3
487	331	331	5	14	8	166	15,45	9,63	53	38	23	43	2	523	1	4	4	32	11	1	26	8	-	8	2	3	4	1	1	1	3
488																															
489																															
490																															
491	322	322	5	16	8	55	16,36	9,90	57	38	16	40	2	523	1	1	4	30	10	1	12	8	-	8	2	1	3	1	1	1	1
492	213	213	5	12	8	52	13,30	9,42	34	23	8	7	2	523	1	3	1	21	3	1	22	8	-	7	4	3	5	1	1	1	1
493	322	322	5	16	8	296	16,38	9,90	64	51	12	38	2	523	1	4	2	54	8	1	25	7	-	8	2	1	3	4	4	1	1
494	131	131	5	14	8	906	15,16	8,28	22	12	9	3	2	525	1	2	1	10	4	1	21	9	-	7	2	3	1	1	4	1	3
495	213	213	5	14	8	977	15,80	9,15	45	23	9	15	2	525	1	3	2	30	7	2	16	16	-	8	2	2	5	1	4	1	1
496	213	213	5	16	8	294	16,13	8,55	52	27	17	21	2	525	1	2	1	19	7	2	12	14	-	8	2	2	5	1	1	2	1
497	213	213	5	14	6	581	14,41	7,76	52	32	8	11	2	526	1	3	1	27	2	3	24	8	-	8	3	3	5	1	1	2	1
498	531	531	5	14	8	886	14,76	8,56	42	43	20	42	2	526	1	1	4	44	11	2	40	12	2	9	2	3	2	1	4	1	1
499	213	213	5	16	8	538	16,16	9,75	43	19	9	8	2	521	1	3	2	47	6	1	18	9	-	8	4	3	5	1	1	3	5
500	322	322	5	14	8	432	14,23	8,40	71	15	8	9	2	521	1	3	2	28	3	2	7	4	-	8	4	1	3	5	4	1	1
501	331	331	5	14	8	391	15,35	9,69	39	32	14	17	2	526	1	1	2	27	10	1	17	5	-	9	4	2	4	4	4	1	1
502	422	422	5	16	8	330	16,75	8,30	42	23	8	6	1	511	2	3	2	30	5	1	9	5	-	8	4	1	3	1	1	1	3
503	322	322	5	12	6	68	13,64	7,39	29	15	5	2	2	525	1	3	1	21	5	1	10	5	-	7	3	1	3	5	1	1	3
504																															
505																															
506	513	513	5	14	6	89	15,14	7,13	32	16	9	3	2	525	1	3	1	14	4	1	20	6	1	7	1	2	2	5	1	3	3
507																															
508	531	531	5	14	8	256	14,69	8,35	23	12	7	3	2	525	1	3	1	9	7	3	19	3	1	9	2	3	2	5	1	3	5
509	212	212	5	14	8	421	15,41	9,70	54	27	11	15	2	521	2	3	1	21	5	1	26	10	-	5	2	2	5	1	1	2	1
510	112	112	5	14	8	568	14,49	8,31	37	28	15	17	2	521	2	3	2	25	8	3	26	13	-	7	2	2	1	1	6	1	3
511	531	531	5	16	8	125	17,10	8,83	34	21	6	2	2	525	2	1	1	18	6	1	15	2	1	8	1	3	2	1	1	1	1
512	513	513	5	16	8	338	16,66	8,68	28	33	7	7	1	511	1	1	4	16	5	1	12	4	2	9	4	3	2	1	1	1	1
513	522	522	5	16	8	445	16,59	9,64	19	16	5	1	2	525	1	3	1	3	2	1	20	2	1	8	2	1	2	1	1	1	3
514	322	322	5	16	6	526	16,23	7,38	59	19	6	7	1	511	1	2	4	41	3	1	6	2	-	8	4	1	3	1	1	1	3
515																															
516	313	313	5	16	8	283	16,97	9,48	36	22	4	4	2	525	1	3	2	8	2	1	21	3	-	10	4	3	3	1	1	1	1
517	322	322	5	14	6	392	15,93	7,93	32	20	4	3	2	524	2	3	2	11	3	2	13	2	-	8	4	1	3	2	4	1	1
518	413	413	5	14	8	464	15,77	8,34	63	19	8	8	2	523	1	3	2	26	4	1	13	4	-	9	4	3	3	4	1	1	1
519																															
520	312	312	5	16	6	303	16,56	6,52	28	12	7	2	1	511	2	2	1	19	2	3	12	6	-	8	3	3	3	4	1	2	3
521	322	322	5	16	8	576	17,76	9,74	80	23	13	25	2	524	2	1	1	48	10	3	10	7	-	7	2	1	3	1	1	1	3
522	422	422	5	12	8	249	13,16	8,80	20	17	6	2	2	521	2	3	1	20	3	1	8	5	-	7	2	1	3	4	1	1	3
523	322	322	5	14	6	414	14,73	7,63	45	21	4	4	1	511	74	3	2	16	1	1	13	3	-	7	3	1	3	1	1	1	1
524	422	422	5	14	6	501	14,74	7,78	15	13	6	1	2	525	2	3	2	15	5	1	8	3	-	9	4	1	3	5	1	0	3
525	322	322	5	14	6	929	15,84	7,67	33	20	7	3	2	525	2	4	2	23	6	2	10	6	-	8	4	1	3	1	1	2	3
526	412	412	5	16	6	253	16,48	7,41	15	10	4	1	2	524	2	3	1	15	2	1	9	3	-	7	3	3	3	5	1	0	3
527	422	422	6	0	8	13	0,61	9,94	41	13	3	2	1	610	5	3	2	10	1	1	13	1	-	8	3	1	3	5	1	4	1
528	331	331	6	-	-	82	-	-	53	73	8	26	4	4	2	1	4	47	4	1	7	4	-	7	4	2	4	4	1	1	1
529	513	513	6	4	0	14	4,83	1,82	42	37	17	27	2	621	2	1	4	18	8	1	12	5	1	7	2	2	2	4	5	1	1
530	422	422	6	2	8	165	2,74	9,85	37	20	6	3	2	622	2	3	2	25	3	1	18	6	-	6	4	1	3	5	1	1	1
531	312	312	6	4	-0	2																									

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate	
4	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	2	1	78.13	
2	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	2	1	80.12	
-	1	05c19	0	0	1	-	-	3	-	4	1	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	1	1	1	1	79.20	
-	4	05c08	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	78.18	
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.15	
2	7	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.2	
-	4	05c03	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	12	41	0	-	-	00000	2	4	3	1	80.1	
6	5	05c03	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	5	4	1	79.19	
-	5	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.5	
-	4	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.4	
-	1	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.9	
-	1	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.6	
2	4	05c03	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	1	1	1	78.15	
2	7	05c05	12	0	4	1	2	3	-	4	4	5	1	0	-	7	7	-	3	3	41	0	-	-	00000	3	3	4	1	80.7	
-	4	05c05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.3
-	4	05c05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	5	05c05	0	0	1	-	-	2	-	4	2	8.9	1	0	5	5	4	-	2	-	40	0	-	-	00000	2	-	-	-	-	79.5
-	4	05c05	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.2
2	5	05c12	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.5,89.2
-	7	05c12	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.9
-	5	05c12	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.7,89.2
-	7	05c22	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.8,89.4
-	4	05c22	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.7
-	7	05c14	0	0	1	-	-	2	-	3	2	5	1	1	-	7	7	1	2	-	32	0	1	2	32032	2	-	-	-	-	78.10
-	1	05c01	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89.5
-	1	05c02	0	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	80.5
6	2	05c03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.11
6	4	05c04	0	0	3	-	1	3	-	4	3	1	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	7	7	1	1	79.11
6	7	05c04	0	0	2	-	1	3	-	4	3	2	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	79.12
-	4	05c04	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.13
-	6	05c06	1	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	1	78.2
6	3	05c06	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.1
-	2	05c04	0	0	1	-	-	3	-	4	2	2	1	0	-	7	7	-	3	7	40	9	-	-	00000	2	2	1	1	1	81.10
-	1	05c02	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	2	1	1	1	80.17
6	5	05c08	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.3
2	4	05c08	0	0	2	-	1	3	-	4	3	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	79.4
-	1	05c08	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.17
-	2	05c07	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.10
-	1	05c07	0	0	2	-	1	3	-	4	2	5	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	80.8
6	2	05c05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78.16
4	2	05c07	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79.1
2	2	05c08	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.14
-	1	05c03	0	0	1	-	-	3	-	4	2	1	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	79.6
2	3	05c05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.15
6	2	05c01	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	2	1	1	79.9
6	2	05c02	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	1	80.6
-	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	1	-	-	3	-	4	3	7	1	0	-	7	7	-	3	-	40	0	-	-	00000	3	3	2	-	-	-
-	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	06s54	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89.11
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83.1
2	0	-	0	0	1	-	-	2	-	3	9	3.4	1	0	5	1	1	-	2	-	30	0	-	1	00000	9	-	-	-	-	83.16
-	0	-	1	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientaion	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientaion	Burin facet-Termination	Opposed end
536	312	312	6	2	6	129	2,95	7,44	70	26	11	20	2	620	5	3	2	50	9	1	21	9	-	8	2	2	3	1	4	1	1
537	122	122	6	0	4	37	1,22	4,31	46	24	10	11	2	620	5	1	4	13	4	1	18	8	-	7	4	1	1	1	1	1	1
538	312	312	6	2	8	47	2,85	8,62	26	15	6	3	2	620	5	3	1	20	2	2	13	6	-	7	2	2	3	1	1	1	1
539	312	312	6	2	0	16	2,76	1,04	29	13	5	1	1	610	5	3	2	14	3	1	15	5	-	5	4	3	3	1	4	4	1
540	322	322	6	4	-0	1	5,93	-0,80	36	17	4	3	2	620	54	3	2	13	3	1	19	3	-	5	4	1	3	5	1	2	1
541	313	313	6	4	4	87	4,67	4,26	53	26	9	11	2	620	5	3	2	38	3	1	10	3	-	9	2	2	3	4	1	1	1
542	412	412	6	2	4	95	3,45	4,57	38	16	7	5	1	610	5	1	4	13	3	2	7	3	-	7	3	3	3	1	1	2	1
543	422	422	6	-	-	88	-	-	35	14	5	3	1	610	5	3	1	6	2	1	10	4	-	6	2	1	3	4	1	4	1
544	412	412	6	-	-	86	-	-	41	21	7	8	2	620	5	3	1	23	2	1	16	6	-	6	3	3	3	5	1	2	1
545	412	412	6	2	8	212	2,70	9,61	37	18	6	3	2	620	5	3	1	23	2	1	22	5	-	5	3	3	3	5	1	1	1
546	412	412	6	-0	-0	1	-1,20	-0,62	32	11	4	1	1	610	5	3	2	9	1	1	8	1	-	7	2	2	3	1	1	1	1
547	322	322	6	2	6	196	3,15	6,97	41	17	5	3	2	620	5	3	2	10	5	1	17	5	-	8	1	1	3	4	1	1	1
548	322	322	6	2	8	190	2,62	9,64	15	11	7	1	2	622	2	3	1	14	5	1	6	2	-	6	2	1	3	1	1	3	5
549	422	422	6	2	8	163	2,96	9,21	27	19	6	3	2	620	5	3	1	21	2	1	18	5	-	6	2	1	3	1	1	1	1
550	331	331	6	-	-	86	-	-	64	29	10	13	2	620	5	4	2	23	8	1	17	4	-	7	2	3	4	2	2	1	1
551	413	413	6	4	6	323	4,52	6,64	35	19	6	5	2	620	5	4	1	20	2	1	12	5	-	9	2	2	3	5	1	2	1
552	422	422	6	2	2	51	3,06	2,28	20	13	6	2	2	620	5	3	2	20	5	1	5	3	-	7	2	1	3	1	1	0	3
553	522	522	6	-	-	86	-	-	47	28	10	9	2	620	5	4	3	15	5	4	31	4	1	6	2	1	2	1	1	4	1
554	531	531	6	0	8	41	0,25	8,00	54	18	3	5	2	620	5	3	2	17	3	2	22	2	1	9	2	3	2	1	1	4	1
555	522	522	6	8	2	1	8,89	2,30	33	20	4	2	2	620	5	3	2	34	3	2	17	4	1	8	2	1	2	1	1	0	3
556	522	522	6	2	2	34	3,22	3,62	29	25	10	6	2	620	5	3	1	28	9	3	21	5	1	9	4	1	2	1	5	1	1
557	531	531	6	2	8	136	2,11	9,61	31	20	10	5	1	610	5	3	2	18	10	2	11	8	1	9	2	3	2	1	1	4	1
558	522	522	6	2	2	19	3,46	2,34	24	18	6	2	1	610	5	3	1	17	3	1	10	2	1	7	3	1	2	1	1	1	1
559	322	322	6	0	4	49	0,99	4,46	55	17	5	4	2	620	5	3	1	18	2	1	14	1	-	7	4	1	3	1	4	1	1
560	222	222	6	4	8	12	4,07	8,35	39	36	6	9	2	620	5	4	4	23	7	2	25	6	-	9	2	1	5	4	1	1	1
561	312	312	6	2	2	83	2,36	3,50	22	18	8	5	2	620	5	3	2	22	7	2	15	8	-	8	2	2	3	1	1	0	3
562	522	522	6	0	0	23	0,91	1,84	40	20	5	3	1	610	5	1	4	15	5	2	17	5	1	7	4	1	2	1	1	4	1
563	322	322	6	4	4	44	4,17	5,94	36	20	8	6	2	620	5	2	1	6	9	1	9	6	-	8	2	1	3	5	2	1	1
564	522	522	6	-	-	86	-	-	67	38	9	17	2	620	5	1	1	10	2	2	45	3	1	8	4	1	2	1	1	1	1
565	213	213	6	4	6	317	4,65	7,70	8	17	5	1	2	620	5	1	1	7	2	1	17	5	-	8	1	2	5	1	1	1	3
566	522	522	6	2	6	83	3,46	7,47	49	36	10	15	2	620	5	1	1	31	5	1	36	6	1	5	2	1	2	1	1	4	1
567	412	412	6	-	-	87	-	-	31	15	7	3	4	4	2	3	1	12	2	1	22	6	-	5	3	3	3	1	1	4	1
568	113	113	6	4	6	139	4,10	7,85	50	22	16	14	2	620	1	1	1	14	7	1	15	13	-	8	2	2	1	1	2	1	1
569	112	112	6	4	6	49	5,78	7,51	63	14	7	5	2	620	7	3	1	30	3	1	11	1	-	4	3	3	1	1	1	2	3
570																															
571	413	413	7	-6	34	552	-6,95	34,62	47	20	11	9	2	721	1	2	1	18	5	1	6	3	-	7	2	2	3	1	1	1	1
572	331	331	10	-16	98	6	-20,18	34,36	56	36	18	33	2	1122	2	1	2	28	17	3	11	18	-	7	2	3	4	1	1	1	1
573	131	131	10	-	-	4	-17,04	26,22	77	28	10	24	2	1020	5	3	2	36	6	2	6	2	-	7	2	3	1	1	4	1	1
574	331	331	10	14	94	3	-22,18	30,55	50	41	13	31	1	1010	5	1	2	33	10	1	13	7	-	7	2	3	4	1	1	1	1
575	331	331	10	18	90	242	-18,99	26,66	45	30	5	6	2	1020	5	1	2	20	3	2	12	2	-	9	4	2	4	1	5	1	3
576	531	531	10	18	90	362	-18,82	26,74	43	15	10	6	2	1020	1	3	2	17	5	1	11	3	1	8	3	3	2	1	1	1	1
577	522	522	10	18	92	9	-18,13	29,11	12	13	5	1	2	1020	5	3	0	3	2	2	16	3	1	6	1	1	2	1	1	4	3
578	113	113	10	18	90	36	-18,21	27,30	57	29	14	17	1	1011	1	2	4	29	5	2	14	6	-	9	1	2	1	0	1	2	1
579	522	522	10	16	88	15	-20,82	24,83	45	22	7	7	1	1019	6	4	4	18	6	1	29	5	1	6	4	1	2	1	1	1	1
580																															
581																															
582	512	512	10	16	90	53	-20,33	26,95	28	15	4	3	2	1020	5	3	2	17	3	1	11	3	1	5	3	2	2	4	1	1	1
583	522	522	10	16	92	21	-20,24	27,96	40	19	7	5	2	1020	5	3	2	16	5	2	7	6	1	8	1	1	2	1	1	1	3
584	531	531	10	20	90	267	-16,46	26,20	65	23	5	10	2	1020	5	3	2	6	2	1	33	5	1	6	2	3	2	1	1	4	1
585	522	522	10	18	90	409	-19,51	26,74	35	14	7	3	2	1020	5	3	2	15	4	2	23	6	1	6	2	1	2	1	1	1	1
586	531	531	10	18	90	171	-18,70	27,51	17	15	4	1	1	1010	5	3	1	5	4	1	5	2	1	7	1	3	2	1	1	4	3
587	522	522	10	18	88	47	-18,80	25,44	26	14	5	2	2	1020	5	3	2	7	3	1	4	2	1	8	1	1	2	1	4	2	3
588	512	512	10	18	90	26	-18,16	26,90	47	32	8	13	2	1020	5	3	3	14	10	5	36	8	1	7	4	3	2	1	1	1	1
589	212	212	10	18	90	237	-18,87	26,17	23	29	4	3	2	1020	5	3	2	5	2	2	28	3	-	9	1	2	5	1	1	4	3
590	231	231	10	16	98	5	-20,00	35,38	23	12	6	2	1	1011	2	2	2	13	5	2	23	6	-	7	2	3	5	1	1	1	1
591	213	213	10	18	90	88	-19,50	27,43	24	18	6	2	2	1020	5	3	2	29	6	1	15	6	-	8	4	3	5	1	1	3	5
592	213	213	10	18	90	193	-18,47	26,15	33	19	8	6	2	1020	5	3	1	3	2	1	13										

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate	
-	2	06s55	1	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	82,16	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,12	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,14	
-	1	06s54	0	0	1	-	-	4	-	4	2	6	1	0	-	7	7	-	4	-	40	0	-	-	00000	2	-	-	1	89,11	
-	0	-	1	0	1	-	-	3	-	4	2	10	1	0	-	7	7	-	3	7	40	9	-	-	00000	2	3	2	-	-	
-	0	-	0	0	1	-	-	-	-	4	2	-	1	0	-	7	7	-	3	3	40	0	-	-	-	00000	2	2	1	-	-
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	83,4	
-	0	-	1	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	9	-	-	99999	2	3	2	-	-	
-	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	2	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,17	
-	0	-	0	0	1	-	-	3	-	4	3	1	1	0	-	7	7	-	3	3	41	0	-	-	00000	3	2	1	-	-	
-	0	-	0	0	1	-	-	4	-	4	2	6	1	0	-	7	7	-	4	-	40	0	-	-	00000	2	-	1	-	-	
-	0	-	0	0	1	-	-	4	-	4	2	7	1	0	-	7	7	-	7	-	40	0	-	-	00000	2	4	2	-	-	
-	0	-	1	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	2	-	-	
-	0	-	1	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	5	2	-	-	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	2	-	-	
-	2	06s60	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,15	
-	2	06s57	0	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	89,8	
-	0	-	2	0	1	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	99999	2	2	1	-	-	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	83,2	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	83,5	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,13	
6	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	83,6	
-	2	06s59	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89,1	
-	2	06s56	2	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,11	
-	1	06s05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,10	
4	4	05s069	0	0	2	-	1	2	-	4	3	3	1	0	6	1	1	-	2	-	40	0	-	-	00000	2	-	-	1	-	
-	1	07s08	3	-	-	-	-	-	-	-	-	9	1	0	9	1	8	-	1	3	41	0	-	-	00000	2	-	-	1	-	
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	4	2	1	84,1	
-	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,12	
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,4	
-	0	-	0	0	1	-	-	2	-	3	3	8-9	1	0	4	1	3	1	2	-	32	0	2	-	32032	3	-	-	1	85,1	
2	2	10s55	0	0	1	-	-	-	-	3	3	10	1	0	-	7	7	-	3	12	41	0	-	-	-	00000	2	2	1	1	90,3
4	4	10s44	1	0	1	-	-	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85,11	
6	0	-	23	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,3	
-	4	10s45	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85,9	
-	0	-	0	0	3	-	1	3	-	3	4	6	2	0	-	7	7	2	3	3	32	0	2	-	32032	3	-	-	1	-	
-	2	0	0	0	1	-	-	0	-	0	0	4-5	2	0	9	5	8	2	1	3	32	0	2	-	32032	3	-	-	-	-	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	0	0	1	-	-	3	-	4	2	1	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	4	2	-	85,13	
-	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	10s47	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	10s48	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	6	10s49	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	0	0	1	-	-	3	-	3	3	5	1	0	-	7	7	2	3	7	32	0	2	-	00000	3	-	-	-	-	
-	0	-	0	0	2	-	-	2	-	3	4	9	1	0	4	1	3	2	2	-	32	0	2	-	32032	3	-	-	-	-	
-	0	-	0	0	1	-	-	1	-	3	2	3	1	0	5	1	1	2	2	-	32	0	2	-	32032	3	-	-	-	-	
-	0	-	0	0	2	-	-	2	-	3	4	5-6	1	0	4	1	4	1	1	3	32	0	2	-	32032	2	-	-	-	-	
2	0	-	0	0	1	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	10s52	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	5	10s50	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientat	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientat	Burin facet-Termination	Opposed end
599	312	312	10	20	88	3	-17,44	25,64	22	17	4	2	2	1020	5	3	2	12	3	1	14	4	-	5	4	3	3	1	1	2	3
600	312	312	10	18	90	272	-18,89	25,98	33	21	4	2	1	1011	2	3	1	11	2	1	12	3	-	6	4	3	3	1	1	4	1
601	412	412	10	18	90	33	-18,10	26,66	45	17	7	3	1	1011	2	3	1	12	2	1	14	5	-	6	3	3	3	1	1	2	3
602	522	522	10	16	92	158	-21,05	28,72	44	14	3	2	2	1020	5	3	2	5	1	2	11	3	1	8	2	2	1	1	4	1	
603	531	531	10	18	94	25	-19,08	30,16	25	11	4	2	1	1010	5	3	2	10	4	2	22	3	1	7	4	2	2	1	5	1	
604	412	412	10	18	92	95	-19,00	28,35	28	11	3	1	2	1021	6	3	1	6	1	2	13	3	-	8	4	3	3	6	1	4	1
605	522	522	10	20	90	112	-17,80	27,10	30	12	3	1	2	1020	5	3	2	4	1	1	6	1	1	7	2	1	2	1	1	4	3
606	422	422	10	20	90	1	-17,45	26,40	27	7	3	1	2	1020	5	3	2	9	1	1	5	2	-	7	4	1	3	5	1	1	3
607	313	313	10	18	90	417	-19,85	26,75	19	13	5	1	2	1020	5	3	2	19	2	1	5	2	-	9	4	3	3	3	1	1	3
608	422	422	10	20	90	235	-17,73	26,40	14	7	2	1	2	1020	5	3	1	9	1	1	5	1	-	5	4	1	3	1	1	1	3
609	412	412	10	20	90	236	-17,45	25,80	24	18	6	4	2	1020	5	3	3	7	2	1	18	4	-	10	3	3	3	5	1	1	1
610	412	412	10	16	90	79	-20,47	27,36	6	14	7	1	2	1020	5	3	1	6	4	1	16	5	-	7	4	3	3	4	1	0	3
611	413	413	10	18	90	282	-19,11	26,92	10	11	6	1	2	1020	5	3	2	7	2	1	5	4	-	8	4	3	3	5	1	0	3
612	412	412	10	18	90	270	-19,14	26,59	36	17	6	3	2	1020	1	3	1	19	4	2	17	6	-	6	3	3	3	4	5	2	1
613	213	213	10	-	-	13	-17,00	27,76	84	18	7	8	1	1010	5	2	1	20	3	1	12	5	-	7	1	2	5	1	1	2	1
614	513	513	10	20	90	33	-17,83	26,53	34	16	6	5	2	1020	1	3	1	14	6	1	10	2	1	9	2	2	2	1	1	4	1
615	522	522	10	16	90	-	-21,10	26,60	9	10	6	1	2	1020	5	0	0	4	2	1	8	4	2	7	0	1	2	1	4	2	3
616	512	512	11	18	98	1	-18,75	34,95	65	27	8	12	2	1121	2	1	3	9	2	2	12	5	1	8	3	3	2	1	5	4	1
617	422	422	11	22	106	222	-15,27	42,70	32	20	8	3	2	1121	2	4	4	32	7	1	12	5	-	7	4	1	3	4	1	3	5
618	513	513	11	20	100	15	-16,19	36,20	38	19	10	12	2	1122	2	3	2	17	8	2	33	7	1	7	2	3	2	1	1	1	1
619	413	413	11	20	100	19	-17,09	37,12	40	12	8	3	2	1120	5	2	1	6	2	1	3	3	-	10	4	3	3	3	1	2	1
620	313	313	11	22	106	85	-14,42	42,53	66	55	10	32	2	1123	2	4	4	27	5	1	17	5	-	9	2	2	3	4	4	1	1
621	412	412	11	20	108	5	-16,07	44,26	31	26	8	7	1	1111	2	3	3	11	5	1	23	6	-	7	4	3	3	4	1	2	1
622	412	412	11	22	104	62	-14,94	40,63	33	15	5	2	1	1110	5	3	2	4	1	1	13	3	-	9	2	2	3	5	1	1	1
623	213	213	11	22	106	250	-15,87	42,53	24	20	6	4	1	1111	2	3	1	18	4	2	16	6	-	8	2	2	5	1	1	1	1
624																															
625	313	313	11	22	106	110	-15,48	43,26	70	26	15	22	2	1124	1	4	2	44	11	1	12	9	-	8	3	3	3	4	1	2	1
626	522	522	11	20	100	18	-17,53	36,47	25	15	5	1	2	1120	5	1	1	4	3	1	10	3	1	7	3	1	2	1	1	4	4
627	322	322	11	20	100	2	-16,20	35,87	50	31	10	25	2	1122	1	3	2	36	10	1	10	10	-	9	2	1	3	5	1	1	1
628																															
629	322	322	11	18	100	7	-18,28	35,71	57	21	8	12	1	1110	5	3	2	27	9	1	13	5	-	8	2	1	3	1	1	1	1
630																															
631	412	412	12	8	14	322	23,50	-8,20	45	22	6	5	2	1220	5	3	1	26	4	2	14	3	-	8	4	3	3	4	1	2	1
632	412	412	12	6	14	44	21,25	-6,61	57	16	10	9	1	1211	2	3	1	10	3	1	8	5	-	8	2	2	3	5	1	1	1
633																															
634	322	322	12	6	16	46	21,70	-5,71	51	22	9	10	2	1221	2	4	1	7	5	2	23	6	-	7	4	1	3	4	4	1	1
635	531	531	12	-	-	ap	-	-	27	15	7	2	2	1220	5	1	4	10	3	2	10	7	2	8	3	2	2	1	1	1	3
636	331	331	12	8	12	48	23,42	-8,85	43	20	9	9	2	1221	2	3	3	20	7	2	12	6	-	7	2	3	4	1	1	1	1
637	522	522	12	8	12	82	23,10	-10,41	36	42	13	18	2	1221	2	4	4	37	10	2	30	8	1	8	4	1	2	1	1	1	1
638	412	412	12	8	14	221	22,12	-6,95	36	16	6	4	1	1211	1	3	1	15	2	1	11	6	-	8	4	3	3	4	1	1	1
639	122	122	12	8	16	141	23,53	-6,26	61	24	11	21	1	1212	1	1	4	15	21	4	22	10	-	7	4	1	1	1	1	1	1
640	322	322	12	16	18	7	31,43	-3,30	49	20	8	10	1	1210	5	1	3	49	8	2	10	8	-	8	4	1	3	3	4	3	5
641	313	313	12	8	14	191	23,45	-7,95	35	27	11	12	2	1220	5	1	4	31	6	1	27	7	-	9	4	2	3	1	1	3	1
642	412	412	12	8	16	111	22,48	-5,13	40	16	7	3	1	1211	1	1	1	13	2	1	16	4	-	6	2	3	3	1	1	1	1
643	313	313	12	10	16	51	24,45	-5,44	28	20	5	3	2	1220	5	4	4	6	2	2	10	3	-	10	4	3	3	4	1	2	1
644	531	531	12	8	12	123	23,31	-10,27	16	26	14	5	2	1221	2	4	4	30	7	1	15	9	1	7	1	3	2	1	1	1	1
645	322	322	14	18	20	39	-	-	64	48	13	33	2	2	-	4	1	19	8	2	21	3	-	9	2	1	3	4	2	1	1
646	312	312	14	20	20	122	-	-	75	19	9	11	2	2	-	3	2	20	3	2	11	5	-	8	2	2	3	4	4	1	1
647	131	131	14	20	22	45	-	-	75	27	12	25	2	2	-	3	1	12	2	2	5	1	-	5	2	3	1	1	4	2	1
648																															
649	313	313	14	20	20	3	-	-	70	34	7	16	2	2	-	3	1	15	4	1	7	4	-	8	2	2	3	1	1	2	1
650	413	413	15	12	-0	109	34,51	16,53	43	27	10	10	2	1521	1	1	1	17	3	1	20	7	-	8	3	3	3	1	1	2	1
651	413	413	15	12	-0	54	34,35	16,85	53	19	7	5	2	1522	1	1	2	6	3	2	11	3	-	7	3	3	3	1	1	4	3
652	322	322	16	-	-	4	22,70	26,06	55	26	9	12	1	1610	5	3	3	34	6	1	12	6	-	7	2	1	3	4	1	1	1
653																															
654																															
655	312	312	16	2	4	12	25,82	20,97	34	23	5	5	2	1621	2	3	2	29	3	1	15	5	-	6	4	2	3	4	1	1	1
656	312	312	16	2	6	10	25,75	22,55	44	20	10	10	2	1621	2																

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate
2	3	10s53	1	0	1	-	-	4	-	4	2	5	1	0	-	7	7	-	4	-	40	0	-	-	00000	2	-	-	1	90,6
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	3	2	-	-
6	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	3	2	1	85.10
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	0	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.5
6	2	10s54	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	90,4
2	0	-	4	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.6
-	0	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.2
6	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.3
6	0	-	1	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.4
-	1	10s51	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84.10
-	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84.5
-	1	10s46	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.7
6	0	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.12
-	0	-	12	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	86.7
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	86.6
-	2	11s18	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	86.8,90.8
-	0	-	0	0	1	-	-	3	-	4	1	5	1	0	-	7	7	-	3	3	40	9	-	-	00000	1	2	1	1	86.4
-	0	-	0	0	1	-	-	3	-	4	1	7	1	0	-	7	7	-	3	7	40	0	-	-	00000	1	2	1	1	85.20
-	0	-	0	0	1	-	-	3	-	4	2	5	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	3	2	1	86.5
-	0	-	0	0	1	-	-	3	-	4	2	7	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	2	1	1	86.2
-	0	-	0	0	2	-	1	3	-	4	3	7	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	4	2	1	85.19
-	-	-	-	-	-	-	-	-	-	-	-	17	1	0	9	4	8	-	1	3	41	0	-	-	00000	3	-	-	-	-
-	1	11c04	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.21
-	0	-	0	0	1	-	-	3	-	4	2	1	1	0	-	7	7	-	3	3	40	0	-	-	00000	2	2	1	1	86.15
-	4	11c05	0	0	2	-	1	2	-	4	3	3	1	0	6	1	3	-	2	-	40	0	-	-	00000	2	-	-	1	86.3
-	-	-	-	-	-	-	-	-	-	-	-	16	1	0	6	1	8	-	1	-	40	0	-	-	00000	2	-	-	-	-
-	0	-	0	0	2	-	1	3	-	4	3	6	1	0	-	7	7	-	3	3	41	0	-	-	00000	2	4	3	1	86.1
-	-	-	-	-	-	-	-	-	-	-	-	8	1	0	9	5	8	-	1	3	40	0	-	-	00000	2	-	-	-	-
-	2	12s33	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.8
-	0	-	0	0	2	-	1	3	-	4	3	7	2	0	-	7	7	-	3	3	40	0	-	-	00000	2	1	1	1	87.7
-	-	-	-	-	-	-	-	-	-	-	-	8	2	0	9	1	8	-	1	3	41	0	-	-	00000	2	-	-	-	-
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.4
4	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.12
-	2	12s35	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.6
-	2	12s32	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.11
-	1	12s31	0	0	1	-	-	9	-	4	9	10	1	0	-	7	7	-	9	-	41	0	-	-	00000	9	-	-	1	87.10
-	1	12s34	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.1
-	2	12s36	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.5
-	0	-	4	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.2
-	1	12c05	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.9
-	0	-	0	0	1	-	-	3	-	4	1	10	1	0	-	7	7	-	3	3	40	9	-	-	00000	1	1	1	1	87.3
-	2	12s37	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.13
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	88.1
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.17
-	0	-	0	0	2	-	2	4	-	3	3	5	2	0	-	7	7	2	4	-	32	0	2	2	32032	2	-	-	1	87.16
-	-	-	-	-	-	-	-	-	-	-	-	3-4	2	0	4	1	1	1	2	-	32	0	2	2	32032	2	-	-	-	-
-	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.18
-	1	15c02	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	88.3
2	1	15c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	88.4
-	0	-	0	0	3	-	1	2	3	4	3	3-4	1	0	9	1	3	1	1	3	32	0	2	2	00000	2	-	-	1	88.7
-	-	-	-	-	-	-	-	-	-	-	-	8	1	0	9	5	8	-	1	3	41	0	-	-	00000	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	9	1	0	4	5	1	2	2	-	32	0	2	2	00000	2	-	-	-	-
-	0	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientatation	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientatation	Burin facet-Termination	Opposed end
663	600	313	1	12	34	249	13,05	35,05	39	42	17	22	3	3	6	2	4	8	2	1	24	5	-	9	4	3	3	6	1	1	1
664		413																34	5	1	24	5	-	8	2	2	3	6	1	2	1
665	600	513	1	84	RE	19	-	-	31	31	15	17	2	120	5	4	4	21	10	1	31	14	1	9	3	3	2	1	1	1	2
666		122																14	9	1	14	10	-	9	2	1	1	1	2	2	2
667	600	131	1	84	RE	19	-	-	31	25	11	8	2	120	5	3	3	20	12	3	24	11	-	9	1	2	1	4	6	1	2
668		131																20	9	1	24	11	-	7	4	3	1	4	1	1	2
669	600	413	1	12	34	398	13,02	35,85	50	37	21	39	2	120	5	4	4	33	11	1	22	14	-	10	4	3	3	1	1	1	1
670		313																40	8	2	22	14	-	10	2	2	3	1	1	1	1
671	600	522	1	10	36	69	10,94	36,05	45	27	18	21	2	721	7	2	1	11	10	2	15	7	2	10	1	1	2	1	1	2	2
672																															
673																															
674		513																22	10	3	17	12	1	10	2	2	2	1	1	2	2
675	600	522	1	-	-	3	-	-	80	31	13	29	1	110	5	1	3	15	8	2	30	6	1	8	1	1	2	1	1	1	2
676		512																17	5	1	7	8	1	8	2	2	2	5	1	2	2
677																															
678	600	422	4	-	-	114	4,80	21,54	48	17	7	6	2	420	5	3	1	28	5	1	13	6	-	7	4	1	3	1	1	1	2
679		312																18	4	2	14	5	-	6	3	3	3	4	1	2	2
680	600	312	4	-	-	2	11,56	24,60	38	21	5	4	2	420	5	3	2	10	2	2	19	4	-	7	1	2	3	5	1	2	2
681		322																9	4	1	19	3	-	7	2	1	3	1	1	2	2
682	600	522	5	16	10	57	16,95	10,60	40	22	7	6	2	520	5	3	4	21	7	2	18	7	2	7	1	1	2	1	1	2	2
683		322																10	9	3	8	4	-	7	2	1	3	6	2	1	2
684	600	312	5	14	6	574	14,60	7,42	35	15	4	2	1	511	2	1	4	10	2	1	10	4	-	8	3	3	3	4	1	1	2
685		313																14	3	1	14	2	-	7	2	2	3	1	1	2	2
686	600	412	5	14	8	921	15,32	9,36	46	19	7	6	2	520	5	1	1	18	3	2	17	7	-	7	3	3	3	1	1	2	2
687		522																6	4	2	9	3	1	8	2	1	2	1	5	4	2
688	600	322	5	14	8	175	14,53	8,43	40	16	4	2	2	520	5	3	1	22	2	2	13	4	-	5	3	1	3	1	1	1	2
689		322																10	2	2	6	2	-	7	2	1	3	1	4	1	2
690	600	513	5	16	8	277	16,82	8,73	34	16	11	5	1	510	5	3	3	28	11	2	16	11	2	8	3	3	2	1	1	4	2
691		412																25	4	3	11	4	-	7	4	2	3	1	1	1	2
692																															
693	600	331	5	14	8	681	14,32	8,69	30	19	10	6	2	523	2	1	4	17	8	1	6	5	-	9	3	2	4	3	1	4	2
694		331																14	7	2	9	4	-	7	2	3	4	1	6	4	2
695	600	323	5	14	6	374	15,09	7,42	38	25	11	9	2	524	1	3	2	22	8	2	14	6	-	7	3	1	3	4	4	1	2
696		213																34	7	1	13	4	-	9	2	2	5	4	1	1	2
697	600	312	5	14	8	341	15,99	8,09	19	31	5	3	2	524	1	3	2	8	3	3	11	4	-	10	3	3	3	1	1	4	2
698		531																10	4	1	18	3	1	8	2	3	2	1	1	1	2
699	600	322	5	16	8	360	16,13	8,44	38	14	5	3	2	524	1	3	1	23	3	1	8	4	-	8	3	1	3	5	1	2	2
700		522																9	4	2	5	2	1	7	2	1	2	1	1	1	2
701	600	422	5	16	8	361	16,15	8,97	37	21	13	10	2	524	1	4	4	9	4	1	17	5	-	8	3	1	3	5	1	2	2
702		513																19	13	2	18	11	2	8	4	3	2	1	1	1	2
703	600	213	5	16	8	153	16,66	9,89	32	13	5	2	2	524	2	3	2	4	3	1	8	5	-	11	4	3	5	0	1	4	1
704		213																14	3	1	8	5	-	6	2	2	5	0	1	4	1
705	600	213	5	14	6	879	14,99	7,80	48	27	10	12	2	523	1	3	1	8	4	1	13	7	-	8	3	3	5	1	1	2	2
706		531																18	8	3	33	4	1	7	4	2	2	1	1	2	2
707																															
708																															
709	600	113	5	14	10	45	14,04	10,69	44	38	20	46	2	523	1	2	4	33	17	2	24	21	-	8	4	3	1	1	1	1	2
710		513																18	15	3	20	14	1	8	3	2	2	1	1	2	2
711	600	313	5	16	6	103	16,27	6,05	44	16	4	3	1	510	5	3	1	27	2	1	11	4	-	7	1	2	3	4	1	1	2
712		531																4	2	2	4	2	4	5	2	3	2	1	1	1	2
713	600	323	5	16	6	342	16,36	7,13	51	17	9	6	1	511	2	2	2	24	4	1	8	3	-	9	3	1	3	4	1	2	2
714		322																17	6	1	9	4	-	7	4	1	3	4	1	1	2
715	600	422	6	-	-	86	-	-	44	17	4	4	3	3	3	3	2	29	3	1	8	4	-	7	1	1	3	4	1	1	2
716																															
717		322																16	3	1	12	4	-	7	2	1	3	1	1	1	2
718																															
719																															
720																															
721	600	312	6	2	8	110	3,40	9,39	35	18	5	3	2	620	5	3	2	22	4	2	20	5	-	6	3	3	3	1	1	1	2
722		431																19	4	1	12	2	-	8	4	2	4	6	1	4	2
723	600	213	6	2	8	187	2,84	9,51	52	23	12	14	2	620	5	3	1	35	7	3	19	6	-	8	1	2	5	1	1	2	2
724		323																18	11	3	10	6	-	8	4	1	3	4	4	0	2
725	600	412	6	2	8	105	3,95	8,07	56	35	9	17	2	620	5	3	2	29	4	1	27	5	-	7	3	3	3	1	1	1	2

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate		
-	0	-	0	0	1	-	-	3	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	76.19	
-	0	-	-	-	-	-	-	-	-	-	-	7	1	0	-	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	76.18
-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	01s45	0	0	1	-	-	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77.1
-	4	07c08	0	0	4	-	1	3	-	4	4	2	7	1	0	7	7	-	3	3	40	9	-	-	-	-	-	-	-	-	-	77.3
-	-	-	-	-	-	-	-	-	-	-	-	3	2	0	8	1	1	-	1	3	41	0	-	-	-	-	-	-	-	-	-	-
-	0	-	3	0	3	-	1	3	-	1	9	5	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	77.2
-	-	-	-	-	-	-	-	-	-	-	-	6	2	0	-	7	7	-	4	3	3	10	0	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	6	1	0	-	7	7	-	4	3	3	10	0	-	-	-	-	-	-	-	-	-
-	0	-	1	-	-	-	-	-	-	-	-	9	1	0	7	1	3	3	1	3	10	0	-	-	-	-	-	-	-	-	-	77.14
-	0	-	1	0	0	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77.12
-	0	-	-	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.8
-	0	-	1	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.5
-	0	-	0	0	2	-	-	3	-	4	3	7	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	81.15
-	0	-	0	0	-	-	-	-	-	0	0	10	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	82.1
-	0	-	0	0	1	-	-	3	-	4	2	1	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	82.4
-	2	05s098	0	0	3	-	1	3	-	4	3	5	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	82.7
-	-	-	-	-	-	-	-	-	-	-	-	10	2	0	9	1	8	-	1	3	40	0	-	-	-	-	-	-	-	-	-	-
-	0	-	0	0	1	-	-	3	-	4	2	9	2	0	9	1	8	-	3	3	40	9	-	-	-	-	-	-	-	-	-	82.2
-	4	05c03	0	0	1	-	-	9	-	4	9	7	1	0	-	7	7	-	9	-	40	0	-	-	-	-	-	-	-	-	-	81.18
-	4	05c03	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.16
-	4	05c03	0	0	1	-	-	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.2
-	4	05c03	0	0	2	-	9	3	-	4	9	6	1	0	-	7	7	-	4	-	40	0	-	-	-	-	-	-	-	-	-	82.6
-	2	05s110	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.9
-	5	05c05	0	0	3	1	2	3	-	4	3	7	2	0	-	7	7	-	3	3	41	0	-	-	-	-	-	-	-	-	-	81.14
-	-	-	-	-	-	-	-	-	-	-	-	8	2	0	9	1	8	-	1	3	41	0	-	-	-	-	-	-	-	-	-	-
-	4	05c05	0	0	1	-	-	3	-	4	2	9	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	81.13
-	2	05s076	3	-	-	-	-	-	-	-	-	9	1	0	-	1	4	-	2	-	40	0	-	-	-	-	-	-	-	-	-	81.17
-	2	05s075	0	0	1	-	-	3	-	4	2	10	1	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	82.3
-	0	-	0	0	6	1	2	3	-	4	5	2	1	0	-	7	7	-	3	3	41	0	-	-	-	-	-	-	-	-	-	83.14
-	-	-	-	-	-	-	-	-	-	-	-	3	1	0	9	1	8	-	1	3	41	0	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	6	2	0	-	7	7	-	3	3	40	0	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	7	2	0	9	1	8	-	1	3	41	0	-	-	-	-	-	-	-	-	-	-
-	0	-	2	-	-	-	-	-	-	-	-	8-9	1	0	4	1	3	-	1	-	40	0	-	-	-	-	-	-	-	-	-	-
-	0	-	1	-	-	-	-	-	-	-	-	13	1	0	9	1	8	-	1	3	40	9	-	-	-	-	-	-	-	-	-	-
-	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	0	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83.10
-	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83.8

Serial number	Type of burin	Type of burin end	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Burin facet-Length	Burin facet-Width	Burin facet-N of removals	BE-SP-Length	BE-SP-Width	BE-SP-Number	BE-Angle	BE-Position	BE-Orientation	BE-SP-Nature	BE-SP-Shape	Burin facet-Orientation	Burin facet-Termination	Opposed end
726		412																18	3	1	30	5	-	9	2	2	3	1	1	1	2
727	600	213	6	-	-	87	-	-	57	42	10	28	2	620	5	3	2	45	5	3	38	9	-	9	3	3	5	1	5	2	2
728		531																30	4	2	44	8	1	8	2	3	2	1	1	1	2
729	600	522	6	2	8	215	2,66	9,11	49	19	6	5	2	621	2	3	2	17	5	1	18	6	1	7	4	1	2	1	1	1	2
730		322																23	4	1	8	3	-	6	1	1	3	1	1	1	2
731	600	522	6	0	-0	25	0,12	-1,25	31	12	4	2	1	610	5	3	2	8	3	3	6	2	1	6	3	1	2	1	1	4	2
732		512																2	2	2	7	2	1	6	4	2	2	1	1	4	2
733	600	312	6	2	4	152	3,39	5,36	42	19	10	8	2	620	5	1	1	15	2	2	19	8	-	6	3	2	3	1	1	1	2
734		513																18	5	3	16	10	2	6	2	3	2	0	1	1	2
735	600	122	6	0	8	14	0,17	8,24	42	17	7	4	2	620	1	4	4	17	4	1	20	5	-	6	1	1	1	1	1	1	2
736		322																25	4	1	8	2	-	7	2	1	3	1	1	1	2
737	600	412	6	2	6	183	2,36	6,52	24	19	7	4	1	611	2	1	1	21	3	1	18	6	-	8	3	3	3	5	1	4	2
738		312																18	6	1	15	5	-	8	4	3	3	1	5	1	2
739	600	522	7	-6	34	701	-7,10	34,92	48	26	16	15	2	721	2	1	1	21	9	2	22	9	4	8	3	1	2	1	4	1	2
740		322																29	14	1	7	8	-	7	2	1	3	4	2	1	2
741	600	322	10	18	90	356	-19,44	26,25	77	28	5	12	2	1020	5	3	2	15	5	1	12	3	-	9	1	1	3	1	1	1	2
742		322																26	3	1	8	2	-	10	2	1	3	1	1	1	2
743	600	512	10	18	94	17	-19,50	29,93	59	17	7	7	2	1020	5	3	2	19	5	2	10	5	1	6	1	2	2	5	1	2	2
744		312																31	5	2	7	5	-	7	2	2	3	3	1	2	2
745	600	322	10	18	90	132	-18,55	26,74	34	14	4	2	2	1020	5	3	2	8	3	1	5	3	-	6	3	1	3	1	1	2	2
746		322																10	3	2	5	3	-	8	4	1	3	1	1	2	2
747	600	422	10	20	90	288	-18,00	26,17	47	24	9	9	1	1011	2	3	3	17	9	1	16	3	-	7	3	1	3	4	1	2	2
748		312																35	6	2	34	6	-	7	2	2	3	4	1	2	2
749	600	312	10	18	88	35	-19,01	25,55	32	15	6	4	2	1020	5	3	2	29	5	1	9	5	-	8	1	2	3	1	1	1	2
750		413																13	2	1	15	7	-	7	2	2	3	4	1	2	2
751	600	422	10	18	92	78	-18,45	29,50	36	17	3	2	2	1021	6	3	2	20	3	1	11	3	-	8	3	1	3	4	1	1	2
752		522																18	2	1	16	2	1	5	2	1	2	1	1	1	2
753	600	413	11	22	108	22	-14,60	44,06	53	36	14	21	2	1123	2	3	2	18	4	2	6	10	-	9	4	3	3	4	4	2	1
754		413																29	13	1	6	10	-	9	2	2	3	4	4	2	1
755	600	122	11	20	100	6	-16,33	36,20	46	19	9	11	1	1110	5	2	1	22	13	2	10	12	-	6	1	1	1	1	1	2	2
756		412																34	11	1	7	14	-	7	2	2	3	3	1	1	2
757	600	131	11	-	-	6	-	-	23	36	17	12	1	1110	5	1	4	15	10	4	20	12	-	7	3	3	1	1	1	2	2
758		331																16	7	2	9	10	-	8	2	2	4	1	1	2	2
759	600	113	11	20	100	17	-16,69	36,38	30	23	10	8	1	1110	5	1	1	11	5	2	14	8	-	11	4	3	1	4	5	4	1
760		113																17	6	2	14	8	-	9	2	2	1	4	1	1	1
761	600	213	11	20	100	5	-16,10	36,55	40	16	5	5	1	1110	5	1	1	14	4	1	7	5	-	8	3	3	5	1	4	1	2
762		313																30	7	3	11	7	-	8	4	3	3	1	1	4	2
763	600	323	11	26	110	7	-10,64	45,98	60	17	5	5	1	1110	5	3	2	23	3	1	6	2	-	8	4	1	3	1	4	1	3
764		413																36	5	1	6	2	-	13	2	2	3	1	4	1	3
765	600	313	11	22	106	151	-15,20	43,17	38	16	8	5	2	1125	2	3	3	34	6	2	12	6	-	8	3	3	3	4	1	4	3
766		413																9	5	1	12	6	-	8	1	2	3	4	1	1	3
767	600	312	11	22	106	22	-15,20	42,60	33	21	14	9	2	1125	1	4	4	36	11	2	12	4	-	9	3	3	3	1	1	2	2
768		313																23	7	3	14	8	-	9	4	3	3	1	4	2	2
769	600	113	14	20	20	174	-	-	66	39	15	39	2	2	-	2	1	33	11	2	19	11	-	8	1	2	1	4	4	1	2
770		122																43	5	1	14	7	-	8	4	1	1	1	4	1	2
771	600	412	14	20	20	249	-	-	32	25	8	6	2	2	-	3	2	8	3	1	20	5	-	7	4	3	3	1	1	1	1
772		412																6	3	1	20	5	-	10	2	2	3	1	1	1	1
773	600	522	14	20	22	4	-	-	38	15	5	3	2	2	-	3	2	9	4	1	15	4	1	6	1	1	2	1	1	1	2
774		312																19	5	1	7	3	-	8	4	2	3	1	4	1	2
775		412																17	3	2	7	3	-	12	2	3	3	1	1	2	2

Fracture-type	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 3	Action 2	Action 1	WS2	WS1	Use Time	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Width of groove	Depth of penetration	Author of drawing	Plate	
-	0	-	0	0	1	-	-	3	-	4	3	-	-	-	-	7	7	-	-	3	3	40	0	-	-	00000	3	5	3	-	-
-	0	-	0	0	2	-	-	3	-	4	4	5	1	0	-	7	7	-	-	3	3	40	0	-	00000	3	2	2	1	83.12	
-	0	-	-	-	-	-	-	-	-	-	-	1	1	0	-	7	7	-	-	3	3	40	0	-	00000	3	2	1	-	-	
-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	83.15	
-	0	-	0	0	1	-	-	3	-	4	3	2	1	0	-	7	7	-	-	3	3	41	0	-	00000	3	3	2	1	83.11	
-	4	06s53	0	0	1	-	-	3	-	4	2	6	1	0	-	7	7	-	-	3	7	40	0	-	00000	2	2	1	1	89.6	
-	2	06s58	0	0	1	-	-	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89.7	
-	2	07s37	0	0	0	-	-	0	-	0	0	10	1	0	-	7	7	-	-	3	3	40	0	-	00000	2	1	1	-	84.2	
-	0	-	23	0	2	-	-	3	-	1	9	1	1	0	-	7	7	-	-	4	3	10	0	-	00000	9	-	-	-	85.16	
-	0	-	0	0	1	-	-	2	-	3	3	6	1	0	-	7	7	-	-	4	3	10	0	-	00000	9	-	-	-	85.15	
-	2	10s57	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85.18	
-	2	10s56	2	0	2	-	-	3	-	4	4	1	1	0	-	7	7	-	-	3	3	41	0	-	00000	3	3	2	1	85.17	
-	0	-	23	-	-	-	-	-	-	-	-	7	1	0	-	7	7	-	-	3	3	41	0	-	00000	2	2	1	-	85.14	
-	0	-	0	0	2	-	-	4	3	4	3	1	1	0	-	7	7	-	-	3	3	40	0	-	00000	2	5	3	1	90.5	
-	0	-	0	0	0	-	-	0	-	0	0	6	1	0	-	7	7	-	-	4	-	40	0	-	00000	2	-	-	-	86.16	
-	0	-	0	0	2	-	-	3	-	4	3	1	1	0	-	7	7	-	-	3	3	40	0	-	00000	2	1	1	1	86.11	
-	0	-	0	0	1	-	-	3	-	4	2	2	1	0	-	7	7	-	-	3	3	40	9	-	00000	2	2	1	1	86.12	
-	0	-	0	0	1	-	-	9	-	4	9	6	1	0	-	7	7	-	-	9	-	40	0	-	00000	9	-	-	1	86.13	
-	0	-	0	0	2	-	-	3	-	4	3	10	1	0	-	7	7	-	-	3	3	41	0	-	00000	2	1	1	1	86.9	
-	4	11c07	0	0	1	-	-	3	-	4	1	5	1	0	-	7	7	-	-	3	3	41	0	-	00000	2	3	3	-	86.17	
-	4	2	11s19	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	86.14	
-	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	0	-	0	0	0	-	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	88.2	
-	0	-	0	0	1	-	-	3	-	4	2	10	1	0	-	7	7	-	-	3	3	40	0	-	00000	2	1	1	1	87.14	
-	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	87.15	

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Proximal end	Distal end	Position on burin	Lateral Edge	Orientation on burin	Refitting type	Refitting inventory nr.	Condition	ZTTs	Number of IUZs	Action 2	Action 1	WS 1	Use Time	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Surface State	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Author of drawing	Plate									
780	2	1	84	RE	15	-	-	58	13	27	2	3	3	2	0	1	4	01c01	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	77,2								
781	2	1	-	-	1	-	-	41	9	18	2	5	4	2	0	1	4	01c01	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89,1								
782	2	1	14	34	24	15,70	34,62	29	4	5	2	3	1	6	1	1	-	-	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
783	2	1	10	36	28	11,72	36,08	28	4	3	2	3	1	5	0	1	-	-	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
784	2	1	10	34	71	11,30	34,34	15	2	2	2	5	1	4	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
785	2	1	10	34	149	11,29	35,42	19	3	3	1	5	1	6	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
786	2	1	12	36	59	13,34	37,62	41	10	7	2	0	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
787	1	1	12	36	144	12,69	36,23	22	6	9	2	1	1	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
788	2	1	12	36	60	13,96	37,10	33	5	5	2	0	1	2	1	1	-	-	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
789	2	1	12	34	115	12,05	34,42	29	4	5	2	3	1	3	0	1	-	-	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
790	2	1	12	34	328	12,98	34,98	19	6	5	2	5	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
791	1	1	12	34	1145	12,62	35,22	17	3	2	2	5	2	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
792	1	1	12	34	787	12,84	35,34	45	11	9	2	3	1	4	0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
793	1	1	13	35	-	13,40	35,60	17	4	2	2	0	1	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
794	1	1	13	35	-	13,60	35,40	16	3	5	2	0	1	2	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
795	1	1	12	35	-	12,40	35,40	15	2	2	2	0	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
796	1	1	12	35	-	12,60	35,60	10	2	2	2	5	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
797	1	1	12	35	-	12,70	35,50	15	3	1	2	5	1	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
798	1	1	12	35	-	12,30	35,70	16	4	3	1	0	2	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
799	1	1	13	36	-	13,50	36,50	14	5	2	2	5	1	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
800	1	1	15	36	-	15,50	36,50	13	2	2	2	5	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
801	1	1	84	RE	15	-	-	30	3	5	2	0	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
802	1	1	12	34	1001	12,70	35,82	28	5	7	2	0	1	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
803	2	1	12	34	895	13,16	35,39	44	11	12	2	3	1	4	1	1	2	01s45	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
804	2	1	13	36	-	13,50	36,50	16	4	3	2	5	1	4	1	1	4	07c08	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
805	2	1	12	34	-	12,50	34,50	13	5	2	2	0	1	2	0	1	4	01c01	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
806	1	1	16	36	5	16,51	36,70	27	4	8	2	1	4	2	1	1	1	01s44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
807	2	1	-	-	-	-	-	16	3	3	2	5	1	4	1	1	4	01s44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
808	2	2	-	-	39	-	-	20	9	2	2	3	1	4	0	1	2	02s01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
809	1	2	8	12	20	-	-	14	4	4	2	3	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
810	2	2	8	8	9	-	-	17	5	1	2	0	1	0	0	1	-	-	0	0	1	-	3	4	2	1	0	-	7	7	-	1	3	-	40	0	-	-	00000	2	-	-	-	-	-						
811	2	2	8	8	5	-	-	13	6	3	0	3	4	5	0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
812	2	4	-	-	45	-	-	18	6	7	2	3	4	4	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
813	1	5	14	8	218	14,53	9,00	36	15	7	2	1	1	1	0	1	4	05c05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
814	1	5	14	8	123	14,63	8,88	33	3	6	2	3	1	2	1	5	4	05c05	0	0	1	-	4	4	2	1	0	-	7	4	-	1	4	-	40	0	-	-	00000	2	1	79,2	-	-	-	-					
815	2	5	14	8	249	15,87	9,48	52	7	12	2	3	1	2	1	4	4	05c05	0	0	1	-	4	4	3	1	0	-	7	4	-	1	4	-	40	0	-	-	00000	3	1	79,2	-	-	-	-	-	-			
816	1	5	16	8	85	17,27	9,82	30	13	7	2	3	1	2	0	1	4	05c05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
817	2	5	12	8	98	13,94	8,95	27	9	7	2	3	4	2	0	2	4	05c05	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
818	2	5	14	8	55	14,28	9,05	29	9	8	2	0	3	3	0	1	4	05c03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
819	2	5	14	8	111	15,98	8,58	37	8	11	2	4	1	2	1	1	4	05c03	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
820	2	5	16	6	528	16,32	7,25	40	6	6	2	0	1	4	0	1	4	05c03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
821	2	5	14	6	647	15,76	7,37	24	2	5	2	2	1	4	1	1	4	05c03	0	0	1	-	9	4	9	1	0	-	7	7	-	1	9	-	40	0	-	-	00000	9	1	80,7	-	-	-	-	-	-			
822	2	5	14	6	544	15,44	7,20	36	5	6	2	2	1	4	1	1	4	05c03	0	0	1	-	3	4	2	1	0	-	7	7	-	1	3	-	40	0	-	-	00000	2	1	80,7	-	-	-	-	-	-	-	-	-
823	2	5	14	6	361	15,74	7,43	27	3	5	2	0	1	2	1	1	4	05c03	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
824	2	5	14	10	3	14,75	10,7																																												

[illegible]

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Proximal end	Distal end	Position on burin	Lateral Edge	Orientaton on burin	Refitting type	Refitting inventory nr.	Condition	ZTTs	Number of IUZs	Action 2	Action 1	WS 1	Use Time	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Surface State	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ	Author of drawing	Place				
962	1	6	4	2	15	5,10	3,66	23	4	6	2	5	1	1	0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
963	1	6	4	4	33	5,00	5,45	25	7	8	1	5	1	2	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
964	2	6	4	8	37	4,67	9,28	25	7	5	2	3	1	1	0	1	2	06s61	0	0	0	-	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	90,15	-		
965	1	6	4	8	7	4,51	8,49	22	2	3	2	5	1	6	0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
966	2	6	4	6	248	4,26	6,33	20	4	6	1	3	3	4	0	5	2	06s58	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89,7	-		
967	1	6	4	6	160	4,15	6,32	28	3	7	2	1	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
968	2	6	2	4	105	2,78	4,97	22	6	3	1	3	1	1	0	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
969	1	6	2	4	90	2,69	4,13	28	5	5	2	1	2	2	1	4	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
970	2	6	2	4	150	3,36	5,12	18	5	2	1	0	4	0	0	1	-	-	-	0	0	0	1	-	3	4	2	1	0	-	7	7	-	1	3	-	40	0	-	00000	2	-	-	-	-	
971	2	6	2	4	39	2,58	4,46	22	4	1	1	0	1	6	1	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
972	2	6	2	4	130	2,89	5,90	23	4	2	2	0	1	2	2	4	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
973	2	6	2	4	85	3,49	4,45	15	5	2	2	3	1	5	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
974	2	6	2	4	41	2,04	4,46	22	3	2	4	5	4	6	0	1	2	06s56	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89,1	-		
975	2	6	2	6	40	3,43	7,89	23	6	2	2	0	1	0	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
976	2	6	2	6	218	3,71	6,18	30	5	5	2	0	1	4	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
977	2	6	2	6	24	4,00	7,11	27	4	4	2	0	1	0	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
978	1	6	2	6	203	3,40	6,13	55	10	8	2	0	1	5	0	4	-	-	-	0	0	1	-	3	4	2	1	0	-	7	3	-	1	3	-	40	0	-	00000	2	-	-	-	-		
979	1	6	2	6	79	3,37	7,40	18	5	5	2	3	1	6	1	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
980	1	6	2	6	10	3,82	7,12	20	3	4	2	5	4	3	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
981	2	6	2	6	75	3,13	7,76	21	9	7	2	0	2	0	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
982	2	6	2	6	134	2,62	7,12	26	6	2	2	0	1	3	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
983	2	6	2	8	124	2,31	9,54	20	3	1	1	0	1	6	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
984	2	6	2	8	44	3,00	8,42	33	4	5	1	0	1	5	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
985	2	6	2	8	205	2,20	9,32	15	8	1	2	5	1	0	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
986	2	6	2	8	182	2,26	9,74	20	8	2	2	0	1	5	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
987	2	6	2	8	200	2,16	9,18	40	7	4	1	3	1	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
988	1	6	2	8	37	3,31	9,18	11	2	3	1	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
989	2	6	2	8	144	2,42	9,75	24	5	2	2	5	4	5	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
990	2	6	2	8	177	2,35	9,29	21	4	2	2	0	1	0	0	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
991	2	6	2	8	138	2,17	9,19	24	5	3	2	0	1	2	2	1	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
992	2	6	4	6	177	4,39	6,84	23	8	3	2	2	1	5	0	1	2	06s60	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82,15	-	
993	2	6	8	6	8	8,46	6,84	38	8	4	2	0	1	4	0	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
994	2	6	-	-	83	-	-	22	3	6	2	3	1	5	0	1	2	06s61	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	90,15	-	
995	1	6	-	-	86	-	-	30	4	4	2	0	1	3	0	4	-	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
996	2	6	-	-	87	-	-	40	10	4	2	0	1	0	0	1	-	-	-	1	0	2	3	4	4	3	1	0	-	7	7	-	2	3	-	40	0	-	00000	2	-	-	-	-		
997	2	6	-	-	87	-	-	35	4	9	1	3	1	1	1	1	-	-	-	1	0	2	3	4	4	3	1	0	-	7	7	-	2	4	-	40	0	-	00000	2	-	-	-	-		
998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
999	2	6	0	0	9	0,93	1,59	28	3	10	1	4	1	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1000	1	6	-	-	86	-	-	31	3	3	1	0	4	3	1	1	2	06s58	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	89,7	-
1001	2	6	2	33	3,26	3,40	31	5	7	2	0	3	2	1	1	1	2	06s57	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1002	2	6	2	4	127	2,57	5,51	48	7	4	2	3	1	2	0	1	2	06s55	0	0	1	-	1	4	2	1	0	9	-	1	1	-	1	1	3	-	40	0	-	00000	2	-	-	-	-	
1003	2	6	2	6	227	3,60	6,70	30	8	3	2	3	1	2	0	1	2	06s55	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1004	2	6	2	8	214	2,18	9,10	24	2	4	2	5	1	2	1	1	4	06s53	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1005	2	6	4	6	100	4,37	7,65	37	6	8	2	3	1	2	1	1	2	06s59	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1006	2	6	2	4	-	2,50	4,50	15	5	3	2	0	2	2	0	1	2	06s57	0	0	1	-	9	4	9	1	0	-	7	7	-	1	9	-	40	0	-	00000	9	1	-	-	-	-	-	-
1007	2	6																																												

Annex 2e. Database of tool waste: Burin Spalls. (4/4)

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Proximal end	Distal end	Position on burin	Lateral Edge	Orientation on burin	Refitting type	Refitting inventory nr.	Condition	ZTTs	Number of IJUs	Action 2	Action 1	WS 1	Use Time	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Surface State	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IJUZ	Author of drawing	Plate						
1052	1	10	20	91	-	-18,00	26,70	11	4	4	2	3	4	1	0	1	6	10s52	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,8					
1053	2	10	17	96	-	-20,50	32,20	20	5	2	1	3	1	6	0	4	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,8				
1054	2	10	18	94	-	-19,50	30,20	11	2	1	1	5	1	6	1	1	-	-	-	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84,8				
1055	1	10	16	94	-	-21,50	30,20	9	1	1	2	5	4	4	0	1	2	10s54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	90,3				
1056	2	10	20	94	19	-17,90	29,98	16	3	4	2	5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1057	2	10	20	90	199	-17,70	27,35	22	2	6	2	2	1	6	1	5	2	10s55	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85,1				
1058	1	10	20	90	181	-17,75	27,41	27	7	9	2	3	1	2	1	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1059	2	10	16	90	121	-20,46	27,65	12	2	5	2	3	1	4	1	1	2	10s57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	85,18			
1060	1	10	18	90	163	-19,56	27,54	15	2	5	1	5	4	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1061	1	10	18	94	59	-19,84	29,87	16	2	4	1	0	4	6	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1062	1	10	22	92	3	-15,58	28,14	15	4	5	1	5	2	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1063	1	10	20	92	72	-16,89	28,37	19	4	6	2	3	1	6	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1064	2	10	18	94	46	-18,60	30,09	28	2	10	1	5	3	4	1	1	2	10s59	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	90,13			
1065	1	10	18	90	101	-18,35	26,40	23	8	7	2	2	1	2	1	4	2	10s61	2	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	104,12			
1066	2	11	20	100	13	-16,60	36,42	26	6	6	2	2	1	4	1	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1067	1	11	24	106	2	-13,92	42,19	41	4	4	1	5	4	0	1	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1068	2	11	20	100	40	-17,85	37,34	21	5	3	2	0	1	5	1	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1069	2	11	22	106	219	-15,02	43,03	28	3	7	2	0	1	4	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1070	1	11	22	108	63	-14,75	45,02	20	4	3	1	3	1	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1071	2	11	23	106	-	-14,80	42,20	16	3	2	2	5	4	0	0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1072	1	11	22	106	161	-14,48	43,00	24	5	5	1	5	4	5	0	1	3	11s26	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1073	1	11	22	107	-	-15,50	43,20	12	3	3	1	5	4	5	0	1	3	11s26	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1074	2	11	22	106	86	-14,83	42,58	30	7	3	1	3	2	3	0	1	2	11s25	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1075	2	11	22	106	58	-15,10	42,94	42	12	18	1	3	3	3	0	1	2	11s25	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1076	2	11	22	106	314	-14,87	43,30	36	4	10	1	0	1	3	0	1	2	11s25	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1077	2	11	22	100	11	-15,22	36,82	26	1	5	2	5	1	4	0	5	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1078	2	11	24	110	10	-13,55	47,09	38	7	3	2	5	1	0	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1079	2	11	24	106	11	-13,94	43,58	31	6	7	1	0	3	3	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1080	2	11	20	100	25	-16,99	36,16	19	7	4	2	2	1	5	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1081	2	11	22	106	204	-15,27	42,25	21	5	2	0	0	4	5	0	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1082	2	11	22	106	205	-15,50	42,25	16	7	4	2	3	4	4	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1083	2	11	22	106	136	-14,86	43,45	16	4	4	1	3	1	0	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1084	1	11	22	108	52	-14,52	44,16	20	4	5	2	0	1	6	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1085	1	11	22	107	-	-15,50	43,20	19	2	4	1	0	1	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1086	2	11	22	106	-	-15,70	42,40	11	3	2	1	0	4	0	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1087	2	11	23	107	-	-14,40	43,10	11	3	1	1	0	2	0	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1088	1	11	23	107	-	-14,30	42,90	14	2	3	1	0	2	3	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1089	1	11	24	107	-	-13,80	42,90	9	2	4	2	5	2	5	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1090	1	11	23	106	-	-14,20	42,40	10	3	4	2	5	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1091	2	11	22	106	-	-15,40	42,10	13	4	1	1	5	2	0	0	1	-	-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1092	1	11	22	100	21	-15,02	36,73	12	2	1	2	5	4	0	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1093	2	11	22	106	16	-14,10	42,65	21	5	2	2	3	1	3	0	1	2	11s19	0	0	1	-	3	4	2	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1094	2	11	22	106	381	-15,50	42,37	34	7	8	1	3	1	2	1	1	2	11s22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1095	2	11	22	106	125	-15,10																																										

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	SH-Length	SH-Width	SH-Thickness	SH-Angle	SH-Position	SH-Orientation	SH-Angle of orientation	SH-Outline	SH-Convexity	SH-Retouch	SH-Irregularities	Opposed end	Fracture-type	Fracture-origin	
1150	211	1	-	-	6	-	-	27	21	7	4	1	110	5	4	4	40	22	5	6	2	1	9	5	1	3	1	1	-	-	
1151	210	1	12	34	1240	12,68	35,74	29	28	7	4	2	127	2	3	1	39	28	2	5	2	1	9	5	2	3	9*	1	-	-	
1152	210	1	12	34	759	12,04	35,86	25	16	6	2	0	0	5	3	3	19	16	5	7	2	1	9	5	2	0	0	1	-	-	
1153	210	1	12	34	52	13,18	35,87	45	30	7	5	2	120	5	1	4	18	18	4	8	1	1	9	5	3	3	12	1	-	-	
1154	130	1	12	34	870	13,10	35,62	20	11	5	1	2	120	5	3	1	13	11	4	8	2	1	9	5	2	2	1	3	2	1	
1155	210	1	84	RE	15	-	-	50	38	6	20	2	120	5	3	2	25	20	4	7	2	1	9	1	0	3	9*	1	-	-	
1156	211	1	16	36	43	16,41	37,82	25	35	7	7	1	110	5	3	3	51	36	4	7	2	2	7	5	2	3	58	1	-	-	
1157	110	1	13	35	72	13,03	35,04	45	16	5	4	2	120	5	3	1	14	13	3	7	2	1	9	5	2	3	1	1	-	-	
1158	130	1	-	-	3	-	-	26	17	10	4	2	120	5	2	3	16	15	6	6	1	2	8	5	3	2	18	3	6	2	
1159	231	1	14	36	38	15,23	36,87	30	43	7	12	2	120	5	1	4	57	43	4	6	2	2	5	6	0	3	9*	3	6	2	
1160	210	2	84	RE	146	-	-	58	31	10	23	2	2	-	1	3	37	31	2	6	2	2	8	5	2	3	13	1	-	-	
1161	110	2	-	-	20	-	-	94	42	9	35	2	2	-	4	3	45	42	9	6	2	1	9	5	2	3	9*	1	-	-	
1162	110	4	-	-	17	11,52	20,66	50	25	7	8	1	410	5	3	1	13	13	2	7	2	1	9	5	2	3	1	1	-	-	
1163	210	5	12	10	34	12,92	10,70	28	28	6	6	2	521	2	4	3	25	20	4	5	2	1	9	5	2	3	1	1	-	-	
1164	220	5	14	8	476	15,02	8,07	22	24	6	4	2	521	2	1	4	26	22	6	6	2	2	7	5	2	3	12	1	-	-	
1165	220	5	14	8	572	14,76	8,98	24	18	8	4	5	5	6	1	4	10	10	7	6	2	3	6	1	0	3	9*	1	-	-	
1166	211	5	16	6	262	12,67	7,42	30	33	6	6	1	511	2	4	1	42	33	6	6	2	1	9	6	0	3	1	1	-	-	
1167	230	5	12	8	130	12,63	9,84	26	25	5	4	2	521	2	3	2	30	24	5	7	2	3	8	5	2	2	1	3	4	1	
1168	230	5	18	-0	4	18,52	-1,68	15	8	3	1	2	520	5	1	0	14	11	2	5	2	0	0	5	2	0	8	3	2	1	
1169	210	5	12	10	20	13,88	11,22	24	30	13	6	2	521	2	4	4	38	31	5	7	2	2	4	5	2	3	8	1	-	-	
1170	211	5	16	8	429	17,15	9,45	30	28	5	5	2	520	5	3	2	40	31	4	7	2	2	8	5	3	3	1	1	-	-	
1171	120	5	14	2	66	15,60	2,22	32	18	9	5	1	510	5	1	2	16	16	7	6	2	1	9	5	3	2	18	1	-	-	
1172	230	5	14	6	489	14,03	6,81	18	17	4	1	1	511	2	3	2	12	11	3	8	2	2	8	5	3	3	5	3	2	1	
1173	211	5	12	8	68	13,56	8,34	28	20	9	4	2	521	2	2	1	38	26	5	5	2	3	6	5	1	3	16	1	-	-	
1174																															
1175	120	5	16	-0	10	16,48	-1,28	34	22	9	5	1	510	5	3	1	24	20	8	7	2	1	9	5	2	1	18	1	-	-	
1176																															
1177																															
1178																															
1179	110	5	14	8	430	14,42	8,12	45	22	11	9	2	522	2	1	1	23	20	10	6	2	1	9	5	2	1	1	1	-	-	
1180	230	5	12	8	147	13,09	9,05	28	32	14	11	2	521	2	1	4	21	20	11	7	2	3	7	5	2	3	38	3	6	2	
1181	210	5	14	6	319	14,45	6,59	38	40	6	8	3	3	6	4	4	31	29	3	6	2	2	5	6	0	3	9*	1	-	-	
1182	231	5	18	-0	8	19,17	-1,20	45	43	8	14	0	0	5	4	4	48	35	7	6	2	2	7	5	2	3	1	3	7	7	
1183	211	5	16	6	430	16,62	6,77	22	29	6	4	1	511	2	4	4	40	29	5	5	2	1	9	5	2	3	1	1	-	-	
1184	230	5	18	0	74	18,61	1,45	7	19	6	1	2	520	5	3	0	14	14	5	5	2	0	0	1	0	3	8	3	2	1	
1185	110	5	16	6	510	16,64	6,20	44	16	6	5	1	511	1	1	2	19	16	5	5	1	1	9	5	2	2	1	1	-	-	
1186	210	5	16	8	379	16,46	8,96	43	28	16	21	1	510	5	1	2	26	23	5	8	2	2	8	5	1	3	13	1	-	-	
1187	210	5	14	6	837	14,58	7,76	25	24	8	3	2	520	5	3	1	28	24	7	7	2	3	8	5	2	1	12	1	-	-	
1188	230	5	12	8	284	13,84	8,27	24	8	4	1	2	520	5	3	0	-	-	-	-	7	2	0	0	5	2	3	1	3	2	1
1189	230	5	14	8	838	14,62	9,03	21	24	4	2	1	510	5	3	2	22	19	3	6	1	1	9	5	2	3	1	3	2	1	
1190	210	5	18	6	40	18,29	6,07	30	21	9	9	1	511	1	3	3	24	20	8	5	2	1	9	5	2	2	12	1	-	-	
1191	220	5	14	4	20	15,15	5,36	23	20	6	4	2	521	2	3	1	24	21	5	7	2	1	9	5	3	3	1	1	-	-	
1192	220	5	12	8	214	13,11	8,06	16	14	5	1	2	521	2	3	2	17	13	4	6	2	1	9	5	2	2	1	1	-	-	
1193	230	5	18	2	51	18,04	2,32	16	24	8	2	1	510	5	3	3	26	24	7	7	2	0	0	5	3	3	0	3	7	7	
1194	210	5	16	8	204	16,45	8,70	38	26	13	9	2	520	5	3	1	23	21	4	4	1	3	8	1	0	3	13	1	-	-	
1195	230	5	84	RE	29	-	-	19	26	3	2	2	521	2	1	4	18	15	2	7	2	1	9	5	2	3	1	3	2	1	
1196	130	5	16	4	79	17,15	4,45	26	17	8	4	1	511	2	2	2	20	15	7	8	2	2	8	5	2	2	13	3	4	1	
1197	210	5	84	RE	31	-	-	30	20	11	5	2	521	2	2	1	27	20	8	6	2	3	8	5	2	2	12	1	-	-	
1198	210	5	14	6	357	15,38	7,29	29	21	5	3	1	511	2	3	1	26	19	5	7	2	1	9	5	2	2	1	1	-	-	
1199	210	5	18	4	6	18,43	5,54	28	21	10	5	1	511	2	3	1	29	20	10	7	2	3	8	5	2	1	12	1	-	-	
1200	210	5	18	6	108	18,10	7,26	35	23	6	5	1	511	2	3	1	25	23	6	6	2	1	9	5	2	3	12	1	-	-	
1201	211	5	14	6	105	15,44	6,28	23	25	7	4	1	511	2	4	3	24	23	6	6	2	1	9	8	0	3	27	1	-	-	
1202	211	5	16	2	94	16,24	3,58	30	23	10	7	1	510	5	1	1	48	25	5	7	1	3	7	0	0	3	1	1	-	-	
1203	120	5	16	4	54	17,59	4,18	38	19	8	6	1	511	2	3	2	25	20	7	6	2	1	9	5	2	2	1	1	-	-	
1204	210	5	14	6	340	15,15	6,91	24	25	7	5	1	511	1	3	1	28	25	7	5	2	1	9	5	2	2	1	1	-	-	
1205	210	5	12	8	263	13,65	8,36	25	27	7	6	1	511	1	1	4	35	27	7	6	2	1	9	5	2	3	1	1	-	-	
1206	210	5	14	8	868	14,67	8,18	27	36	8	6	2	521	1	4	3	36	30	6	7	2	1	9	5	2	3	1	1	-	-	
1207	130	5	-	-	83	16,16	7,00	19	17	6	1	1	511	2	3	1	18	15	5	8	2	1	9	5	2	2	13	3	2	1	
1208	130	5	14	8	941	15,14	8,32	15	21	5	1	1	510	5	1	4	14	13	4	6	2	2	8	5	2	3	9	3	2	2	
1209	130	5																													

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	SH-Length	SH-Width	SH-Thickness	SH-Angle	SH-Position	SH-Orientation	SH-Angle of orientation	SH-Outline	SH-Convexity	SH-Retouch	SH-Irregularities	Opposed end	Fracture-type	Fracture-origin
1222	230	5	14	8	648	14,46	8,64	31	35	11	14	2	523	1	1	4	36	33	6	7	2	1	9	5	2	2	1	3	2	1
1223	120	5	14	8	400	15,05	8,56	42	22	8	7	2	520	5	3	1	26	19	5	6	2	1	9	5	1	2	1	1	-	-
1224	212	5	20	0	15	20,71	0,31	34	27	14	12	2	521	2	3	1	35	26	10	7	1	2	8	5	2	2	8	2	-	-
1225																	29	26	12	8	2	2	7	5	3	1	13	2	-	-
1226	120	6	2	4	78	2,21	4,11	38	22	8	7	0	0	5	4	4	25	22	8	7	2	1	9	5	2	0	0	1	-	-
1227	230	6	6	10	17	6,40	10,41	17	31	5	3	0	0	5	4	0	21	21	2	6	2	0	0	5	2	3	1	3	7	7
1228	210	6	2	6	106	3,82	7,43	33	25	10	6	0	0	5	4	0	24	21	5	6	2	2	8	5	2	3	0	1	-	-
1229	130	6	-	-	52	1,60	5,60	48	21	6	7	1	610	5	3	2	22	20	6	6	2	1	9	5	3	3	1	3	2	0
1230																														
1231	110	6	-	-	86	-	-	50	25	9	12	1	610	5	3	1	25	21	4	5	2	1	9	5	2	2	1	1	-	-
1232	110	6	-	-	75	2,30	21,15	43	21	7	9	2	620	5	3	2	21	12	7	7	2	3	8	5	2	3	1	1	-	-
1233	211	6	6	8	18	7,33	8,36	47	46	12	26	2	620	5	4	4	69	45	7	7	2	1	9	5	2	3	12	1	-	-
1234	210	6	0	4	48	0,90	4,58	35	20	11	9	1	610	5	3	2	28	20	8	7	2	3	7	5	1	3	12	1	-	-
1235	120	6	2	2	84	2,35	3,42	34	17	8	6	1	610	5	1	2	17	14	5	6	2	3	8	5	2	1	1	1	-	-
1236																														
1237	210	6	0	0	5	1,09	1,75	99	83	20	131	2	620	5	1	4	104	70	6	8	2	3	6	5	2	3	1	1	-	-
1238	220	6	2	10	19	2,09	11,00	23	21	4	2	2	620	5	1	4	23	20	4	7	2	1	9	5	3	3	1	1	-	-
1239	210	6	2	8	178	2,45	9,35	32	23	6	6	2	620	5	1	4	27	22	4	5	2	3	8	5	2	3	1	1	-	-
1240	210	6	6	10	14	6,79	10,79	27	25	9	6	0	0	5	1	4	25	21	8	6	2	1	9	5	3	2	16	1	-	-
1241	230	6	2	6	96	3,98	7,97	16	30	8	3	2	620	5	1	4	28	27	5	5	2	1	9	5	2	3	1	3	2	1
1242	230	6	6	8	2	6,37	9,14	31	24	5	4	0	0	5	1	4	22	21	5	5	2	3	8	5	3	3	0	3	7	7
1243	130	6	-	-	55	0,00	4,52	31	20	4	3	2	620	5	3	1	20	15	3	5	2	1	9	5	2	2	1	3	2	1
1244	230	6	2	6	99	3,93	7,44	20	15	5	1	2	620	5	1	1	13	12	5	7	2	1	9	5	3	2	68	3	2	1
1245	210	6	-	-	84	-	-	29	24	6	5	1	610	5	3	3	30	24	6	6	2	1	9	5	3	2	1	1	-	-
1246	130	6	-	-	86	-	-	24	21	5	3	2	620	5	3	2	28	21	4	6	2	1	9	5	2	2	1	3	2	1
1247	130	6	-	-	86	-	-	30	16	5	2	2	620	5	3	2	17	16	5	6	2	1	9	5	2	2	1	3	2	1
1248	210	6	2	4	2	3,91	4,85	28	24	6	5	3	3	3	3	2	28	24	6	6	2	1	9	5	2	3	1	1	-	-
1249	211	6	-	-	86	-	-	35	25	9	6	2	620	5	3	1	20	18	5	8	2	1	9	8	0	3	37	1	-	-
1250	210	6	6	8	10	7,51	9,74	26	24	9	8	1	610	5	3	1	31	26	9	8	2	3	7	5	2	3	3	1	-	-
1251	211	6	6	8	1	7,07	8,44	26	27	10	7	2	620	5	4	4	47	32	8	8	2	3	6	5	1	3	26	1	-	-
1252	120	6	-	-	86	-	-	58	31	11	22	2	620	5	3	2	31	28	9	7	2	2	8	5	2	3	1	1	-	-
1253	110	6	-	-	70	4,00	21,90	57	26	7	10	1	610	5	3	1	23	21	5	6	2	1	9	5	2	3	12	1	-	-
1254																														
1255	221	6	4	6	16	5,34	6,72	15	18	4	1	1	610	5	1	4	20	17	4	6	2	0	0	5	2	3	9*	1	-	-
1256	210	6	-	-	68	3,35	27,95	26	23	6	4	1	610	5	4	4	28	21	6	6	2	3	7	5	2	3	8	1	-	-
1257	210	6	2	6	80	3,41	7,32	30	27	7	5	1	610	5	4	1	32	27	7	7	2	3	8	5	2	2	1	1	-	-
1258	230	6	0	4	3	1,27	5,30	19	23	4	2	3	3	3	3	2	21	18	3	4	2	1	9	5	2	3	8	3	2	1
1259	210	6	6	8	16	7,00	9,69	26	16	8	2	1	611	2	1	1	17	16	6	6	1	1	9	5	2	2	8	1	-	-
1260	130	6	2	8	153	2,98	9,66	30	23	8	5	2	620	5	1	2	31	23	2	7	2	1	9	5	2	3	6	3	3	1
1261	210	6	-	-	90	-	-	30	23	5	4	1	610	5	3	1	26	24	5	5	2	2	8	5	3	3	8	1	-	-
1262	210	6	2	8	122	2,29	9,63	32	26	8	8	2	620	5	4	3	31	25	7	6	2	1	9	5	2	2	1	1	-	-
1263	110	6	4	2	16	4,83	3,70	47	19	6	6	1	610	5	1	1	18	17	5	6	2	1	9	5	3	3	1	1	-	-
1264	130	6	0	2	20	1,57	2,90	26	16	7	3	1	610	5	3	2	19	16	6	7	2	1	9	5	2	2	68	3	2	1
1265	120	6	2	8	39	2,76	8,17	43	21	12	11	2	620	5	2	1	28	21	8	7	2	1	9	5	2	2	34	1	-	-
1266	231	6	-	-	86	-	-	44	59	15	35	2	620	5	4	4	98	60	9	6	2	0	0	5	3	3	9*	3	6	2
1267	210	6	2	6	255	3,02	7,28	43	25	11	12	2	620	1	3	1	30	25	4	6	2	2	7	5	3	3	8	1	-	-
1268	110	6	2	2	68	3,41	2,73	44	21	10	10	1	610	5	3	3	22	20	4	7	2	1	9	5	2	3	12	1	-	-
1269	110	6	2	10	182	3,02	10,50	47	17	6	5	1	511	74	1	2	19	17	6	4	2	3	8	5	2	3	12	1	-	-
1270	210	7	-6	34	734	-6,38	34,36	43	43	7	15	2	721	2	1	4	41	37	5	7	2	1	9	5	3	3	1	1	-	-
1271	220	7	-6	32	61	-6,60	33,65	22	17	5	2	2	721	2	3	2	19	17	4	4	2	1	9	5	3	2	8	1	-	-
1272	231	7	-4	34	65	-5,59	35,99	14	15	4	1	2	720	5	3	3	18	15	4	5	2	1	9	5	2	1	8	3	2	1
1273	210	7	-6	30	2	-6,45	30,76	40	33	5	7	0	0	5	4	4	30	25	2	5	2	1	9	5	2	3	1	1	-	-
1274	210	7	-6	34	36	-6,68	34,88	41	24	4	4	2	722	2	3	2	17	8	3	6	2	1	9	5	2	3	1	1	-	-
1275	211	8			1	-7,74	16,20	30	35	7	8	2	820	5	3	2	55	35	6	7	2	1	9	5	2	3	12	1	-	-
1276	130	8			13	-7,94	16,78	35	24	9	8	1	810	5	3	1	23	19	5	6	2	1	9	5	2	3	78	3	6	2
1277	230	8			14	-6,45	16,80	27	24	5	5	2	820	5	3	2	24	22	5	5	2	1	9	5	2	3	18	3	3	1
1278	131	10	20	90	78	-17,75	26,70	26	21	5	3	0	0	5	3	3	20	19	4	5	1	1	9	5	2	3	18	3	7	7
1279	210	10	20	92	19	-17,48	28,37	42	34	12	15	2	1026	6	3	2	38	33	10	8	2	2	7	5	3	3	12	1	-	-
1280	210	10	20	88	41	-17,98	25,13	35	23	8	6	2	1020	5	3	1	28	22	7	8	2	1	9	5	2	1	12	1	-	-
1281	110	10	16	90	10	-20,74	27,19	77	25	7	18	2	1025	6																

LM-Type	LM-Origin	LM-Location	Refitting-Type	Refitting-Inventory nr.	Condition	ZTTs	Number of IUZs	Action 2	Action 1	WS 2	WS 1	Use Time (cumulative)	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Section of rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use Time of IUZ	Author of drawing	Plate		
-	-	-	5	05c05	0	0	1	-	1	-	4	2	6	1	0	7	5	4	-	1	1	3	41	0	-	-	00000	2	1	94,16,99,13		
5	1	8	0	-	1	0	2	-	1	-	3	2	6	1	0	6	5	4	1	1	1	3	32	0	1	1	00000	2	1	92,7		
-	-	-	-	-	4	-	-	-	-	-	-	-	6,7	1	0	8	5	4	1	2	1	3	32	0	1	2	00000	3	1	94,1		
-	-	-	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	1	8	0	-	0	0	1	-	1	-	3	3	6	1	0	5	5	4	1	2	2	1	3	32	0	2	2	00000	3	-	-	
3	2	9	0	-	0	0	1	-	1	-	3	3	6	1	0	7	5	4	1	2	1	3	32	0	2	2	00000	3	-	-	-	
5	5	3	0	-	0	0	1	-	1	-	3	3	6	1	0	7	5	4	1	2	1	3	32	0	2	2	00000	3	-	-	-	
-	-	-	0	-	1	0	2	1	2	-	4	3	6	1	0	6	5	4	1	1	1	3	32	0	1	2	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	6	1	0	5	1	1	1	-	-	-	2	40	0	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	6	1	0	5	1	1	1	-	-	-	2	40	0	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	6	1	0	8	5	4	1	-	-	-	2	24	9	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	7	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	3	3	6	1	0	5	5	4	2	1	1	3	32	0	2	2	00000	3	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	2	1	1	3	32	0	2	2	00000	3	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
2	2	8-9	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	2	2	6	1	0	5	5	4	-	-	-	1	24	9	-	-	00000	2	-	-	-	
3	1	8	0	-	0	0	1	-	1	-	2	3	6	1	0	6	5	4	2	1	1	3	32	0	2	2	00000	3	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	3	3	6	1	0	6	5	4	2	1	1	3	32	0	2	2	00000	3	-	-	-	
2	1	8	0	-	0	0	1	-	1	-	4	2	6	1	0	6	5	4	-	-	-	1	3	40	0	-	00000	2	1	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	5	8-9	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	4	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	3-4	0	-	1	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	9	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	1	-	1	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	2	0	1	-	1	-	3	3	6,7	1	0	6	5	4	2	1	1	3	32	0	2	2	00000	3	1	-	-	-
-	-	-	0	-	1	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	2	9	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-															

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	SH-Length	SH-Width	SH-Thickness	SH-Angle	SH-Position	SH-Orientation	SH-Angle of orientation	SH-Outline	SH-Convexity	SH-Retouch	SH-Irregularities	Opposed end	Fracture-type	Fracture-origin
1294	210	12	8	12	7	22,96	-8,66	32	27	7	6	1	1212	2	3	2	27	23	6	7	2	2	8	5	2	2	1	1	-	-
1295	231	12	10	16	42	24,99	-4,98	18	14	5	1	2	1224	2	3	4	16	14	5	7	2	0	0	5	2	3	16	3	2	1
1296	210	12	10	14	113	24,53	-7,32	32	35	6	7	2	1225	6	4	1	32	29	6	6	2	1	9	5	3	3	1	1	-	-
1297	210	12	8	16	160	22,83	-4,53	63	38	13	24	1	1211	2	1	4	25	22	3	6	2	2	7	5	2	3	1	1	-	-
1298	120	12	8	14	55	23,83	-7,33	72	37	10	29	2	1220	5	4	1	39	35	6	4	2	2	7	6	0	3	1	1	-	-
1299	230	12	14	20	1	29,88	-2,04	10	15	4	1	2	1220	5	3	2	11	11	3	7	2	0	0	1	0	3	8	3	2	1
1300	210	12	-	-	ap	-	-	32	28	7	6	2	1225	6	3	2	32	25	6	6	2	1	9	5	2	3	89	1	-	-
1301	211	12	10	12	69	25,58	-8,94	29	22	8	7	2	1224	2	1	4	29	15	7	9	2	1	9	5	3	3	26	1	-	-
1302	210	12	8	12	70	23,07	-9,18	26	26	7	4	2	1224	2	4	4	17	17	7	7	2	1	9	6	0	3	6	1	-	-
1303	210	12	8	16	21	22,36	-4,74	38	23	10	8	1	1211	2	4	4	25	18	6	8	2	2	7	5	1	3	12	1	-	-
1304	110	12	8	12	145	21,80	-9,18	41	19	9	5	2	1224	2	2	1	25	24	8	7	2	2	8	5	2	1	1	1	-	-
1305	130	12	8	12	52	23,66	-8,97	17	19	5	2	2	1223	2	1	1	18	15	3	6	2	1	9	5	3	3	16	3	2	1
1306	210	12	12	16	1	26,23	-6,08	53	30	10	17	2	1224	2	4	4	34	28	5	8	2	2	8	0	0	3	6	1	-	-
1307	220	12	8	14	183	23,89	-7,33	20	15	7	2	2	1224	2	3	1	17	15	7	8	2	1	9	1	0	3	26	1	-	-
1308	210	12	8	12	18	23,84	-8,57	33	25	8	7	2	1223	1	3	2	32	25	7	7	2	1	9	5	3	3	18	1	-	-
1309																														
1310	110	12	8	12	44	23,53	-8,78	54	28	11	13	2	1224	1	3	1	21	20	6	7	2	1	9	5	3	3	6	1	-	-
1311	222	12	8	18	2	23,91	-4,22	18	24	7	2	1	1211	2	1	4	23	21	5	7	1	1	9	5	2	2	12	2	-	-
1312																	26	22	7	7	2	1	9	5	2	1	1	2	-	-
1313	211	14	22	20	5	-	-	36	30	12	15	1	1	-	3	1	46	29	11	7	2	1	9	5	2	1	12	1	-	-
1314	211	14	20	20	219	-	-	22	27	6	3	1	1	-	3	2	34	25	6	6	2	2	7	5	3	3	128	1	-	-
1315	210	14	20	20	271	-	-	23	29	6	5	2	2	-	4	1	26	21	4	7	2	1	9	5	3	3	8	1	-	-
1316	210	14	20	20	2	-	-	27	23	4	2	2	2	-	3	2	25	22	4	6	2	1	9	5	3	3	8	1	-	-
1317	111	14	20	22	43	-	-	38	18	4	4	1	1	-	3	2	18	17	4	6	2	1	9	5	3	3	128	1	-	-
1318	220	14	20	20	143	-	-	22	18	6	2	2	2	-	3	2	19	18	6	6	2	1	9	5	3	3	1	1	-	-
1319	230	16	4	4	42	26,07	21,00	16	25	7	2	0	0	5	1	4	20	20	7	9	2	0	0	8	0	3	0	3	7	7
1320	230	16	4	4	67	26,46	20,85	18	23	4	2	0	0	5	4	3	20	14	3	7	2	1	9	5	2	2	18	3	2	1
1321	230	16	2	6	1	24,60	22,30	22	20	6	3	2	1620	5	3	2	22	20	6	7	2	1	9	5	3	2	18	3	2	1
1322	230	16	4	4	29	26,77	20,74	26	19	7	4	2	1623	1	3	1	20	16	7	7	2	1	9	1	0	3	8	3	2	0
1323	210	16	-	-	3	20,90	28,00	33	30	9	9	2	1620	5	4	3	27	24	6	7	2	2	7	5	3	3	1	1	-	-
1324	210	16	2	6	5	24,22	22,28	37	29	9	10	1	1610	5	1	3	34	30	5	7	2	2	8	5	3	3	18	1	-	-
1325	210	16	2	4	4	25,46	20,38	49	32	12	19	1	1610	5	3	2	30	24	5	4	2	1	9	5	2	3	8	1	-	-
1326	130	16	4	4	38	27,81	20,48	46	17	13	16	2	1620	5	3	2	21	17	11	6	2	2	8	5	2	2	1	3	2	3
1327	210	16	2	4	11	25,22	20,39	28	31	9	7	2	1624	2	3	2	44	32	6	6	2	1	9	5	2	3	8	1	-	-
1328	210	16	0	6	13	23,42	21,72	26	23	6	4	2	1624	1	3	1	20	20	5	6	2	2	8	5	3	3	8	1	-	-
1329	210	16	0	2	6	23,41	18,70	38	33	10	11	2	1624	1	1	4	20	18	5	6	2	2	8	5	3	3	8	1	-	-
1330	110	16	4	4	56	26,40	20,44	45	26	6	9	2	1620	5	3	1	25	24	5	6	1	1	9	5	3	2	0	1	-	-

	LM-Type	LM-Origin	LM-Location	Refitting-Type	Refitting-Inventory nr.	Condition	ZTTs	Number of IUZs	Action 2	Action 1	WS 2	WS 1	Use Time (cumulative)	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Section of rounding	Action	Surface and Angle	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use Time of IUZ	Author of drawing	Plate	
-	2	3	34	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.5		
-	-	-	-	0	-	0	0	1	-	1	-	3	2	6-7	1	0	6	5	4	1	1	1	1	3	32	0	1	2	00000	2	1	97.16
-	-	-	-	0	-	0	0	1	-	2	-	4	2	34	1	0	3	6	6	-	-	-	-	-	40	0	-	00000	2	1	97.11	
-	-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.14		
-	2	1	9	0	-	0	0	1	-	1	-	3	3	6	1	0	9	5	4	2	1	1	1	3	32	0	2	2	00000	3	1	97.12
-	-	-	-	0	-	0	0	1	-	1	-	3	3	5-6	1	0	7	6	4	2	2	1	3	32	0	2	2	00000	3	1	97.4	
5	3	3	0	-	-	0	0	1	-	1	-	3	2	6-7	1	0	8	5	4	1	1	1	3	32	0	2	2	00000	2	1	97.9	
-	-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	96.17		
-	-	-	-	3	1230	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.2		
5	1	8	0	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.10		
-	-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.13		
-	-	-	-	1	1229	0	0	2	1	2	-	3	4	6	2	0	7	5	5	1	2	1	1	3	32	0	2	2	00000	3	1	97.8
-	-	-	-	1	1228	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	96.18		
-	-	-	-	0	-	3	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.17		
5	3	4,8-9	0	-	-	4	0	1	-	1	-	3	3	6	1	0	7	5	4	2	1	1	3	32	9	2	2	99999	3	1	97.22	
-	-	-	-	0	-	4	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.21		
-	-	-	-	0	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.19		
2	1	3,9	0	-	-	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.20		
5	1	4	0	-	-	0	0	1	-	1	-	3	3	8-9	1	0	6	1	3	2	-	1	3	32	0	2	2	32032	3	1	97.18	
-	-	-	-	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	97.23		
-	-	-	-	0	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	98.9		
-	-	-	-	0	-	0	0	1	-	2	-	5	3	2-3	1	0	4	1	1	-	-	-	-	-	-	-	-	-	1	98.12		
-	-	-	-	1	1624	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	98.11		
3	2	3	0	-	-	0	0	1	-	1	-	3	2	6-7	1	0	7	5	4	1	1	1	1	3	32	0	1	2	00000	2	1	98.6
5	1	4	0	3	1620	0	0	1	-	2	-	2	3	8-9	1	0	6	1	1	-	-	-	-	24	0	-	-	00000	3	1	98.1	
-	-	-	-	0	-	0	0	1	-	1	-	3	2	6	1	0	6	5	4	1	1	1	3	32	0	1	2	00000	2	1	98.4	
-	-	-	-	1	1618	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	98.3		
-	-	-	-	1	1618	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	98.7		
-	-	-	-	0	1618	0	0	0	-	0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	98.2		

98.5,99,11
98.10,99

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Silex	Origin of blank	Blank type	Cross-section	TR-Length	TR-Width	TR-Position	TR-Contour	TR-Orientation	TR-Angle of orientation	TR-Retouch type	TR-Retouch extent	TR-Fracture type	TR-Fracture origin	Opposed end	Fracture-type	LM-Type
1350	12	1	12	34	932	12,64	35,52	59	18	9	2	127	1	2	1	20	5	2	5	3	7	1	1	-	-	1	-	-
1351	12	1	12	34	832	13,42	35,87	24	23	7	2	120	5	3	2	14	5	1	1	3	7	1	2	-	-	3	7	-
1352	12	1	13	35	76	13,52	35,62	37	23	8	2	125	24	3	1	13	5	2	4	3	6	1	3	3	1	1	-	-
1353	12	1	-	-	2	-	-	33	23	5	2	120	5	3	2	18	2	2	1	2	7	1	1	-	-	3	2	-
1354	12	1	12	34	782	12,67	35,74	28	14	5	2	120	5	3	1	9	4	1	4	2	5	1	3	2	1	3	7	-
1355	12	1	14	36	7	15,53	36,56	43	25	5	2	128	1	3	1	12	3	1	1	2	3	1	3	2	1	1	-	-
1356	12	1	12	34	734	12,74	35,17	23	20	4	2	127	2	3	1	20	4	2	1	3	7	1	1	-	-	3	3	-
1357	12	1	12	34	1176	12,29	35,28	41	18	3	2	120	5	3	1	8	3	1	4	3	6	1	3	4	2	1	-	-
1358	12	1	-	-	3	-	-	41	34	8	2	120	5	3	1	21	5	2	1	3	7	1	2	-	-	3	4	-
1359	12	1	14	34	10	14,07	35,63	23	14	3	2	125	24	3	1	15	3	1	6	2	5	1	1	-	-	3	3	-
1360	12	1	12	34	105	13,68	35,95	35	12	5	2	120	5	3	1	13	4	2	1	2	4	1	1	-	-	3	7	-
1361	12	1	12	36	302	13,17	36,22	17	11	3	1	110	5	3	1	9	3	2	4	2	6	1	1	-	-	3	3	-
1362	12	1	RE	84	7	-	-	37	11	3	2	120	5	3	1	13	4	2	6	3	6	1	3	2	1	1	-	-
1363	12	1	12	34	722	13,06	35,17	55	15	6	2	120	5	2	1	12	5	1	4	3	8	1	1	-	-	1	-	-
1364	12	1	-	-	3	-	-	16	12	4	2	120	5	3	1	13	4	2	6	2	4	1	3	2	1	3	2	-
1365	12	1	12	34	1273	12,68	35,69	29	13	4	2	120	5	3	2	4	2	2	1	2	5	1	3	2	1	3	5	-
1366	12	1	12	34	252	13,10	35,60	19	9	2	2	120	5	3	2	10	2	2	6	3	4	1	3	2	1	3	2	-
1367	12	1	12	34	392	13,05	35,37	13	9	3	2	120	5	3	1	8	3	1	4	3	4	1	3	2	1	3	2	-
1368	15	1	12	34	1287	12,70	35,74	55	25	7	2	120	5	3	2	14	4	1	4	1	9	1	1	-	-	2	-	-
1369																22	3	2	6	2	6	2	1	-	-	2	-	-
1370	14	1	84	RE	15	-	-	58	19	6	2	127	1	3	1	12	4	1	5	2	6	2	1	-	-	2	-	-
1371																13	4	2	4	3	8	1	1	-	-	2	-	-
1372	21	1	12	34	727	13,60	35,33	48	34	10	2	120	5	3	2	11	4	2	1	1	9	2	2	-	-	3	2	-
1373	12	4	-	-	15	10,97	20,50	26	13	4	2	420	5	3	2	10	3	2	4	3	7	1	1	-	-	1	-	-
1374	12	4	-	-	8	11,34	21,54	40	18	5	2	420	5	3	1	16	5	2	4	2	5	1	3	2	1	1	-	-
1375	11	5	14	8	728	15,03	8,89	14	18	3	2	5210	2	3	1	10	2	2	1	1	9	2	3	3	1	3	2	-
1376	12	5	18	4	45	18,12	4,53	19	12	4	2	520	5	3	1	8	3	2	6	2	5	1	3	6	2	3	2	-
1377	12	5	12	8	175	13,80	9,18	32	9	3	2	525	2	3	1	4	2	2	1	3	7	1	3	2	2	3	2	-
1378	12	5	14	6	752	15,58	7,60	48	12	3	2	520	5	3	1	8	3	1	1	3	6	1	1	-	-	1	-	-
1379	11	5	14	8	161	15,83	9,41	24	13	3	2	520	5	3	2	9	3	2	1	1	9	2	3	3	1	3	5	-
1380	12	5	18	0	216	18,90	1,24	58	23	8	2	5212	1	3	1	16	7	1	4	2	4	1	1	-	-	1	-	-
1381	12	5	14	6	836	14,58	7,70	37	20	5	2	525	1	3	2	19	5	2	1	3	7	1	1	-	-	1	-	-
1382	12	5	14	6	776	15,78	7,38	79	37	7	2	524	1	3	1	15	5	2	4	3	7	1	2	-	-	1	-	-
1383	12	5	18	6	3	18,36	7,42	32	19	3	2	525	2	3	2	10	3	2	1	3	4	2	3	6	2	1	-	-
1384	11	5	14	10	34	14,34	11,07	51	19	12	2	521	1	1	4	13	11	2	0	1	9	1	1	-	-	3	2	-
1385	12	6	2	6	175	2,15	7,53	107	36	13	2	620	5	3	1	27	4	2	1	3	5	3	1	-	-	1	-	-
1386	12	6	-	-	86	-	-	84	19	9	1	610	5	3	1	16	7	1	4	2	6	1	1	-	-	1	-	-
1387	12	6	0	4	41	1,36	4,63	44	15	6	1	610	5	1	1	16	3	2	5	3	5	1	1	-	-	1	-	-
1388	12	6	0	8	3	1,68	9,69	20	12	4	2	622	2	3	2	8	3	2	5	2	5	1	3	6	1	3	2	-
1389	12	6	0	4	10	1,44	4,75	32	15	4	2	620	5	3	2	14	3	2	1	2	6	1	1	-	-	3	7	-
1390	12	6	-0	10	1	-1,16	11,96	34	13	5	2	620	5	3	1	12	4	1	4	3	7	1	1	-	-	3	2	3
1391	12	6	2	4	74	3,34	4,38	35	15	4	1	610	5	3	2	14	2	1	2	6	1	1	-	-	1	-	-	
1392	12	6	-	-	87	-	-	29	18	5	2	620	5	3	1	13	5	2	1	3	4	1	3	2	2	3	4	-
1393	12	6	2	2	36	3,60	3,65	16	15	5	2	620	5	1	1	10	3	2	4	2	5	1	3	6	2	3	2	-
1394	12	6	-	-	86	-	-	40	24	6	3	3	3	3	2	22	4	2	0	2	6	2	1	-	-	1	-	-
1395	12	6	0	4	4	1,17	5,00	18	11	2	2	620	5	3	2	14	2	2	1	3	5	1	1	-	-	3	2	-
1396	12	6	2	2	63	2,44	2,22	43	25	7	1	610	5	3	1	19	7	2	4	3	8	1	3	4	2	1	-	-
1397	12	6	2	8	134	2,05	8,69	67	30	7	3	3	3	3	2	12	4	2	1	3	5	1	2	-	-	1	-	-
1398	22	6	4	6	95	5,19	7,93	33	29	10	2	620	5	4	4	16	3	2	1	3	5	2	1	-	-	1	-	-
1399	22	6	2	8	180	2,62	9,29	28	18	13	2	620	5	3	2	11	3	2	4	3	5	1	3	2	2	1	-	3
1400	11	6	-	-	90	-	-	35	26	5	1	610	5	3	2	25	5	2	1	1	9	1	1	-	-	1	-	-
1401	12	7	-6	32	167	-6,57	33,72	55	19	7	2	721	2	2	1	14	6	2	1	3	3	2	2	-	-	1	-	-
1402	11	7	-6	32	81	-6,77	32,99	31	24	5	2	721	24	3	1	17	5	2	1	1	9	1	1	-	-	1	-	-
1403	12	7	-6	32	60	-6,30	32,93	38	18	4	2	720	5	3	2	8	3	2	4	2	4	2	3	2	2	1	-	-
1404	12	7	-6	34	538	-6,39	34,36	27	22	5	1	710	5	3	1	8	3	1	1	2	3	1	3	6	2	1	-	-
1405	22	7	-6	32	118	-7,41	33,92	45	17	4	2	720	5	4	3	21	4	1	1	2	3	1	1	-	-	1	-	-
1406	11	7	-4	32	49	-5,85	33,96	37	21	10	2	720	5	3	1	11	3	1	1	1	9	1	1	-	-	1	-	-
1407	12	7	-6	34	283	-6,46	34,16	37	16	5	2	722	2	3	1	8	1	2	1	3	8	2	1	-	-	1	-	-
1408	12	10	18	90	399	-19,30	27,18	34	18	4	2	1020	5	3	1	15	3	1	4	2	5	1	3	0	0	1	-	-
1409	12	10	20	90	232	-17,33	26,27	28	16	4	1	1011	2	3	2	14	4	1	4	3	8	1	1	-	-	3	2	-
1410	12	10	16	90	111	-20,54	26,38	53	23	7	1	1014	6	3	1	17	6	1	4	2	6	1	1	-	-	1	-	-
1411	12	10	20	90	278	-17,85	26,10	13	15	3	2	1020	5	3	2	16	2	2	6	2	5	1	3	4	1	3	2	-
1412	12	10	18	88	40	-18,57	24,60	34	10	4	2	1020	5	3	1	11	3	1	6	3	2	1	1	-	-	1	-	-

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Silex	Origin of blank	Blank type	Cross-section	TR-Length	TR-Width	TR-Position	TR-Contour	TR-Orientation	TR-Angle of orientation	TR-Retouch type	TR-Retouch extent	TR-Fracture type	TR-Fracture origin	Opposed end	Fracture-type	LM-Type
1417	12	11	20	106	1	-16,15	43,12	35	20	4	2	1123	2	3	2	13	4	2	1	3	5	1	3	3	1	1	-	-
1418	21	12	10	12	ap	-	-	33	29	6	2	1220	5	3	2	21	2	2	1	1	9	1	1	3	1	2	1	-
1419	12	12	8	14	342	23,87	-8,16	26	16	3	2	1220	5	3	1	6	5	1	3	3	5	1	3	6	1	1	-	-
1420	12	14	20	20	215	-	-	39	20	4	2	-	-	3	2	17	6	2	1	3	6	1	3	4	1	1	-	-
1421	12	14	18	22	77	-	-	43	27	11	2	-	-	3	2	25	10	2	1	3	6	1	1	3	6	1	-	-
1422	12	14	20	20	45	-	-	22	10	12	3	-	-	3	2	7	2	1	4	3	3	1	3	1	3	6	1	-
1423	12	16	2	6	14	24,71	22,64	40	21	6	2	1620	5	3	2	15	6	2	1	3	6	1	1	-	-	1	-	-
1424	11	16	4	2	23	26,67	19,70	43	20	4	2	1620	5	3	1	16	4	2	1	3	6	1	1	-	-	1	-	-
1425	12	16	4	6	15	26,22	21,81	34	15	5	2	1620	5	1	1	9	5	2	4	2	4	1	3	6	2	1	-	-
1426	11	16	6	6	1	28,80	22,50	30	17	5	1	1610	5	3	1	6	5	2	1	1	9	1	1	3	6	1	-	-
1427	11	16	6	6	3	28,75	22,47	21	13	3	2	1620	5	3	3	21	12	2	4	1	9	1	1	-	-	2	-	-

Annex 2h. Database of tools: Boreers/Bees/Reamers.

Serial number	Type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Weight	Raw Material	Silex	Origin of blank	Blank type	Cross-section	Drill-Length	Drill-Width	Drill-Height	Drill-Angle	Drill-Retouch	Drill-Position	Drill-Orientation	Drill-Shoulder	Drill-State	Drill-Fracture-type	Drill-Fracture-origin	Drill-Edge damage
1430	11	1	-	-	2	-	-	28	22	4	2,3	2	120	5	3	2	11	15	3	6	1	2	1	0	2	8	4	-
1431	21	1	84	RE	15	-	-	35	12	4	1,5	1	110	5	3	1	18	10	4	3	1	2	1	0	1	-	-	-
1432	11	5	-	-	9	17,58	9,56	41	28	12	15,8	2	521	1	1	1	11	15	11	7	2	2	3	0	1	-	-	-
1433	23	5	14	8	663	14,24	8,66	18	15	4	2,1	2	525	2	4	4	9	11	4	7	1	2	2	3	1	-	-	-
1434	23	5	16	4	94	16,57	4,12	9	20	5	0,9	1	510	5	0	0	4	12	5	7	1	0	1	3	2	8	5	-
1435	23	5	14	8	954	15,80	8,76	10	16	6	0,8	2	521	2	0	0	6	12	6	7	1	0	1	3	2	8	5	-
1436	31	5	14	8	775	14,67	9,07	30	13	6	0,8	1	510	5	5	1	6	5	3	6	3	2	1	0	2	2	1	-
1437	31	5	-	-	118	18,72	5,94	21	25	7	3,1	2	520	5	4	4	7	19	2	9	3	3	2	1	2	1	-	-
1438	21	5	16	-0	2	16,53	-1,30	31	9	4	0,9	1	510	5	3	2	9	7	3	4	1	1	1	3	1	-	-	-
1439	23	5	14	8	658	14,52	8,03	10	13	3	0,3	2	520	5	3	1	7	6	3	6	1	2	3	3	2	8	5	-
1440	11	5	12	8	140	13,86	8,80	20	17	3	0,9	2	520	5	3	1	8	10	3	7	2	2	1	0	1	-	-	-
1441	23	5	16	6	413	17,10	7,46	13	11	3	0,6	1	510	5	0	0	13	11	3	5	1	1	1	2	2	8	5	-
1442	21	5	16	8	413	16,18	8,09	24	10	3	0,7	2	520	5	3	1	9	7	3	6	3	2	3	0	2	2	2	-
1443	31	5	16	6	478	16,31	7,94	29	8	3	0,6	1	510	5	3	2	12	6	3	5	1	2	1	0	3	8	4	4
1444	11	5	16	8	544	16,03	8,14	23	17	3	1,1	0	0	5	3	2	4	13	2	7	2	2	2	0	3	7	7	-
1445	11	5	18	6	95	18,09	7,91	29	14	4	1,5	2	520	5	3	3	17	14	4	7	3	2	1	0	1	-	-	-
1446	11	5	14	8	447	15,71	8,47	22	18	7	1,7	1	511	2	4	4	5	12	3	7	2	2	3	1	1	-	-	-
1447	21	6	2	10	12	3,10	10,55	31	17	4	2,7	1	610	5	3	3	12	14	4	5	1	2	1	3	1	-	-	-
1448	11	6	-	-	87	-	-	30	21	10	6,9	2	620	5	1	4	17	19	2	8	3	2	1	0	1	-	-	-
1449	21	6	2	6	238	3,35	6,46	31	7	4	0,8	2	620	5	1	1	13	5	3	4	3	2	1	0	1	-	-	-
1450	21	6	2	6	323	3,98	6,29	24	9	3	0,7	2	620	5	1	1	22	9	3	2	1	2	1	2	1	-	-	-
1451	33	6	0	4	12	1,79	5,11	12	12	5	0,9	1	610	5	1	1	12	12	5	3	2	1	1	2	3	4	1	-
1452	11	6	-	-	78	3,56	8,62	33	19	3	1,2	2	620	5	1	1	6	6	3	6	1	2	1	2	1	-	-	-
1453	11	6	-	-	85	-	-	42	20	4	4,9	2	620	5	3	2	8	12	3	7	2	2	2	0	1	-	-	0
1454	11	6	2	10	14	2,72	10,55	31	20	7	3,5	1	610	5	2	3	5	12	3	9	3	2	3	0	1	-	-	-
1455	31	10	16	96	36	-20,72	33,36	41	19	3	3,5	1	1012	6	3	2	5	8	3	7	1	2	3	2	1	-	-	-
1456	11	10	20	88	27	-16,52	23,88	29	14	4	1,6	2	1020	5	3	2	17	14	4	5	1	2	1	2	1	-	-	-
1457	21	10	18	90	314	-19,35	25,70	37	12	7	2,5	2	1020	5	2	1	18	11	7	4	4	2	2	3	0	1	-	-
1458	11	10	18	90	160	-19,33	27,37	32	19	7	2,5	2	1020	5	5	2	7	9	5	3	3	3	2	3	0	1	-	-
1459	11	10	18	90	289	-19,36	25,77	32	18	6	3,9	2	1020	5	3	1	4	8	4	4	8	1	2	2	0	1	-	-
1460	13	10	20	90	166	-17,90	26,45	24	18	5	1,2	2	1020	5	3	2	24	18	5	6	2	2	1	0	3	8	5	-
1461	33	10	18	90	215	-18,73	26,06	12	11	6	0,7	2	1020	5	3	2	6	6	5	7	2	1	1	3	1	-	-	-
1462	12	10	18	90	44	-18,21	26,13	47	22	9	6,2	1	1010	1	1	2	8	5	1	6	3	1	1	0	1	-	-	-
1463																	15	14	4	6	3	2	1	0	1	-	-	-
1464	13	10	18	90	11	-18,15	26,64	18	12	7	1,2	1	1010	5	1	1	12	10	4	5	2	2	1	0	1	-	-	9
1465	23	10	20	90	167	-17,39	26,50	22	8	2	0,4	2	1020	5	1	1	22	8	2	3	3	1	1	0	2	8	4	4
1466	33	11	22	104	60	-15,22	41,57	14	13	8	1,0	1	1110	5	1	1	9	14	6	8	1	2	3	0	3	8	4	-
1467	12	12	10	16	67	24,60	-5,27	71	23	11	14,4	3	3	2	3	1	26	17	9	2	1	1	1	0	1	-	-	-
1468																	31	21	9	3	1	2	2	0	1	-	-	-
1469	33	12	10	12	128	24,92	-8,76	17	7	3	0,3	3	3	2	3	2	15	7	3	3	1	1	1	0	3	8	4	-
1470	31	14	20	20	148	-56,18	-101,18	58	18	11	8,9	2	-	-	2	1	12	12	8	5	3	2	1	0	1	-	-	6
1471	11	16	6	4	2	28,15	20,10	15	13	5	1,1	1	1610	5	3	2	4	6	3	6	2	2	3	0	1	-	-	-
1472	31	16	6	0	138	28,12	16,84	70	34	13	3,0	2	1625	1	1	4	14	20	8	8	2	1	1	0	1	-	-	-

[illegible]

[illegible]

[illegible]

SeriodNr.	Edge damage type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Blank	Artefact type	Blade-state	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 1	WS 1	Use Time (cumulative)	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ.	Author of drawing	Plate		
1600	4	1	8	32	1	9,18	33,70	60	-	-	2	1	1	-	-	-	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1601	5	1	10	32	2	11,68	33,89	92	28	14	2	1	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1602	4	1	10	34	42	11,26	34,26	65	75	15	2	1	1	-	1	01c03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1603	5	1	10	34	44	11,62	34,45	61	17	4	2	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1604	5	1	10	34	46	11,46	34,67	53	-	-	2	3	21	-	1	01c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1605	5	1	10	34	54	11,51	34,78	75	23	7	2	1	22	1	1	01s22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1606	5	1	10	34	76	11,96	34,97	66	28	8	2	1	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1607	5	1	10	34	137	11,44	35,58	75	26	10	2	3	22	1	1	01c03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1608	5	1	10	34	176	11,56	35,18	55	23	16	1	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1609	4	1	10	34	200	11,96	35,43	112	40	13	2	1	22	1	1	01s21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1610	4	1	12	34	83	13,60	35,00	60	-	-	2	1	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1611	4	1	12	34	135	13,69	35,45	86	-	-	2	4	1	-	1	01c07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1612	4	1	12	34	165	13,12	35,16	63	15	7	1	3	22	1	1	01s03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1613	5	1	12	34	331	12,95	34,65	64	21	6	2	3	22	1	1	01c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1614	5	1	12	34	478	12,80	34,89	69	-	-	2	2	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1615	5	1	12	34	534	13,04	35,52	59	-	-	2	1	1	-	5	01s41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1616	5	1	12	34	580	13,47	35,85	19	24	5	1	4	22	2	1	01c10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1617	5	1	12	34	775	12,46	35,84	80	24	12	2	3	22	1	1	01s32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1618	5	1	12	34	905	12,10	35,20	74	25	7	2	1	22	1	1	01c01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1619	1	1	12	34	982	12,46	35,21	46	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1620	4	1	12	34	1052	12,21	35,54	54	25	5	2	1	22	1	1	01s40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1621	4	1	12	34	1104	12,39	35,46	69	26	5	2	3	22	1	1	01s43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1622	1	1	12	34	1118	12,15	35,22	78	25	6	2	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1623	5	1	12	34	1190	12,78	35,43	39	29	6	2	3	22	2	1	01c01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1624	5	1	12	34	1212	12,70	35,42	84	27	12	2	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1625	4	1	12	34	1257	12,80	35,76	41	-	-	2	4	21	-	5	01c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1626	5	1	12	34	1281	12,85	35,34	39	17	8	1	4	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1627	4	1	12	34	1297	12,85	35,82	74	18	7	2	1	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1628	4	1	12	36	109	13,52	36,11	58	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1629	2	1	14	34	27	14,25	35,62	30	24	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1630	5	1	14	36	47	15,55	37,51	48	-	-	2	4	21	-	1	01s12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1631	4	1	84	re	14	-	-	55	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1632	5	1	-	-	2	-	-	69	-	-	2	4	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1633	5	1	-	-	3	-	-	68	28	8	2	1	22	1	-	01c01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1634	5	1	-	-	3	-	-	83	29	12	2	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1635	3	2	6	8	11	-	-	38	19	8	2	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1636	2	2	8	14	12	-	-	44	22	4	1	3	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1637	3	5	12	6	17	13,24	7,69	27	20	4	2	3	22	2	1	05c10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1638	3	5	12	6	87	13,42	7,84	43	19	4	2	3	22	1	1	05c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1639	5	5	12	8	28	13,74	9,18	38	15	3	2	3	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1640	5	5	12	8	116	13,46	8,25	53	36	7	2	3	22	2	5	05c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1641	4	5	12	8	121	13,09	9,16	54	-	-	2	1	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1642	3	5	12	8	151	13,64	9,33	54	27	8	2	3	22	1	1	05c08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1643	4	5	12	8	156	13,11	8,67	61	21	9	2	3	22	1	1	05s001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1644	5	5	12	8	189	13,90	8,72	37	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1645	5	5	12	8	225	13,89	8,68	59	-	-	2	4	21	-	1	05s095	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1646	5	5	12	8	228	13,70	9,87	65	28	10	2	3	22	1	1	05c05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1647	5	5	12	8	233	13,80	8,96	65	27	9	6	1	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1648	4	5	12	8	275</																																			

[illegible]

Ser.toolNr.	Edge damage type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Blank	Arefract type	Blade-state	Refitting-type	Refitting-inventory nr.	Condition	ZTT's	Number of IUZs	Action 1	WS 1	Use Time (cumulative)	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of IUZ.	Author of drawing	Plate	
1783	4	7	-6	32	93	-6,07	33,71	56	-	-	2	4	21	-	1	07c08	0	0	0	0	0	0																	
1784	5	7	-6	32	159	-6,35	33,86	84	-	-	1	1	21	-	1	07c07	0	0	0	0	0	0																	
1785	5	7	-6	34	7	-7,68	34,28	66	20	8	1	3	22	1	-			1-3	0	0	0	0	0																
1786	5	7	-6	34	42	-7,81	34,14	52	-	-	2	2	1	-	1	07c05	0	0	0	0	0	0																	
1787	1	7	-6	34	143	-7,50	34,52	65	28	9	1	3	1	-	-			0	0	0	0	0	0																
1788	5	7	-6	34	179	-7,00	35,12	48	-	-	2	1	1	-	-			0	0	0	0	0	0																
1789	5	7	-6	34	196	-7,02	35,80	64	23	7	2	3	22	1	-			0	0	0	0	0	0																
1790	1	7	-6	34	443	-6,92	34,34	50	43	18	2	4	1	-	-			4	0	0	0	0	0																
1791	4	7	-6	34	598	-6,18	34,27	66	23	12	1	1	22	1	-			0	0	0	0	0	0																
1792	1	7	6	34	151	-6,31	35,88	30	28	11	2	4	1	-	-			0	0	0	0	0	0																
1793	5	8	-	-	5	-8,20	17,42	45	17	4	1	3	22	4	-			2-3	0	0	0	0	0																
1794	1	8	-	-	7	-7,80	16,23	33	14	8	2	3	1	-	-			3	0	0	0	0	0																
1795	4	8	-	-	8	-7,86	16,44	41	-	-	2	4	1	-	-			0	0	0	0	0	0																
1796	1	8	-	-	15	-7,70	17,60	80	31	7	2	3	22	1	-			3	0	0	0	0	0																
1797	4	10	16	90	67	-20,10	27,23	41	-	-	1	1	1	-	-			3	0	0	0	0	0																
1798	3	10	16	90	95	-20,62	26,32	21	6	2	2	3	22	1	-			0	0	0	0	0	0																
1799	4	10	16	90	132	-20,40	27,45	58	-	-	2	2	1	-	1	10c05	1	0	0	0	0	0	0																
1800	4	10	16	90	156	-21,36	27,66	53	-	-	2	4	1	-	1	10c02	1	0	0	0	0	0	0																
1801	4	10	16	90	166	-21,78	26,71	54	16	5	1	3	22	1	-			0	0	0	0	0	0	0															
1802	4	10	16	92	16	-20,08	27,98	42	-	-	2	4	1	-	-			0	0	0	0	0	0	0															
1803	5	10	16	92	61	-20,16	28,82	26	7	3	2	1	22	3	-			0	0	0	0	0	0	0															
1804	5	10	16	92	103	-21,59	27,80	64	16	7	2	3	22	1	-			0	0	0	0	0	0	0															
1805	4	10	16	92	116	-20,23	28,15	48	17	4	1	3	22	2	-			0	0	0	0	0	0	0															
1806	5	10	16	92	152	-20,96	28,38	45	23	6	2	3	22	3	-			1-2	1	0	0	0	0	0	0														
1807	4	10	16	92	183	-21,54	29,42	54	-	-	2	4	1	-	1	10c02	1	0	0	0	0	0	0																
1808	4	10	16	92	189	-21,41	28,13	38	-	-	2	4	1	-	-			1	0	0	0	0	0	0															
1809	4	10	16	98	4	-20,03	34,87	47	23	9	2	3	22	3	-			1	0	0	0	0	0	0															
1810	4	10	18	90	10	-18,09	26,72	32	-	-	2	4	1	-	-			0	0	0	0	0	0	0															
1811	3	10	18	90	65	-18,72	27,13	20	-	-	1	3	21	-	-			0	0	0	0	0	0	0															
1812	4	10	18	90	123	-18,45	26,80	39	-	-	2	4	1	-	-			2-3	0	0	0	0	0	0															
1813	1	10	18	90	314	-19,35	25,70	32	22	5	2	3	22	3	-			0	0	0	0	0	0	0															
1814	4	10	18	90	352	-19,40	26,13	61	-	-	2	4	1	-	1	10s31	0	0	0	0	0	0	0																
1815	5	10	18	92	103	-19,63	28,21	33	17	5	2	3	22	3	3	10s36	3																						
1816	2	10	18	92	142	-19,64	28,22	27	15	5	2	3	22	2	3	10s36	2																						
1817	2	10	18	94	43	-19,28	31,03	53	17	5	2	3	22	4	-			1-2	0	0	0	0	0	0															
1818	4	10	18	94	94	-19,95	30,01	12	12	3	2	3	21	-	-			0	0	0	0	0	0	0															
1819	4	10	18	94	96	-19,68	29,98	22	14	4	2	3	22	3	-			1-2	0	0	0	0	0	0															
1820	4	10	20	90	27	-16,98	27,22	70	16	9	2	3	22	1	1	10c02	1	0	0	0	0	0	0																
1821	5	10	20	90	50	-17,09	26,13	49	28	10	1	3	22	4	3	10s34	2																						
1822	4	10	20	90	99	-17,85	27,45	73	17	7	2	2	21	-	-			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		107,9	
1823	5	10	20	90	144	-17,22	26,39	44	30	9	1	3	22	2	3	10s34	2																						
1824	5	10	20	90	226	-17,33	26,27	58	18	6	1	3	22	3	-			3																					
1825	5	10	20	90	252	-17,87	26,04	56	17	6	2	3	22	1	1	10s08	1																						
1826	4	10	22	92	47	-15,03	28,50	51	-	-	2	4	1	-	1	10c03	1	0	0	0	0	0	0																
1827	5	11	20	100	6	-16,33	36,20	14	-	-	2	4	1	-	-			0	0	0	0	0	0	0															
1828	4	11	20	102	2	-16,48	38,02	62	19	6	2	3	22	1	-			0	0	0	0	0	0	0															
1829	1	11	20	108	9	-16,10	43,87	66	25	10	2	3	22	1	-			0	0	0	0	0	0	0															
1830	5	11	22	100	3	-15,60	36,80	57	19	9	2	3	22	1	1	11s24	0	0	0	0	0	0	0																
1831	2	11	22	100	24	-15,03	36,62	22	-	-	2	4	1	-	-			0	0	0	0	0	0	0															
1832	4	11	22	102	2	-14,03	39,16	20	-	-	1	1	1	-	-			0	0	0	0	0	0	0															
1833	5	11	22	106	38	-15,00	43,20	38	17	7	3	3	22	4	-			0	0	0	0	0	0	0															
1834	4	11	22	106	175	-15,37	42,45	33	12	6	2	1	1	-	5	11c06																							
1835	4	11	22	106	268	-15,32	43,39	50	30	5	2	3	21	-	1	11s13	0	0	0	0	0	0	0	0															
1836	5	11	22	106	283	-15,57	43,02	41	14	5	1	3	22	1	1	11s23	0	0	0	0	0	0	0	0															
1837	4	11	22	106	286	-14,83	42,61	28	7	6	1	3	21	-	1	11s16	0	0																					

Annex 2b. Database of Edge-damaged Pieces. (4/4)

Ser.toolNr.	Edge damage type	Locus	North	East	Number	Ny	Ex	Length	Width	Thickness	Raw Material	Blank	Artefact type	Blade-state	Refitting-type	Refitting-inventory nr.	Condition	ZTTs	Number of IUZs	Action 1	WS 1	Use Time (cumulative)	Area	Type	U-M-R	Edge-Thickness	Edge-Morphology	Edge-State	Edge-Rounding	Action	Contact Material	Degree of Certainty	State of Contact Material	Additives	Alternative	Use time of I.U.Z.	Author of drawing	Plate	
1874	4	12	12	12	1	26,15	-8,88	82	-	-	2	1	1	-	-	12c01	0	0	0	0	0	0	0	0	0														
1875	4	12	12	12	11	26,16	-9,06	58	-	-	2	4	21	-	-	12c01	0	0	0	0	0	0	0	0	0														
1876	5	12	12	16	32	28,19	-6,10	59	22	5	2	3	22	1	1	12c01	0	0	0	0	0	0	0	0	0														
1877	4	12	12	16	40	26,62	-5,11	49	54	32	1	4	7	-	-	-	4	0	0	0	0	0	0	0	0														
1878	4	12	12	16	44	27,63	-4,70	48	-	-	1	3	21	-	-	-	0	0	0	0	0	0	0	0	0														
1879	5	12	14	18	1	28,55	-4,41	42	-	-	1	4	1	-	-	-	0	0	0	0	0	0	0	0	0														
1880	3	12	16	18	10	30,66	-3,82	28	7	2	1	3	22	1	-	-	0	0	0	0	0	0	0	0	0														
1881	3	12	-	-	ap	-	-	39	-	-	2	4	1	-	-	-	0	0	0	0	0	0	0	0	0														
1882	4	12	-	-	ap	-	-	51	-	-	2	4	1	-	-	12c01	0	0	0	0	0	0	0	0	0														
1883	5	13	26	100	31	-10,13	36,67	57	-	-	2	4	21	-	-	13c05	0	0	0	0	0	0	0	0	0														
1884	5	13	26	100	45	-10,28	36,65	51	-	-	2	1	21	-	-	13c02	0	0	0	0	0	0	0	0	0														
1885	1	13	-	-	27	-12,90	39,32	51	21	7	2	1	22	1	-	-	0	0	0	0	0	0	0	0	0														
1886	5	13	-	-	36	-13,22	37,60	66	27	8	2	3	22	1	-	-	0	0	0	0	0	0	0	0	0														
1887	4	16	0	2	4	22,90	19,60	88	-	-	2	4	1	-	-	16c01	0	0	0	0	0	0	0	0	0														
1888	3	16	0	6	11	22,70	23,50	46	14	4	2	3	22	1	-	-	0	0	0	1	2	3	3	8,9	1	0	3	6	1	2	2	32	0	2	2	32032	3	1	107,12
1889	5	16	2	6	3	25,48	22,40	81	22	7	2	3	22	1	-	-	0	0	0	0	0	0	0	0	0														
1890	4	16	4	0	32	27,52	16,50	68	-	-	2	1	21	-	-	-	0	0	0	0	0	0	0	0	0														
1891	4	16	4	2	14	27,80	18,62	43	35	7	2	4	1	-	-	-	0	0	0	0	0	0	0	0	0														
1892	4	16	4	4	53	27,22	20,20	82	-	-	2	4	21	-	-	16c01	0	0	0	0	0	0	0	0	0														
1893	5	16	4	4	54	27,00	20,15	74	-	-	2	4	21	-	-	16c01	0	0	0	0	0	0	0	0	0														
1894	4	16	4	4	55	26,60	20,30	76	-	-	2	4	1	-	-	16c01	0	0	0	0	0	0	0	0	0														
1895	3	16	4	4	66	27,40	20,20	41	-	-	3	1	21	-	-	16s19	2	0	0	0	0	0	0	0	0														
1896	4	16	4	4	6	26,06	22,43	146	-	-	2	4	1	-	-	5	0	0	0	0	0	0	0	0	0														
1897	4	16	6	0	14	28,68	17,67	53	-	-	2	4	1	-	-	-	0	0	0	0	0	0	0	0	0														
1898	4	16	6	0	110	28,65	16,85	64	-	-	2	1	1	-	-	16c04	0	0	0	0	0	0	0	0	0														
1899	4	16	6	2	133	28,78	19,08	50	-	-	2	1	1	-	-	16c05	0	0	0	0	0	0	0	0	0														
1900	5	16	6	4	3	28,54	19,86	85	-	-	2	3	21	-	-	16s21	0	0	0	0	0	0	0	0	0														
1901	5	16	-	-	5	21,88	25,15	36	17	9	2	1	22	2	-	-	0	0	0	0	0	0	0	0	0														
1902	1	16	-	-	8	23,64	28,08	33	26	11	2	4	1	-	-	-	0	0	0	0	0	0	0	0	0														

Annex 3. Database of refitted flint artefacts

LEGEND OF CODES

Serial number

Identification number (used for mapping)

Number of inventory

- Locus
Number of locus (Rekem 1 to Rekem 16)
- North and East
Geographical co-ordinates of 4 m² square
- Number
Serial number of the piece within the square

Location

- Ny
North co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)
- Ex
East co-ordinate (in m) in the general grid system (cf. section 2.2.2 in vol. 1)
- Z
Level (in m)

Identification

- Artefact
 - 1. Flake
 - 21. Laminar flake
 - 22. Blade
 - 4. Core
 - 51. Crested blade
 - 52. Tabular flake
 - 53. Core side
 - 6. Chip
 - 7. Lump (Debris)
 - 8. Tool/tool waste
- Tool/tool waste
 - 1. Lateral modified laminar piece
 - 11. Slender LMP
 - 12. Robust LMP
 - 2. Burin
 - 3. Scraper
 - 4. Other tool
 - 41. Borer/bec/reamer
 - 42. Truncated tool
 - 43. Retouched flake/blade
 - 44. Composite tool
 - 5. Burin spall
 - 51. Krukowski microburin
 - 6. Retouch flake
- Raw material
 - 0. Undetermined (patinated or heavily burnt)
 - 1. Fine grained grey flint traditionally called 'Hesbaye Flint'
 - 2. Coarse grained grey flint
 - 3. Mat fine grained grey flint with numerous light dots
 - 4. Translucent fine grained brown flint
 - 5. Fine grained "opaline" flint
- Silex
Flint type (only for loci of habitation zone 1; cf. description in chapter 4 of vol. 1)

Refitting

- Ref.nr.: Refitting inventory number
Numerals before character: number of locus (Rekem 01-Rekem 16)
c: Co-set (flint refit including more than 5 artefacts)
s: Set (flint refit including at most 5 artefacts)
Numerals after character: inventory number of refit (before point) and serial number (after point)
- Ref.type: Refitting type
 - 1. Reduction sequence
 - 2. Tooling
 - 3. Broken Piece
 - 4. 1+2
 - 5. 1+3
 - 6. 2+3
 - 7. 1+2+3

Microwear analysis

- Condition
 - 0. Not altered (seemingly unaffected by natural traces)
 - 1. Slightly altered (weak "background noise" of mechanical natural traces)
 - 2. Fairly altered (medium "background noise" of mechanical natural traces)
 - 3. Heavily altered (strong "background noise" of natural traces)
 - 4. Burnt
- Action
 - 1. Transverse (scraping, planning, chopping, whittling, etc.)
 - 2. Longitudinal (cutting, slicing, sawing, etc.)
 - 3. Groove
 - 4. Bore
 - 5. Projectile
 - 9. Uncertain
- Material: nature of contact material
 - 10. Mineral
 - 24. Wood
 - 30. Soft animal matter (meat, hide, tendons)
 - 32. Hide
 - 40. Hard animal matter (bone, antler, etc.)
 - 41. Bone
 - 50. Carcass (bone + meat + skin)
 - 90. Unidentifiable contact material (eg. projectiles: contact is too short).

Annex 3. Database of refitted flint artefacts. (1/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
1	1	10	34	75	10,77	35,90	8,95	51	-	2	121	01c01.01	1	0	0	0	98	1	12	34	1257	12,80	35,76	8,88	21	-	2	120	01c08.02	5	0	0	0
2	1	10	34	193	11,90	35,33	9,00	22	-	2	121	01c01.02	1	0	0	0	99	1	-	-	3	-	-	-	21	-	2	120	01c08.03	5	0	0	0
3	7	-6	32	163	-6,17	33,88	8,89	22	-	2	121	01c01.03	5	0	0	0	100	1	12	34	973	13,29	35,88	8,90	1	-	2	120	01c08.04	1	0	0	0
4	7	-6	32	157	-6,70	33,52	8,90	22	-	2	121	01c01.04	5	0	0	0	101	1	12	34	331	12,95	34,65	9,02	22	-	2	120	01c08.05	1	0	0	0
5	1	12	36	181	13,59	36,30	9,04	8	5	2	121	01c01.05	4	0	0	0	102	1	12	34	34	13,15	35,04	9,12	1	-	2	120	01c08.06	5	0	0	0
6	1	12	34	79	13,68	35,31	9,05	8	2	2	121	01c01.06	4	0	0	0	103	1	12	34	384	12,79	35,00	9,03	1	-	2	120	01c08.07	5	0	0	0
7	1	-	-	1	-	-	-	8	5	2	121	01c01.07	4	0	0	0	104	1	12	34	1232	12,60	35,78	8,92	1	-	2	120	01c08.08	1	0	0	0
8	1	12	34	1182	12,78	35,23	8,93	22	-	2	121	01c01.08	5	0	0	0	105	1	10	34	46	11,46	34,67	9,03	21	-	2	120	01c08.09	1	0	0	0
9	1	10	34	1	11,70	34,65	9,04	22	-	2	121	01c01.09	5	0	0	0	106	1	10	34	64	11,69	34,85	8,95	51	-	2	120	01c08.10	1	0	0	0
10	1	10	34	2	11,89	34,16	9,04	22	-	2	121	01c01.10	5	0	0	0	107	1	12	34	903	13,35	35,81	8,95	4	-	2	120	01c08.11	1	0	0	0
11	1	12	34	483	12,96	35,20	8,99	22	-	2	121	01c01.11	1	0	0	0	108	1	16	36	40	16,44	36,71	9,12	1	-	2	128	01c10.01	1	0	0	0
12	1	-	-	3	-	-	-	22	-	2	121	01c01.12	1	0	0	0	109	1	14	36	27	15,76	36,73	9,00	1	-	2	128	01c10.02	1	0	0	0
13	1	10	34	111	11,34	35,43	9,10	22	-	2	121	01c01.13	1	0	0	0	110	1	16	36	28	16,30	37,12	9,05	1	-	2	128	01c10.03	1	0	0	0
14	1	-	-	3	-	-	-	8	44	2	121	01c01.14	4	0	0	0	111	1	16	36	14	16,37	37,20	9,16	1	-	2	128	01c10.04	1	0	0	0
15	1	84	RE	15	-	-	-	8	5	2	121	01c01.15	4	0	0	0	112	1	16	36	7	16,18	36,87	9,13	1	-	2	128	01c10.05	1	0	0	0
16	1	12	34	-	12,50	34,50	9,00	8	5	2	121	01c01.16	4	0	0	0	113	1	16	36	9	16,34	37,04	9,04	1	-	2	128	01c10.06	1	0	0	0
17	1	10	34	112	11,41	35,85	9,10	1	-	2	121	01c01.17	1	0	0	0	114	1	14	36	41	15,71	36,69	9,00	1	-	2	128	01c10.07	1	0	0	0
18	1	-	-	3	-	-	-	22	-	2	121	01c01.18	1	0	0	0	115	1	16	36	18	16,13	37,48	8,99	22	-	2	128	01c10.08	5	0	0	0
19	1	12	34	905	12,10	35,20	9,00	22	-	2	121	01c01.19	1	0	0	0	116	1	14	36	7	15,53	36,56	9,11	8	42	2	128	01c10.09	5	0	0	0
20	1	12	34	934	12,62	35,22	9,03	22	-	2	121	01c01.20	1	0	0	0	117	1	12	34	580	13,47	35,85	9,01	22	-	2	128	01c10.10	1	0	0	0
21	1	12	34	29	13,55	35,03	9,12	1	-	2	121	01c01.21	1	0	0	0	118	1	16	36	16	16,43	37,52	9,06	4	-	2	128	01c10.11	1	0	0	0
22	1	12	34	1318	12,22	35,56	8,85	22	-	2	121	01c01.22	1	0	0	0	119	1	12	34	176	13,08	35,70	9,10	1	-	2	122	01c11.01	1	0	0	0
23	1	12	34	31	13,50	35,01	9,12	52	-	2	121	01c01.23	1	0	0	0	120	1	12	36	57	12,53	37,23	8,97	1	-	2	122	01c11.02	1	0	0	0
24	1	12	34	1190	12,78	35,43	8,96	22	-	2	121	01c01.24	1	0	0	0	121	1	-	-	3	-	-	-	1	-	2	122	01c11.03	1	0	0	0
25	1	10	34	126	11,45	35,56	9,07	22	-	2	121	01c01.25	1	0	0	0	122	1	12	36	30	13,67	36,02	9,17	1	-	2	122	01c11.04	1	0	0	0
26	1	14	34	11	14,11	35,54	9,04	22	-	2	121	01c01.26	1	0	0	0	123	1	12	34	119	12,67	34,54	9,12	1	-	2	122	01c11.05	1	0	0	0
27	1	13	35	33	13,38	35,02	9,23	22	-	2	121	01c01.27	1	0	0	0	124	1	12	34	274	13,67	35,54	9,04	21	-	2	122	01c11.06	5	0	0	0
28	1	12	34	263	13,43	35,16	9,06	1	-	2	121	01c01.28	1	0	0	0	125	1	13	35	52	13,77	35,57	9,15	21	-	2	122	01c11.07	5	0	0	0
29	1	12	34	792	12,94	35,23	9,00	52	-	2	121	01c01.29	1	0	0	0	126	1	12	36	342	13,29	36,25	8,80	8	2	2	122	01c11.08	1	0	0	0
30	1	12	34	404	13,25	35,18	9,07	52	-	2	121	01c01.30	1	0	0	0	127	1	-	-	3	-	-	-	22	-	2	122	01c11.09	5	0	0	0
31	1	12	34	320	12,34	34,68	9,03	22	-	2	121	01c01.31	1	0	0	0	128	1	12	34	613	12,63	35,24	9,08	22	-	2	122	01c11.10	5	0	0	0
32	1	10	34	191	11,94	35,49	9,00	22	-	2	121	01c01.32	1	0	0	0	129	1	12	34	841	12,30	35,70	9,02	22	-	2	122	01c11.11	1	0	0	0
33	1	10	34	169	11,95	35,56	9,05	22	-	2	121	01c01.33	1	0	0	0	130	1	12	36	104	13,53	36,01	9,09	22	-	2	122	01c11.12	1	0	0	0
34	1	12	36	125	12,44	36,52	9,07	22	-	2	121	01c01.34	1	0	0	0	131	1	12	34	809	13,25	35,29	8,98	21	-	2	122	01c11.13	5	0	0	0
35	1	12	34	139	13,89	35,52	9,07	22	-	2	121	01c02.01	1	0	0	0	132	1	13	35	57	13,29	35,15	9,10	21	-	2	122	01c11.14	5	0	0	0
36	1	12	34	95	13,95	35,68	9,06	1	-	2	121	01c02.02	1	0	0	0	133	1	12	34	439	13,07	35,12	9,00	1	-	2	122	01c11.15	1	0	0	0
37	1	12	34	285	12,84	34,84	9,09	1	-	2	121	01c02.03	1	0	0	0	134	1	12	36	114	13,34	36,06	9,08	1	-	2	122	01c11.16	1	0	0	0
38	1	12	36	90	13,37	36,38	9,09	1	-	2	121	01c02.04	1	0	0	0	135	1	12	34	664	13,64	35,42	8,95	1	-	2	122	01c11.17	1	0	0	0
39	1	-	-	3	-	-	-	8	2	2	121	01c02.05	1	0	0	0	136	1	12	34	465	13,33	35,83	9,02	4	-	2	122	01c11.18	1	4	0	0
40	1	12	34	297	13,10	35,51	9,00	1	-	2	121	01c02.06	1	0	0	0	137	1	84	RE	15	-	-	-	1	-	2	126	01c12.01	1	0	0	0
41	1	12	34	247	13,00	34,41	9,02	1	-	2	121	01c02.07	1	0	0	0	138	1	-	-	3	-	-	-	51	-	2	126	01c12.02	1	0	0	0
42	1	10	34	80	11,93	35,00	8,96	22	-	2	121	01c02.08	1	0	0	0	139	1	12	34	163	13,17	34,95	9,08	22	-	2	126	01c12.03	1	0	0	0
43	1	10	34	117	11,39	35,45	8,98	21	-	2	121	01c02.09	1	0	0	0	140	1	12	36	146	12,83	36,38	9,10	22	-	2	126	01c12.04	1	0	0	0
44	1	10	34	42	11,26	34,26	8,97	1	-	2	124	01c03.01	1	0	0	0	141	1	12	34	1306	13,02	34,90	8,87	22	-	2	126	01c12.05	1	0	0	0
45	1	12	36	164	12,12	36,04	9,08	51	-	2	124	01c03.02	1	0	0	0	142	1	12	34	604	12,77	35,76	9,19	21	-	2	126	01c12.06	1	0	0	0
46	1	10	34	67	11,96	34,97	8,95	22	-	2	124	01c03.03	1	0	0	0	143	1	12	34	208	13,14	35,94	9,08	1	-	2	126	01c12.07	1	0	0	0
47	1	10	34	137	11,44	35,58	9,05	22	-	2	124	01c03.04	1	0	0	0	144	1	14	36	55	16,00	37,60	8,87	8	2	2	123	01s01.01	5	0	0	0
48	1	12	34	724	13,36	35,25	8,96	8	2	2	124	01c03.05	1	0	0	0	145	1	16	36													

Annex 3. Database of refitted flint artefacts. (2/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
195	1	10	34	134	11,30	35,42	9,03	22	-	2	127	01s18.02	1	0	0	0	292	4	-	-	172	9,44	22,17	8,90	22	-	2	421	04s01.04	1	0	0	0
196	1	10	34	123	11,12	35,54	9,07	21	-	2	127	01s18.03	1	0	0	0	293	4	-	-	107	8,54	19,04	9,16	1	-	2	420	04s03.01	1	0	0	0
197	1	12	34	316	13,66	35,25	9,00	1	-	2	122	01s19.01	1				294	4	-	-	125	7,98	19,78	9,00	1	-	2	420	04s03.02	1	0	0	0
198	1	12	34	307	13,21	35,36	9,00	1	-	2	122	01s19.02	1	0	0	0	295	4	-	-	124	8,28	19,38	9,02	22	-	2	422	04s04.01	1	0	0	0
199	1	12	34	429	12,12	34,75	8,91	22	-	2	121	01s20.01	5	0	0	0	296	4	-	-	31	10,46	21,56	9,13	22	-	2	422	04s04.02	1			
200	1	12	34	1298	12,76	35,72	8,87	22	-	2	121	01s20.02	5	0	0	0	297	4	-	-	188	9,55	23,02	8,85	22	-	2	422	04s04.03	1	0	0	0
201	1	12	34	94	13,95	35,64	9,06	4	-	2	121	01s20.03	1				298	4	-	-	51	10,02	21,96	9,03	22	-	2	422	04s04.04	1	0	0	0
202	1	84	RE	15	-	-	-	22	-	2	120	01s21.01	1	0	0	0	299	4	-	-	171	9,55	22,35	8,85	1	-	2	422	04s04.05	1			
203	1	10	34	200	11,96	35,43	8,96	22	-	2	120	01s21.02	1	0	0	0	300	4	-	-	127	7,60	20,28	9,00	22	-	2	422	04s05.01	1	0	0	0
204	1	10	34	172	11,95	35,92	9,00	21	-	2	120	01s22.01	1				301	4	-	-	138	8,90	21,94	9,03	8	11	2	422	04s05.02	1	0	0	0
205	1	10	34	54	11,51	34,78	9,00	22	-	2	120	01s22.02	1	0	0	0	302	4	-	-	175	9,24	18,17	8,90	22	-	2	422	04s05.03	1	0	0	0
206	1	RE	84	4	-	-	-	22	-	2	122	01s23.01	1	0	0	0	303	4	-	-	152	8,74	23,10	8,88	1	-	2	422	04s06.01	1			
207	1	84	RE	15	-	-	-	22	-	2	122	01s23.02	1	0	0	0	304	4	-	-	95	11,58	19,74	9,08	1	-	2	422	04s06.02	1			
208	1	10	36	55	10,10	36,50	9,22	22	-	2	124	01s25.01	1	0	0	0	305	4	-	-	132	4,90	23,40	9,05	21	-	2	420	04s07.01	1	0	0	0
209	1	84	RE	15	-	-	-	22	-	2	124	01s25.02	1	0	0	0	306	4	-	-	146	5,22	23,64	8,92	4	-	2	420	04s07.02	1			
210	1	14	36	16	15,30	36,47	9,03	1	-	2	122	01s26.01	1				307	4	-	-	145	5,20	21,92	8,94	22	-	1	410	04s08.01	1	0	0	0
211	1	16	36	31	16,10	36,12	8,99	1	-	2	122	01s26.02	1	0	0	0	308	4	-	-	163	5,01	20,42	8,93	22	-	1	410	04s08.02	1	0	0	0
212	1	16	36	24	16,23	36,33	9,09	1	-	2	123	01s27.01	1				309	4	-	-	160	8,28	22,74	8,95	21	-	2	420	04s09.01	1	0	0	0
213	1	14	34	22	14,25	35,62	9,00	21	-	2	123	01s27.02	1				310	4	-	-	162	8,22	23,46	8,90	4	-	2	420	04s09.02	1			
214	1	12	36	127	12,74	36,71	9,11	1	-	2	120	01s28.01	1				311	4	-	-	104	14,12	24,00	9,04	1	-	2	420	04s10.01	3	0	0	0
215	1	10	36	50	10,66	36,70	8,85	1	-	2	120	01s28.02	1	0	0	0	312	4	-	-	194	9,54	18,70	8,90	7	-	2	420	04s10.02	3			
216	1	-	-	3	-	-	-	22	-	2	120	01s29.01	1	0	0	0	313	5	12	6	77	13,60	7,72	8,92	1	-	2	521	05c01.01	1	0	2	32
217	1	12	34	405	13,30	35,04	9,07	22	-	2	120	01s29.02	1	0	0	0	314	5	14	8	397	15,15	8,38	8,88	22	-	2	521	05c01.02	5	0	0	0
218	1	12	34	665	13,26	35,22	8,95	1	-	2	127	01s30.01	1				315	5	12	8	257	13,82	8,90	8,78	8	3	2	521	05c01.03	5	0	0	0
219	1	-	-	3	-	-	-	1	-	2	127	01s30.02	1	0	0	0	316	5	14	8	432	14,23	8,40	8,94	8	2	2	521	05c01.04	1	0	0	0
220	1	12	36	339	12,89	36,49	8,82	1	-	1	110	01s31.01	3	0	0	0	317	5	14	6	680	14,15	7,93	8,92	22	-	2	521	05c01.05	1	0	3	10
221	1	10	34	113	11,66	35,53	9,10	1	-	1	110	01s31.02	3	0	0	0	318	5	12	6	103	12,77	7,71	8,86	22	-	2	521	05c01.06	1	1	0	0
222	1	10	34	62	11,60	34,67	8,95	22	-	2	127	01s32.01	1	0	0	0	319	5	16	10	113	17,87	11,37	9,07	22	-	2	521	05c01.07	1	0	0	0
223	1	-	-	3	-	-	-	21	-	2	127	01s32.02	1	0	0	0	320	5	12	8	300	12,04	8,34	8,99	22	-	2	521	05c01.08	1	0	0	0
224	1	12	34	775	12,46	35,84	9,09	22	-	2	127	01s32.03	1	0	0	0	321	5	14	8	514	15,34	8,09	8,83	4	-	2	521	05c01.09	1	0	0	0
225	1	10	34	131	11,11	35,08	8,96	22	-	2	124	01s34.01	3	0	0	0	322	5	16	2	7	17,24	3,84	9,11	1	-	2	5213	05c02.01	1			
226	1	10	32	1	10,85	33,35	8,97	22	-	2	124	01s34.02	3	0	0	0	323	5	16	4	73	16,63	4,49	8,92	1	-	2	5213	05c02.02	1			
227	1	12	34	22	13,62	35,72	9,12	21	-	2	127	01s35.01	3	0	0	0	324	5	18	2	141	19,36	2,03	9,03	1	-	2	5213	05c02.03	5	0	0	0
228	1	14	36	32	14,11	36,08	8,94	21	-	2	127	01s35.02	3	0	0	0	325	5	16	4	62	17,07	4,48	8,94	7	-	2	5213	05c02.04	5			
229	1	12	34	929	12,49	35,38	9,00	22	-	2	121	01s36.01	3	0	0	0	326	5	18	2	65	18,90	3,49	9,00	22	-	2	5213	05c02.05	1	0	0	0
230	1	12	34	963	13,35	35,10	8,91	22	-	2	121	01s36.02	3	0	0	0	327	5	18	4	14	18,65	5,39	8,94	21	-	2	5213	05c02.06	5	0	0	0
231	1	12	36	102	13,50	36,15	9,09	51	-	0	0	01s37.01	3				328	5	20	4	4	20,50	5,66	9,00	21	-	2	5213	05c02.07	5	0	0	0
232	1	12	36	100	13,35	36,08	9,09	51	-	0	0	01s37.02	3				329	5	18	2	92	19,09	3,87	9,05	22	-	2	5213	05c02.08	1	0	0	0
233	1	-	-	3	-	-	-	8	3	2	120	01s38.01	3	0	0	0	330	5	18	2	148	19,50	3,70	8,97	21	-	2	5213	05c02.09	1	0	0	0
234	1	-	-	3	-	-	-	22	-	2	120	01s38.02	3	0	0	0	331	5	18	2	129	19,59	3,08	9,15	22	-	2	5213	05c02.10	5	0	0	0
235	1	10	36	67	10,18	36,60	9,04	1	-	2	124	01s39.01	1	0	0	0	332	5	18	4	58	19,96	5,44	9,00	7	-	2	5213	05c02.11	5	0	0	0
236	1	-	-	3	-	-	-	43	2	124	01s39.02	1	0	0	0	333	5	16	4	96	16,77	4,59	8,88	7	-	2	5213	05c02.12	1				
237	1	12	34	1052	12,21	35,54	8,94	51	-	2	121	01s40.01	1	0	0	0	334	5	18	2	54	18,76	2,12	9,01	21	-	2	5213	05c02.13	1	0	0	0
238	1	12	34	264	13,37	35,32	9,06	51	-	2	121	01s40.02	1	0	0	0	335	5	18	2	23	18,98	3,48	9,07	1	-	2	5213	05c02.14	1			
239	1	10	36	17	11,98	36,20	9,10	1	-	2	121	01s40.03	1	0	0	0	336	5	18	4	20	18,78	4,14	9,03	4	-	2	5213	05c02.15	1	0	0	0
240	1	12	34	472	13,55	35,73	9,02	1	-	2	121	01s41.01	5	0	0	0	337	5	16	6	475	16,07	7,79	8,90	22	-	2	524	05c03.01	5	0	0	0
241	1	12	34	477	13,70	35,19	8,99	1	-	2	121	01s41.02	5	0	0	0	338	5	14	6	352	15,62	7,09	9,01	8	2	2	524	05c03.02	7	0	0	0
242	1	12	34	534	13,04	35,52	9,04	1	-	2	121	01s41.03	5	0	0	0	339	5	14	8	111	15,98	8,58	9,08	8	5	2	524	05c03.03	4	0	0	0
243	1	13	35	7	13,39	35,58	9,25	1	-	2	12																						

Annex 3. Database of refitted flint artefacts. (3/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
389	5	16	6	469	16,36	7,40	8,87	22	-	2	524	05c03.53	1	0	2	40	486	5	14	8	511	14,60	9,84	8,93	1	-	2	5210	05c06.06	5	0	0	0
390	5	16	6	169	16,78	6,72	9,10	52	-	2	524	05c03.54	1	0	0	0	487	5	15	9	181	15,00	9,00	9,00	1	-	2	5210	05c06.07	1	0	0	0
391	5	14	6	639	15,90	7,26	8,93	1	-	2	524	05c03.55	1	0	0	0	488	5	14	8	392	15,30	9,70	8,88	1	-	2	5210	05c06.08	5	0	0	0
392	5	14	6	776	15,78	7,38	8,90	8	42	2	524	05c03.56	1	0	0	0	489	5	16	10	15	16,63	10,30	9,14	1	-	2	5210	05c06.09	5	0	0	0
393	5	16	8	459	16,79	8,99	8,88	1	-	2	524	05c03.57	1	0	0	0	490	5	12	8	73	13,21	8,27	9,01	1	-	2	5210	05c06.10	1	0	0	0
394	5	14	8	486	15,19	8,65	8,78	8	2	2	524	05c03.58	4	0	3	40	491	5	14	8	145	14,94	9,57	9,04	1	-	2	5210	05c06.11	1	0	0	0
395	5	14	6	544	15,44	7,20	8,99	8	5	2	524	05c03.59	4	0	3	40	492	6	4	4	27	5,72	5,34	9,00	51	-	2	5210	05c06.12	1	0	0	0
396	5	14	6	647	15,76	7,37	8,94	8	5	2	524	05c03.60	4	0	9	40	493	5	14	8	646	14,13	8,60	8,86	22	-	2	5210	05c06.13	1	0	0	0
397	5	14	8	216	14,19	8,73	8,99	1	-	2	524	05c03.61	1	0	0	0	494	5	14	8	212	14,86	8,20	8,99	22	-	2	5210	05c06.14	1	0	0	0
398	5	14	6	772	15,80	7,15	8,90	22	-	2	524	05c03.62	1	0	0	0	495	5	14	8	951	15,28	8,96	8,56	21	-	2	5210	05c06.15	1	0	0	0
399	5	14	8	340	15,51	8,15	8,92	1	-	2	524	05c03.63	1	0	0	0	496	5	14	10	81	14,66	10,09	8,93	1	-	2	5210	05c06.16	1	0	0	0
400	5	16	8	572	17,89	8,79	8,72	8	43	2	524	05c03.64	1	0	0	0	497	5	16	8	365	16,32	9,96	8,94	1	-	2	5210	05c06.17	1	0	0	0
401	5	16	6	527	17,96	7,63	8,70	22	-	2	524	05c03.65	1	0	0	0	498	5	14	8	426	15,45	8,14	8,89	22	-	2	5210	05c06.18	1	0	0	0
402	5	18	2	26	18,97	3,83	9,05	21	-	2	524	05c03.66	5	0	0	0	499	5	14	10	2	14,92	10,31	9,19	1	-	2	5210	05c06.19	1	0	0	0
403	5	16	6	362	17,62	7,08	8,95	21	-	2	524	05c03.67	5	0	0	0	500	5	14	8	387	15,49	9,62	8,88	1	-	2	5210	05c06.20	1	0	0	0
404	5	14	6	135	14,46	7,15	8,99	22	-	2	524	05c03.68	5	0	0	0	501	5	-	-	50	15,39	10,02	9,22	1	-	2	5210	05c06.21	1	0	0	0
405	5	14	8	434	14,72	8,70	8,94	22	-	2	524	05c03.69	5	0	0	0	502	5	14	10	59	15,60	10,57	8,97	1	-	2	5210	05c06.22	1	0	0	0
406	5	14	6	797	15,36	7,90	8,90	8	2	2	524	05c03.70	1	0	0	0	503	5	14	10	29	14,68	10,53	9,04	22	-	2	5210	05c06.23	1	0	0	0
407	5	16	8	360	16,13	8,44	8,96	8	2	2	524	05c03.71	4	0	4	40	504	5	16	8	518	16,20	9,73	8,78	1	-	2	5210	05c06.24	1	0	0	0
408	5	15	7	-	15,50	7,50	9,00	8	5	2	524	05c03.72	4	0	0	0	505	5	14	8	975	15,70	9,14	8,50	1	-	2	5210	05c06.25	1	0	0	0
409	5	14	6	374	15,09	7,42	9,01	8	2	2	524	05c03.73	4	0	9	40	506	5	14	8	563	14,10	8,91	8,78	1	-	2	5210	05c06.26	1	0	0	0
410	5	14	8	812	15,17	8,40	8,75	8	5	2	524	05c03.74	4	0	0	0	507	5	12	6	78	13,28	7,83	8,92	51	-	2	528	05c07.01	1	0	0	0
411	5	14	10	3	14,75	10,72	9,18	8	5	2	524	05c03.75	4	0	0	0	508	5	14	6	700	14,54	6,32	8,91	1	-	2	528	05c07.02	1	0	0	0
412	5	16	6	354	16,95	6,13	9,02	1	-	2	524	05c03.76	1	0	0	0	509	5	14	8	280	15,67	8,23	8,99	1	-	2	528	05c07.03	1	0	0	0
413	5	16	6	369	17,06	7,55	8,93	1	-	2	524	05c03.77	1	0	0	0	510	5	16	6	188	17,70	7,52	9,07	1	-	2	528	05c07.04	1	0	0	0
414	5	16	6	306	16,81	6,32	8,96	1	-	2	524	05c03.78	1	0	0	0	511	5	14	6	576	14,17	7,41	8,93	51	-	2	528	05c07.05	1	0	0	0
415	5	14	6	364	15,06	7,64	9,02	1	-	2	524	05c03.79	1	0	0	0	512	5	12	8	114	13,13	8,13	8,94	51	-	2	528	05c07.06	1	0	0	0
416	5	14	6	285	15,35	6,67	9,02	1	-	2	524	05c03.80	1	0	0	0	513	6	-	-	83	3,80	7,00	9,00	1	-	2	528	05c07.07	1	0	0	0
417	5	14	6	308	15,87	6,85	9,02	8	2	2	524	05c03.81	1	0	0	0	514	5	14	6	820	14,31	7,52	8,71	1	-	2	528	05c07.08	1	0	0	0
418	5	14	8	55	14,28	9,05	9,16	8	5	2	524	05c03.82	4	0	0	0	515	5	14	6	453	14,25	6,68	9,01	1	-	2	528	05c07.09	1	0	0	0
419	5	16	8	361	16,15	8,97	8,96	8	2	2	524	05c03.83	4	0	3,9	40	516	5	12	6	80	13,94	6,94	8,92	1	-	2	528	05c07.10	1	0	0	0
420	5	14	8	287	15,78	9,45	8,98	8	5	2	524	05c03.84	4	0	0	0	517	5	14	6	145	14,00	7,89	9,13	1	-	2	528	05c07.11	1	0	0	0
421	5	16	8	256	16,87	8,50	9,09	8	5	2	524	05c03.85	4	0	0	0	518	5	12	6	71	13,77	6,98	8,95	4	-	2	528	05c07.12	5	0	0	0
422	5	14	8	319	15,04	8,24	8,95	8	5	2	524	05c03.86	4	0	0	0	519	5	12	6	75	13,29	7,60	8,92	1	-	2	528	05c07.13	5	0	0	0
423	5	16	6	226	16,65	6,28	9,02	1	-	2	524	05c03.87	1	0	0	0	520	5	14	4	30	14,78	5,68	8,98	1	-	2	528	05c07.14	1	0	0	0
424	5	16	4	40	16,87	5,23	8,80	1	-	2	529	05c04.01	1	0	0	0	521	5	14	4	25	14,45	5,86	9,01	1	-	2	528	05c07.15	1	0	0	0
425	5	14	2	20	15,16	3,67	8,88	1	-	2	529	05c04.02	1	0	0	0	522	5	16	8	200	16,19	9,95	9,12	1	-	2	528	05c07.16	1	0	0	0
426	5	14	6	129	14,92	4,54	9,07	1	-	2	529	05c04.03	1	0	0	0	523	5	14	8	127	14,27	8,04	9,05	1	-	2	528	05c07.17	5	0	0	0
427	5	14	6	263	15,15	6,39	9,05	1	-	2	529	05c04.04	1	0	0	0	524	5	14	6	688	14,44	7,67	8,91	1	-	2	528	05c07.18	5	0	0	0
428	5	16	4	49	17,58	4,42	8,97	1	-	2	529	05c04.05	1	0	0	0	525	5	14	8	507	14,53	9,30	8,93	51	-	2	528	05c07.19	1	0	0	0
429	5	14	4	45	14,21	4,41	8,94	1	-	2	529	05c04.06	1	0	0	0	526	5	14	6	582	14,14	7,56	8,95	22	-	2	528	05c07.20	1	0	0	0
430	5	14	2	24	15,12	3,10	8,87	1	-	2	529	05c04.07	1	0	0	0	527	5	14	6	356	15,09	7,26	9,03	1	-	2	528	05c07.21	1	0	0	0
431	5	14	4	49	15,86	4,56	8,95	1	-	2	529	05c04.08	1	0	0	0	528	5	12	6	82	13,92	7,93	8,92	52	-	2	528	05c07.22	1	0	0	0
432	5	14	4	44	14,17	4,11	8,94	1	-	2	529	05c04.09	1	0	0	0	529	5	12	6	50	13,92	6,78	9,04	22	-	2	528	05c07.23	1	0	0	0
433	5	14	2	11	14,99	2,63	8,87	1	-	2	529	05c04.10	1	0	0	0	530	5	14	9	202	15,78	9,00	9,00	22	-	2	528	05c07.24	1	0	0	0
434	5	16	4	71	16,53	4,38	8,92	1	-	2	529	05c04.11	1	0	0	0	531	5	12	4	1	12,50	4,30	9,00	4	-	2	528	05c07.25	5	0	0	0
435	5	14	2	17	15,34	3,05	8,87	1	-	2	529	05c04.12	1	0	0	0	532	5	12	8	67	13,92	8,06	9,04	1	-	2	528	05c07.26	5	0	0	0
436	5	14	2	42	15,77	3,55	8,84																										

Annex 3. Database of refitted flint artefacts. (4/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
583	6	2	6	137	3,03	7,16	9,05	21	-	2	5212	05c09.02	1	0	2	50	680	5	20	0	7	20,07	0,40	9,16	22	-	2	5214	05c16.09	1			
584	5	12	8	153	13,68	8,13	8,91	21	-	2	5212	05c09.03	1	0	0	0	681	5	20	WO	3	21,25	-1,44	9,23	21	-	2	5214	05c16.10	1			
585	5	16	8	20	17,10	9,27	9,18	21	-	2	5212	05c09.04	1	0	2	50	682	5	18	0	269	19,15	1,22	8,83	52	-	2	5214	05c16.11	1		0	0
586	5	16	8	363	16,96	9,86	8,94	21	-	2	5212	05c09.05	5	0	0	0	683	5	20	0	14	20,60	1,15	9,07	1	-	2	5214	05c16.12	1			
587	5	14	8	201	15,70	8,89	9,01	21	-	2	5212	05c09.06	5	0	0	0	684	5	20	0	13	20,60	1,14	9,07	4	-	2	5214	05c16.13	1			
588	5	16	8	252	16,14	8,55	9,09	22	-	2	5212	05c09.07	1	0	0	0	685	5	18	0	107	18,90	1,58	9,08	22	-	2	5212	05c17.01	1	0	0	0
589	5	12	6	49	13,83	7,28	9,01	21	-	2	5212	05c09.08	1	0	2	50	686	5	18	WO	1	18,66	-0,95	9,23	22	-	2	5212	05c17.02	1			
590	5	16	8	228	16,23	8,60	9,10	21	-	2	5212	05c09.09	1	0	0	0	687	5	18	WO	2	18,75	-0,93	9,23	22	-	2	5212	05c17.03	1	0	0	0
591	5	16	10	30	16,71	10,88	9,11	21	-	2	5212	05c09.10	1	0	2	30	688	5	18	0	170	18,05	0,84	8,87	22	-	2	5212	05c17.04	1	0	0	0
592	5	16	10	85	16,31	10,59	9,01	22	-	2	5212	05c09.11	1	0	0	0	689	5	18	2	102	18,58	2,30	8,94	22	-	2	5212	05c17.05	1	0	0	0
593	5	12	8	321	12,02	8,02	8,66	1	-	2	521	05c10.01	5	0	0	0	690	5	18	0	264	19,32	1,91	8,96	22	-	2	5212	05c17.06	1	0	0	0
594	5	12	8	294	12,01	8,04	9,02	1	-	2	521	05c10.02	5	0	0	0	691	5	18	0	109	19,02	1,08	9,03	22	-	2	5212	05c17.07	1	0	0	0
595	5	12	8	317	12,73	9,17	8,89	1	-	2	521	05c10.03	5				692	5	18	0	144	19,26	0,65	9,24	22	-	2	5212	05c17.08	1	0	0	0
596	5	10	8	3	11,30	9,27	8,96	21	-	2	521	05c10.04	1	3			693	5	18	2	4	18,45	3,80	9,10	22	-	2	5212	05c17.09	1	0	2	30
597	5	10	8	7	10,80	8,18	8,91	21	-	2	521	05c10.05	1	2	0	0	694	5	16	0	10	17,35	1,20	9,01	1	-	2	5212	05c17.10	1	0	0	0
598	5	12	8	326	12,77	9,71	8,71	52	-	2	521	05c10.06	1	0	0	0	695	5	18	0	1	18,00	1,19	9,16	1	-	2	5212	05c17.11	1	0	0	0
599	5	12	8	295	12,57	8,49	9,02	22	-	2	521	05c10.07	1	0	0	0	696	5	18	0	157	19,10	0,31	9,18	52	-	2	5212	05c17.12	1			
600	5	12	6	106	12,05	7,79	8,77	22	-	2	521	05c10.08	1				697	5	16	4	22	17,92	5,35	9,00	52	-	2	5212	05c17.13	1			
601	5	12	8	304	12,09	9,13	8,99	22	-	2	521	05c10.09	5	0	0	0	698	5	18	0	86	18,10	1,07	9,04	1	-	2	5212	05c17.14	1			
602	5	12	8	323	12,81	9,12	8,75	22	-	2	521	05c10.10	5	0	0	0	699	5	18	0	119	18,48	1,56	9,02	22	-	2	5212	05c17.15	1			
603	5	12	6	17	13,24	7,69	9,15	22	-	2	521	05c10.11	1	0	0	0	700	5	18	WO	15	19,15	-1,10	8,99	4	-	2	5212	05c17.16	1			
604	5	12	8	300	12,04	8,34	8,99	21	-	2	521	05c10.12	1	0	0	0	701	5	14	8	841	14,39	8,61	8,79	1	-	1	511	05c18.01	1			
605	5	14	8	404	15,39	9,10	8,88	21	-	2	5210	05c11.01	1	3			702	5	16	8	405	17,38	8,40	8,97	1	-	1	511	05c18.02	1			
606	5	14	8	28	15,31	9,17	9,10	1	-	2	5210	05c11.02	1				703	5	-	-	27	17,44	8,78	9,16	1	-	1	511	05c18.03	1	0	0	0
607	5	14	8	310	15,70	9,70	8,95	21	-	2	5210	05c11.03	1	3			704	5	16	6	187	17,35	7,44	9,07	1	-	1	511	05c18.04	1	0	0	0
608	5	16	12	2	16,65	12,69	8,83	51	-	2	5210	05c11.04	1	0	0	0	705	5	16	8	425	16,31	8,08	8,97	1	-	1	511	05c18.05	1	0	0	0
609	5	16	8	415	16,22	9,77	8,93	1	-	2	5210	05c11.05	1	0	0	0	706	5	16	6	334	17,36	7,54	8,98	51	-	1	511	05c18.06	1	0	0	0
610	5	14	6	191	15,91	6,94	9,08	1	-	2	5210	05c11.06	1	0	0	0	707	5	16	6	86	16,69	7,77	9,13	22	-	1	511	05c18.07	1	0	0	0
611	5	14	6	210	15,07	7,89	9,07	1	-	2	5210	05c11.07	1				708	5	16	8	467	16,84	8,03	8,88	52	-	1	511	05c18.08	1	0	0	0
612	5	14	8	641	14,13	8,18	8,92	21	-	2	5210	05c11.08	1	0	0	0	709	5	16	6	185	16,73	7,33	9,06	21	-	1	511	05c18.09	1	0	0	0
613	5	14	8	802	14,88	8,09	8,85	52	-	2	5210	05c11.09	1				710	5	14	8	619	14,51	8,65	8,89	21	-	1	511	05c19.01	1	0	0	0
614	5	14	8	551	14,61	8,36	8,92	22	-	2	5210	05c11.10	1				711	5	14	6	136	14,77	7,09	9,17	1	-	1	511	05c19.02	1	0	0	0
615	5	14	8	837	15,00	8,50	8,77	1	-	2	5210	05c11.11	1				712	5	14	8	862	14,54	8,40	8,78	1	-	1	511	05c19.03	1	0	0	0
616	5	14	8	252	14,64	8,15	8,98	21	-	2	5210	05c11.12	1	0	0	0	713	5	-	-	126	14,06	5,54	9,15	1	-	1	511	05c19.04	1	0	0	0
617	5	16	8	294	16,13	8,55	9,07	8	2	2	525	05c12.01	5	0	0	0	714	5	14	6	504	14,89	7,78	8,96	1	-	1	511	05c19.05	1			
618	5	14	8	978	15,93	9,08	8,48	51	-	2	525	05c12.02	5	0	0	0	715	5	14	6	697	14,16	7,18	8,89	1	-	1	511	05c19.06	1	0	0	0
619	5	14	8	906	15,16	8,28	8,79	8	2	2	525	05c12.03	5	0	0	0	716	5	16	8	578	16,08	8,55	8,55	1	-	1	511	05c19.07	1			
620	5	14	8	887	14,61	8,96	8,72	21	-	2	525	05c12.04	5	0	0	0	717	5	14	6	622	15,09	7,47	8,94	1	-	1	511	05c19.08	1			
621	5	16	8	327	16,76	8,36	9,01	21	-	2	525	05c12.05	5				718	5	14	6	623	15,29	7,59	8,94	21	-	1	511	05c19.09	1	0	0	0
622	5	16	10	48	16,64	10,05	9,09	21	-	2	525	05c12.06	1				719	5	14	8	614	14,54	8,12	8,89	8	2	1	511	05c19.10	1	0	3	40
623	5	14	6	836	14,58	7,70	8,91	8	42	2	525	05c12.07	1	0	0	0	720	5	16	6	336	17,38	7,28	8,98	1	-	2	527	05c20.01	1			
624	5	14	8	977	15,80	9,15	8,49	8	2	2	525	05c12.08	7	0	0	0	721	5	16	6	392	17,75	7,60	8,88	1	-	2	527	05c20.02	1			
625	5	14	8	890	15,24	8,62	8,72	22	-	2	525	05c12.09	5	0	0	0	722	5	16	6	368	17,02	7,76	8,93	1	-	2	527	05c20.03	1	0	0	0
626	5	16	8	189	16,06	8,85	9,14	8	5	2	525	05c12.10	4	0	0	0	723	5	16	6	370	17,16	7,46	8,93	1	-	2	527	05c20.04	5	0	0	0
627	5	14	8	627	14,43	8,32	8,88	22	-	2	525	05c12.11	1	0	0	0	724	5	16	6	240	17,22	7,21	9,04	1	-	2	527	05c20.05	5	0	0	0
628	5	16	8	268	17,37	8,70	9,04	1	-	1	511	05c13.01	1				725	5	18	6	125	18,53	7,33	9,00	21	-	2	527	05c20.06	1	0	0	0
629	5	16	6	141	16,03	7,44	9,10	21	-	1	511	05c13.02	1				726	5	14	6	295	15,01	6,24	9,01	22	-	2	527	05c20.07	1	0	0	0
630	5	18	6	40	18,29	6,07	9,20	8	3	1	511	05c13.03	1	0	1	32	727	5	16	6	337	17,44	7,38	8,98	21								

Annex 3. Database of refitted flint artefacts. (5/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
777	5	18	0	13	18,33	1,62	9,15	7	-	2	520	05c31.04	3				875	5	16	8	138	17,06	8,69	9,09	4	-	2	528	05s028.02	1	0	0	0
778	5	18	2	28	18,04	2,30	9,05	7	-	2	520	05c31.05	3				876	5	16	10	17	18,34	10,17	9,14	1	-	2	527	05s029.01	1			0
779	5	14	2	41	15,93	3,92	8,84	7	-	2	520	05c31.06	3				877	5	14	8	236	15,94	9,70	8,98	1	-	2	527	05s029.02	5			
780	5	18	2	96	19,03	2,78	8,95	7	-	2	520	05c31.07	3				878	5	16	8	104	16,58	9,76	9,13	1	-	2	527	05s029.03	5			
781	5	18	2	50	18,09	2,21	9,01	7	-	2	520	05c31.08	3				879	5	18	0	199	19,30	0,20	9,07	1	-	2	5214	05s030.01	1	0	0	0
782	5	16	0	24	16,64	1,54	9,08	7	-	2	520	05c32.01	3				880	5	18	2	19	18,04	3,06	9,08	1	-	2	5214	05s030.02	1	0	0	0
783	5	16	0	22	16,64	1,55	9,08	7	-	2	520	05c32.02	3				881	5	16	10	11	16,53	10,30	9,15	21	-	2	5210	05s031.01	1	0	0	0
784	5	16	0	18	16,63	1,54	9,08	7	-	2	520	05c32.03	3				882	5	14	8	666	14,19	8,88	8,84	21	-	2	5210	05s031.02	1	0	0	0
785	5	16	0	21	16,47	1,83	8,96	7	-	2	520	05c32.04	3				883	5	18	12	1	18,96	12,18	9,02	22	-	2	520	05s032.01	1	0	0	0
786	5	16	0	47	16,86	1,55	8,84	7	-	2	520	05c32.05	3				884	5	18	10	6	18,35	11,80	9,01	22	-	2	520	05s032.02	1	0	0	0
787	5	16	0	48	16,83	1,52	8,84	7	-	2	520	05c32.06	3				885	5	18	0	183	18,19	1,63	9,22	1	-	2	5214	05s033.01	1	0	0	0
788	5	16	0	36	16,82	1,05	8,94	7	-	2	520	05c32.07	3				886	5	20	0	9	21,00	1,77	9,17	1	-	2	5214	05s033.02	1	0	0	0
789	5	16	0	19	16,46	1,44	8,96	7	-	2	520	05c32.08	3				887	5	20	0	30	20,23	0,18	9,00	1	-	2	5214	05s033.03	1	0	0	0
790	5	18	0	221	18,68	1,70	8,92	7	-	2	520	05c32.09	3				888	5	-	-	84	16,30	7,02	9,19	22	-	1	512	05s034.01	1	0	0	0
791	5	16	0	23	16,64	1,53	9,08	7	-	2	520	05c32.10	3				889	5	16	6	193	16,77	6,43	9,09	22	-	1	512	05s034.02	1	0	0	0
792	5	16	0	26	16,65	1,53	9,00	7	-	2	520	05c32.11	3				890	5	18	0	66	18,48	1,49	9,10	22	-	2	520	05s035.01	3	0	0	0
793	5	14	8	477	15,20	8,12	8,85	1	-	2	5212	05s001.01	1	0	0	0	891	5	16	0	46	17,96	1,08	8,97	22	-	2	520	05s035.02	3	0	0	0
794	5	12	8	143	13,27	8,96	8,92	22	-	2	5212	05s001.02	1	0	0	0	892	5	18	0	121	18,94	1,20	9,04	22	-	2	5212	05s036.01	3	0	0	0
795	5	12	8	217	13,40	8,61	8,94	22	-	2	5212	05s001.03	1	0	0	0	893	5	18	2	120	19,27	2,64	8,78	22	-	2	5212	05s036.02	3	0	0	0
796	5	12	8	156	13,11	8,67	8,91	22	-	2	5212	05s001.04	1	0	0	0	894	5	-	-	12	16,86	9,84	9,23	22	-	2	5212	05s037.01	3	0	0	0
797	5	14	8	596	14,67	8,47	8,90	22	-	2	5212	05s001.05	1	0	0	0	895	5	14	10	47	14,85	10,61	8,99	22	-	2	5212	05s037.02	3	0	0	0
798	5	12	8	311	12,54	8,85	8,93	22	-	2	5212	05s002.01	1	0	0	0	896	5	14	6	294	15,47	6,07	9,01	51	-	2	5216	05s038.01	3	0	0	0
799	5	14	8	807	14,21	8,82	8,77	22	-	2	5212	05s002.02	5	0	0	0	897	5	14	2	19	15,18	3,49	8,88	22	-	2	5216	05s038.02	3	0	0	0
800	5	16	10	4	16,40	11,12	9,18	22	-	2	5212	05s002.03	5	0	0	0	898	5	16	6	510	16,64	6,20	8,87	8	3	1	511	05s039.001	1	0	1	32
801	5	14	10	54	14,20	10,57	8,99	22	-	2	5212	05s002.04	5	0	0	0	899	5	16	6	163	17,25	7,15	9,07	22	-	1	511	05s039.01	5	0	0	0
802	5	14	8	181	15,80	9,60	9,02	21	-	2	5212	05s002.05	1	0	0	0	900	5	16	8	504	16,69	8,32	8,83	22	-	1	511	05s039.02	5	0	0	0
803	5	16	8	135	17,39	8,07	9,12	1	-	2	527	05s005.01	1	0	0	0	901	5	14	8	164	15,57	9,49	9,02	22	-	2	527	05s040.01	3			
804	5	16	6	260	17,48	9,58	9,06	1	-	2	527	05s005.02	1	0	0	0	902	5	14	8	931	14,85	8,08	8,84	22	-	2	527	05s040.02	3			
805	5	14	10	65	15,58	10,22	8,95	1	-	2	527	05s006.01	1				903	5	10	10	2	11,80	10,71	8,95	22	-	2	5215	05s041.01	3	0	0	0
806	5	14	8	700	15,83	10,00	8,80	51	-	2	527	05s006.02	1	0	0	0	904	5	12	8	288	13,00	8,16	8,65	22	-	2	5215	05s041.02	3	0	0	0
807	5	14	8	729	15,02	9,53	8,77	1	-	2	527	05s006.03	1				905	5	16	4	98	17,83	4,81	8,86	51	-	1	510	05s041.03	3	0	0	0
808	5	14	8	113	15,83	8,97	9,07	1	-	2	527	05s006.04	1	0	0	0	906	5	14	2	59	15,95	2,68	8,81	51	-	1	510	05s042.02	3	0	0	0
809	5	18	0	8	18,87	1,16	9,24	22	-	2	520	05s007.01	1	0	0	0	907	5	18	0	113	18,96	1,15	9,04	22	-	2	520	05s043.01	3			
810	5	20	0	12	20,86	0,80	9,07	22	-	2	520	05s007.02	5	0	0	0	908	5	18	0	46	18,88	1,41	9,11	22	-	2	520	05s043.02	3			
811	5	20	0	11	20,56	0,64	9,07	22	-	2	520	05s007.03	5	0	0	0	909	5	16	8	488	16,28	8,41	8,80	22	-	2	520	05s044.01	3			
812	5	20	0	9	20,20	0,39	9,10	22	-	2	520	05s007.04	5	0	0	0	910	5	16	8	491	16,75	9,30	8,79	22	-	2	520	05s044.02	3			
813	5	20	-2	1	21,67	-2,25	9,25	22	-	2	520	05s007.05	1	0	0	0	911	5	16	6	209	17,98	7,35	9,14	1	-	1	511	05s045.01	3	2	0	0
814	5	18	0	211	19,44	1,97	9,13	22	-	2	520	05s007.06	1	0	0	0	912	5	16	6	445	16,84	7,18	8,92	1	-	1	511	05s045.02	3	2	0	0
815	12	6	24	1	21,64	3,11	9,15	22	-	2	5214	05s008.01	1	0	0	0	913	5	16	6	82	16,54	7,07	9,14	21	-	1	511	05s046.01	3	0	0	0
816	5	18	4	60	19,67	4,64	8,93	22	-	2	5214	05s008.02	1	0	0	0	914	5	16	6	151	17,02	6,92	9,10	21	-	1	511	05s046.02	3	0	0	0
817	5	20	0	28	20,43	1,85	9,11	22	-	2	5214	05s008.03	1	0	0	0	915	5	12	6	84	13,76	7,98	8,85	1	-	2	521	05s047.01	3	0	0	0
818	5	18	0	200	18,47	1,94	9,12	22	-	2	5214	05s008.04	1	0	0	0	916	5	12	6	89	13,42	7,83	8,92	1	-	2	521	05s047.02	3	0	0	0
819	5	20	0	4	20,30	0,37	9,18	22	-	2	5214	05s008.05	1	0	0	0	917	5	20	0	16	20,11	0,74	9,06	1	-	2	520	05s048.01	1	0	0	0
820	6	4	6	325	4,75	6,92	8,85	22	-	2	520	05s009.01	1	0	0	0	918	5	20	0	2	20,08	1,36	9,24	22	-	2	520	05s048.02	5	0	0	0
821	5	14	8	141	14,01	8,79	9,04	22	-	2	520	05s009.02	5	0	0	0	919	5	18	0	188	19,59	1,53	9,20	22	-	2	520	05s048.03	5	0	0	0
822	5	12	8	234	13,53	9,00	8,83	22	-	2	520	05s009.03	5	0	0	0	920	5	18	2	45	18,76	2,12	9,01	1	-	1	510	05s049.01	1	0	0	0
823	5	16	8	489	16,12	8,71	8,79	22	-	2	5212	05s010.01	1	0	0	0	921	5	16	4	93	16,50	4,07	8,88	1	-	1	510	05s049.02	1	0	0	0
824	5	14	8	336	15,40	9,02	8,93	22	-	2	5212	05s010.02	1	0	0	0	922	5															

Annex 3. Database of refitted flint artefacts. (6/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
972	6	2	6	142	2,76	7,09	9,08	22	-	2	620	05s069.02	1	0	0	0
973	6	4	6	49	5,78	7,51	9,08	8	2	2	620	05s069.03	4	0	1,2	40,41
974	5	14	8	632	14,18	8,87	8,86	8	5	2	620	05s069.04	4	0	0	0
975	5	12	10	41	13,60	10,92	9,05	51	-	2	520	05s070.01	5	0	0	0
976	5	14	8	827	14,90	8,24	8,86	51	-	2	520	05s070.02	5	0	0	0
977	6	2	6	250	3,17	6,21	8,93	22	-	2	520	05s070.03	1	0	0	0
978	5	12	8	159	13,60	8,91	8,91	22	-	2	520	05s070.04	1	0	0	0
979	5	12	8	211	13,87	9,07	8,87	8	5	2	520	05s071.01	2	0	0	0
980	5	14	8	386	15,30	9,55	8,88	8	5	2	520	05s071.02	2	0	0	0
981	5	14	8	624	14,86	8,14	8,89	8	5	2	520	05s071.03	2	0	0	0
982	5	16	8	235	16,68	8,68	9,10	8	5	2	520	05s071.04	2	0	0	0
983	5	14	8	532	14,76	8,34	8,93	8	5	2	520	05s072.01	2	0	0	0
984	5	14	6	551	14,37	6,83	8,94	8	5	2	520	05s072.02	2	0	0	0
985	5	14	8	613	14,31	9,55	8,88	8	5	2	520	05s073.01	2	0	0	0
986	5	14	7	-	14,50	7,50	9,00	8	5	2	520	05s073.02	2	0	0	0
987	5	14	6	810	15,79	7,17	8,88	8	5	3	3	05s074.01	3	4		
988	5	14	8	366	15,40	8,03	8,91	8	5	3	3	05s074.02	3	4		
989	5	16	6	-	16,50	6,50	9,00	8	5	1	511	05s075.01	2	4		
990	5	16	6	342	16,36	7,13	9,02	8	2	1	511	05s075.02	2	0	3	40
991	5	16	8	87	17,60	9,32	9,14	8	5	1	510	05s076.01	2	0	0	0
992	5	16	6	103	16,27	6,05	9,16	8	2	1	510	05s076.02	2	0	0	0
993	5	16	10	95	16,02	10,74	8,91	8	5	2	524	05s077.01	2	0	0	0
994	5	16	10	21	17,91	10,90	9,12	8	5	2	524	05s077.02	2	0	0	0
995	5	16	8	576	17,76	9,74	8,71	8	2	2	524	05s077.03	2	1	0	0
996	5	16	8	465	16,80	8,17	8,88	8	5	1	511	05s078.01	4	0	0	0
997	5	-	-	74	17,17	7,70	9,20	8	5	1	511	05s078.02	4	0	0	0
998	5	16	6	526	16,23	7,38	8,69	8	2	1	511	05s078.03	4	0	1,3	40,41
999	6	2	8	206	2,45	9,51	8,84	22	-	1	511	05s078.04	1	0	0	0
1000	5	16	6	229	16,90	7,09	9,05	8	5	2	524	05s079.01	2	0	0	0
1001	5	14	6	392	15,93	7,93	9,00	8	2	2	524	05s079.02	2	1	0	0
1002	5	12	8	249	13,16	8,80	8,91	8	2	2	521	05s080.01	2	0	0	0
1003	5	12	8	139	13,98	8,31	8,84	8	5	2	521	05s080.02	2	0	0	0
1004	5	14	6	929	15,84	7,67	8,81	8	2	2	525	05s081.01	2	0	3	40
1005	5	16	6	301	16,44	6,28	8,96	8	5	2	525	05s081.02	2	0	0	0
1006	5	16	6	253	16,48	7,41	9,08	8	2	2	524	05s082.01	2	0	3	40
1007	5	14	6	217	15,76	6,61	9,08	8	5	2	524	05s082.02	2	0	0	0
1008	5	16	8	330	16,75	8,30	9,03	8	2	1	511	05s083.01	2	3		
1009	5	16	8	318	16,38	8,00	9,01	8	5	1	511	05s083.02	2	3		
1010	5	16	8	125	17,10	8,83	9,12	8	2	2	525	05s084.01	2	0	3	40
1011	5	14	8	198	15,43	8,39	9,01	8	5	2	525	05s084.02	2	0	0	0
1012	5	12	6	31	13,76	7,34	9,07	8	5	2	525	05s084.03	2	0	0	0
1013	5	16	6	303	16,56	6,52	9,12	8	2	1	511	05s085.01	2	0	0	0
1014	5	16	6	155	16,97	6,37	8,96	8	5	1	511	05s085.02	2	0	0	0
1015	5	12	8	309	12,52	9,58	8,92	1	-	2	521	05s086.01	3	2		
1016	5	12	8	310	12,57	9,55	8,92	1	-	2	521	05s086.02	3	2		
1017	5	12	8	275	13,18	9,42	8,95	21	-	2	5215	05s087.01	1	0	0	0
1018	5	12	8	318	12,27	8,51	8,84	22	-	2	5215	05s087.02	1	0	0	0
1019	5	16	6	295	16,91	6,08	8,99	22	-	1	511	05s088.01	1	0	0	0
1020	5	16	6	135	17,10	6,48	9,12	8	43	1	511	05s088.02	1	0	0	0
1021	5	12	10	54	12,08	10,30	8,91	21	-	4	4	05s089.01	3	0	0	0
1022	5	16	6	523	17,15	7,07	8,82	21	-	4	4	05s089.02	3	0	0	0
1023	5	18	10	7	18,62	10,98	9,94	1	-	2	520	05s090.01	1	0	0	0
1024	5	16	6	134	17,31	6,69	9,12	1	-	2	520	05s090.02	1	0	0	0
1025	5	14	8	119	15,61	9,52	9,05	1	-	2	520	05s090.03	1	0	0	0
1026	5	16	8	476	16,74	9,04	8,89	8	3	2	520	05s090.04	1	0	1	32
1027	5	12	8	263	13,65	8,36	8,81	8	3	1	511	05s091.01	1	0	1	32
1028	5	14	6	340	15,15	6,91	8,98	8	3	1	511	05s091.02	1	0	1	32
1029	5	16	6	1	17,00	6,27	9,20	1	-	1	511	05s091.03	1	0	0	0
1030	5	18	8	21	19,18	9,56	8,96	1	-	1	511	05s091.04	1	0	0	0
1031	5	16	6	270	16,23	6,71	9,03	22	-	1	511	05s092.01	3	0	0	0
1032	5	-	-	83	16,16	7,00	9,19	8	3	1	511	05s092.02	3	0	1	32
1033	5	14	6	722	14,95	7,96	8,84	1	-	2	525	05s093.01	3	0	0	0
1034	5	14	6	525	15,06	7,68	9,00	1	-	2	525	05s093.02	3	0	0	0
1035	5	14	8	663	14,24	8,66	8,84	8	41	2	525	05s093.03	3	0	0	0
1036	5	14	8	186	14,24	8,30	9,00	22	-	2	521	05s094.01	5	0	2	40
1037	5	14	10	34	14,34	11,07	9,02	8	42	2	521	05s094.02	5	0	2	40
1038	5	12	8	325	12,46	8,00	8,69	22	-	2	521	05s094.03	1	0	0	0
1039	5	14	8	30	15,87	9,32	9,10	8	3	2	522	05s095.01	1	0	1	32
1040	5	12	8	301	12,62	8,22	8,98	22	-	2	522	05s095.02	1	0	0	0
1041	5	12	8	225	13,89	8,68	8,86	21	-	2	522	05s095.03	1	0	0	0
1042	5	12	8	208	13,22	8,98	8,87	8	3	2	522	05s095.04	1	0	1	32
1043	5	12	6	33	13,83	7,73	9,06	22	-	2	522	05s095.05	1	0	0	0
1044	5	14	8	-	14,50	8,50	9,00	8	5	2	520	05s096.01	2	0	0	0
1045	5	14	8	371	15,38	8,26	8,92	8	5	2	520	05s096.02	2	0	0	0
1046	5	14	10	62	14,96	10,61	8,95	1	-	2	520	05s097.01	1	0	0	0
1047	5	14	8	337	15,46	9,07	8,93	1	-	2	520	05s097.02	1	0	0	0
1048	5	14	8	775	14,67	9,07	8,77	8	41	1	510	05s098.01	2	0	3	40
1049	5	14	6	-	14,50	6,50	9,00	8	5	1	510	05s098.02	2	0	0	0
1050	5	16	8	277	16,82	8,73	9,08	8	2	1	510	05s098.03	2	0	3	40
1051	5	14	10	68	14,84	10,55	8,94	1	-	2	523	05s099.01	3	0	0	0
1052	5	14	10	57	14,95	10,19	8,98	1	-	2	523	05s099.02	3	0	0	0
1053	5	16	8	496	16,38	9,85	8,86	1	-	2	5210	05s100.01	1	0	0	0
1054	5	16	8	5	16,50	8,92	9,20	1	-	2	5210	05s100.02	1	0	0	0
1055	5	18	6	86	19,10	6,64	9,11	8	5	2	520	05s101.01	2	0	0	0
1056	5	16	8	119	17,79	9,07	9,12	8	5	2	520	05s101.02	2	0	0	0
1057	5	14	6	916	15,70	6,73	8,84	8	51	2	520	05s102.01	2	0	0	0
1058	5	14	6	55	15,30	6,31	9,14	8	11	2	520	05s102.02	6	0	0	0
1059	5	14	4	3	15,32	5,95	9,12	8	11	2	520	05s102.03	3	0	0	0
1060	5	13	9	-	13,50	9,50	9,00	8	11	2	520	05s103.01	3	0	0	0
1061	5	12	8	75	13,28	8,93	9,03	8	11	2	520	05s103.02	3	0	0	0
1062	5	14	10	28	14,79	10,69	9,05	8	11	2	5212	05s104.01	3	0	0	0
1063	5	14	8	96	14,53	8,80	9,03									

Annex 3. Database of refitted flint artefacts. (7/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	
1166	6	4	6	314	4,93	7,42	8,92	1	-	2	620	06s02.01	1				1264	6	4	8	41	4,47	8,78	8,93	22	-	2	622	06s42.01	3	3			
1167	6	6	8	9	6,03	9,65	9,06	1	-	2	620	06s02.02	1				1265	6	0	8	17	1,61	9,35	8,97	22	-	2	622	06s42.02	3	0	0	0	
1168	6	4	10	1	4,34	10,31	9,10	4	-	2	620	06s02.03	5				1266	6	0	0	12	0,97	1,89	8,85	1	-	1	610	06s43.01	3				
1169	6	2	6	19	3,94	6,77	9,20	21	-	2	620	06s02.04	1	0	0	0	1267	6	0	0	30	0,12	1,68	8,83	1	-	1	610	06s43.02	3				
1170	6	4	8	20	5,25	8,67	9,01	4	-	2	620	06s02.05	5	0	0	0	1268	6	2	4	60	2,36	4,33	8,91	1	-	2	620	06s44.01	3	0	0	0	
1171	6	2	6	149	3,06	7,52	9,04	1	-	2	620	06s03.01	1	0	0	0	1269	6	2	4	58	2,78	4,45	8,91	1	-	2	620	06s44.02	3	0	0	0	
1172	6	-	-	87	-	-	-	1	-	2	620	06s03.02	1	0	0	0	1270	6	-	-	83	-	-	-	1	-	1	610	06s45.01	3	0	0	0	
1173	6	2	6	146	2,99	7,78	9,02	1	-	2	620	06s03.03	1	0	0	0	1271	6	-	-	83	-	-	-	1	-	1	610	06s45.02	3	0	0	0	
1174	6	2	6	143	3,00	7,74	9,01	4	-	2	620	06s03.04	1				1272	6	2	10	133	3,39	11,56	8,89	22	-	2	620	06s46.01	3	0	0	0	
1175	6	-	-	83	-	-	-	7	-	2	620	06s04.01	1				1273	6	2	10	54	2,95	11,63	9,03	22	-	2	620	06s46.02	3	0	0	0	
1176	6	0	8	2	1,66	9,41	9,00	1	-	2	620	06s04.02	1	0	0	0	1274	6	s0	2	3	-0,67	2,32	8,82	22	-	2	620	06s47.01	3	0	0	0	
1177	6	2	8	123	2,24	9,56	9,01	1	-	2	620	06s04.03	1	0	0	0	1275	6	s0	2	8	-1,49	2,94	8,69	22	-	2	620	06s47.02	3	0	0	0	
1178	6	-	2	8	135	2,29	8,88	8,98	1	-	2	620	06s04.04	1	0	0	0	1276	6	4	6	370	5,20	6,29	8,71	1	-	2	620	06s48.01	3	0	0	0
1179	6	-	-	86	-	-	-	1	-	2	620	06s04.05	1	0	0	0	1277	6	4	6	369	5,15	6,24	8,71	1	-	2	620	06s48.02	3	0	0	0	
1180	6	4	6	301	4,88	6,97	8,86	21	-	2	620	06s05.01	1	0	0	0	1278	6	2	6	294	3,13	6,08	8,93	22	-	4	4	06s49.01	1	0	0	0	
1181	6	4	6	307	4,44	6,81	8,94	21	-	2	620	06s05.02	1	0	0	0	1279	6	4	6	125	5,42	7,78	9,02	22	-	4	4	06s49.02	1	0	0	0	
1182	6	2	6	198	3,04	6,76	9,04	21	-	2	620	06s05.03	1	0	0	0	1280	6	-	-	42	1,96	9,01	9,00	22	-	1	611	06s50.01	1	0	0	0	
1183	6	4	6	173	4,04	6,20	8,98	4	-	2	620	06s05.04	1				1281	6	2	10	45	2,19	11,01	9,01	1	-	1	611	06s50.02	1				
1184	6	2	2	42	3,10	3,78	8,96	7	-	2	620	06s07.01	3				1282	6	2	8	159	2,85	8,85	8,91	4	-	1	611	06s50.03	1				
1185	6	2	2	43	2,96	3,55	8,96	7	-	2	620	06s07.02	3				1283	6	2	8	129	2,04	8,98	8,94	22	-	2	620	06s51.01	3	0	0	0	
1186	6	4	4	8	4,00	4,88	9,36	8,91	7	-	1	610	06s08.01	3				1284	6	2	8	49	3,07	8,58	9,00	22	-	2	620	06s51.02	3	0	0	0
1187	6	2	6	205	3,52	6,80	9,02	7	-	1	610	06s08.02	3				1285	6	2	6	255	3,05	7,28	8,86	8	3	2	620	06s52.01	1	0	0	0	
1188	6	0	14	1	1,50	14,74	8,98	7	-	2	620	06s08.03	3				1286	6	2	6	321	3,78	6,36	8,85	21	-	2	620	06s52.02	1	0	0	0	
1189	6	4	6	118	5,24	7,09	9,05	7	-	2	620	06s09.01	3				1287	6	2	8	214	2,18	9,10	8,78	8	5	2	620	06s53.01	4	0	0	0	
1190	6	4	8	42	4,49	8,61	8,93	7	-	2	620	06s09.02	3				1288	6	0	8	14	0,17	8,24	8,96	8	2	2	620	06s53.02	4	0	0	0	
1191	6	4	8	18	4,47	9,57	9,02	7	-	2	620	06s09.03	3				1289	6	0	8	21	0,60	8,19	8,94	1	-	2	620	06s53.03	1	0	0	0	
1192	6	2	6	226	3,20	6,71	9,01	51	-	2	623	06s10.01	1	0	0	0	1290	6	4	-0	1	5,93	-0,80	8,90	8	2	2	620	06s54.01	1	0	4	40	
1193	6	2	6	290	3,01	6,63	8,93	22	-	2	623	06s10.02	1	0	0	0	1291	6	4	-0	2	5,75	-0,91	8,74	8	2	2	620	06s54.02	1	0	0	0	
1194	6	2	8	38	3,83	8,14	9,04	4	-	2	623	06s10.03	1				1292	6	2	6	227	3,60	6,70	9,01	8	5	2	620	06s55.01	2	4			
1195	6	8	2	2	8,92	2,33	9,00	22	-	2	620	06s11.01	1	0	0	0	1293	6	2	4	127	2,57	5,51	8,94	8	5	2	620	06s55.02	2	0	1	40	
1196	6	6	0	19	7,72	0,80	8,72	4	-	2	620	06s11.02	1				1294	6	2	6	129	2,95	7,44	9,09	8	2	2	620	06s55.03	2	1	3	40	
1197	6	2	8	8	3,62	9,25	9,07	1	-	2	620	06s12.01	1	0	0	0	1295	6	2	4	41	2,04	4,46	8,95	8	5	4	4	06s56.01	2	0	0	0	
1198	6	2	8	171	3,75	9,37	8,98	1	-	2	620	06s12.02	5	0	0	0	1296	6	2	8	1	2,64	8,66	9,07	8	6	4	4	06s56.02	2	0	0	0	
1199	6	2	10	15	2,32	10,59	9,04	1	-	2	620	06s12.03	5	0	0	0	1297	6	-	-	87	-	-	-	8	2	4	4	06s56.03	2	2			
1200	6	2	10	41	2,94	10,11	9,02	22	-	2	620	06s13.01	1				1298	6	2	4	-	2,50	4,50	9,00	8	5	2	620	06s57.01	2	0	9	40	
1201	6	2	10	100	2,80	10,07	8,98	22	-	2	620	06s13.02	1	0	0	0	1299	6	2	2	33	3,26	3,40	8,98	8	5	2	620	06s57.02	2	0	0	0	
1202	6	2	8	46	2,87	8,69	9,05	51	-	2	620	06s13.03	1	0	0	0	1300	6	2	2	83	2,36	3,50	9,01	8	2	2	620	06s57.03	2	0	3	40	
1203	6	8	6	4	9,32	7,32	9,27	1	-	1	610	06s14.01	1	0	0	0	1301	6	-	-	86	-	-	-	8	5	1	611	06s58.01	2	0	0	0	
1204	6	-	-	89	-	-	-	51	-	1	610	06s14.02	1	0	0	0	1302	6	2	6	183	2,36	6,52	9,08	8	2	1	611	06s58.02	2	0	3	40	
1205	6	-	-	89	-	-	-	22	-	1	610	06s14.03	1	0	0	0	1303	6	4	6	248	4,26	6,33	8,92	8	5	1	611	06s58.03	2	4			
1206	6	2	6	308	3,79	6,36	8,89	1	-	2	624	06s15.01	1				1304	6	4	6	100	4,37	7,65	9,06	8	5	2	620	06s59.01	2	2			
1207	6	4	6	361	5,13	7,47	8,88	1	-	2	624	06s15.02	1				1305	6	2	6	83	3,46	7,47	8,98	8	2	2	620	06s59.02	2	0	0	0	
1208	6	2	6	251	3,14	7,83	8,92	1	-	2	624	06s15.03	1				1306	6	4	6	177	4,39	6,84	8,99	8	5	2	620	06s60.01	2	0	0	0	
1209	6	2	8	132	3,38	8,83	8,92	22	-	2	620	06s16.01	1	0	0	0	1307	6	4	8	12	4,07	8,35	9,05	8	2	2	620	06s60.02	2	2			
1210	6	6	6	20	6,79	6,02	8,99	22	-	2	620	06s16.02	5	0	0	0	1308	6	-	-	83	-	-	-	8	5	2	620	06s61.01	2	0	0	0	
1211	6	2	8	106	3,78	8,04	8,95	22	-	2	620	06s16.03	5	0	0	0	1309	6	4	8	37	4,67	9,28	8,94	8	5	2	620	06s61.02	2	0	0	0	
1212	6	-	-	87	-	-	-	22	-	2	623	06s17.01	5	0	0	0	1310	6	2	2	18	2,98	4,00	9,04	8	5	2	610	06s62.01	2	0	0	0	
1213	6	2	8	63	2,57	8,07	9,02	22	-	2	623	06s17.02	5	0	0	0	1311	6	2	2	85	2,42	3,53	9,01	8	5	2	610	06s62.02	2	0	0	0	
1214	6	2	6	159	2,40	7,45	9,00	22	-	2	623	06s17.03	1	0	0	0	1312	6	6	12	3	6,59	12,14	9,10	22	-	2	622	06s63.01	3	0	0	0	
1215																																		

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
1366	7	-6	34	540	-6,90	34,20	8,94	22	-	2	721	07c08.01	1	4			1463	10	18	90	165	-19,50	27,51	8,86	22	-	2	1022	10c01.10	1	1	0	0
1367	7	-6	34	552	-6,95	34,62	8,93	8	2	2	721	07c08.02	1	3			1464	10	16	92	113	-21,03	27,75	8,79	1	-	2	1022	10c01.11	1	0	0	0
1368	7	-6	34	657	-6,64	34,35	8,85	8	12	2	721	07c08.03	1	0	0	0	1465	10	16	92	35	-20,91	29,07	8,77	1	-	2	1022	10c01.12	1	0	0	0
1369	1	13	36	-	13,50	36,50	9,00	8	5	2	721	07c08.04	4				1466	10	16	92	168	-21,34	27,73	8,63	1	-	2	1022	10c01.13	1	0	0	0
1370	1	10	36	69	10,94	36,05	9,05	8	2	2	721	07c08.05	4	0	1,3	40	1467	10	18	94	87	-19,42	29,82	8,73	1	-	2	1022	10c01.14	1			
1371	7	-6	32	93	-6,07	33,71	9,01	21	-	2	721	07c08.06	1	0	0	0	1468	10	16	90	112	-20,15	26,32	8,66	1	-	2	1022	10c01.15	1	0	0	0
1372	7	-4	34	76	-5,69	34,80	8,80	22	-	2	721	07c09.01	1	0	0	0	1469	10	16	90	118	-20,65	27,04	8,65	1	-	2	1022	10c01.16	1	1	0	0
1373	7	-6	34	280	-6,88	35,20	9,01	22	-	2	721	07c09.02	1	0	0	0	1470	10	18	90	354	-18,92	25,82	8,73	22	-	2	1022	10c01.17	1			
1374	1	10	34	179	11,77	35,26	9,04	22	-	2	721	07c09.03	1				1471	10	22	92	82	-15,90	28,14	8,78	22	-	2	1022	10c01.18	5	2		
1375	7	-6	34	699	-6,70	34,82	8,79	22	-	2	721	07c09.04	1	0	0	0	1472	10	20	92	141	-16,04	28,13	8,67	22	-	2	1022	10c01.19	5	2		
1376	7	-6	34	686	-6,28	34,35	8,81	8	12	2	721	07c09.05	1	0	0	0	1473	10	16	92	108	-20,42	27,96	8,78	1	-	2	1022	10c01.20	1			
1377	7	-6	34	473	-7,10	34,23	8,97	22	-	2	721	07c09.06	1	0	0	0	1474	10	18	90	-	-19,50	26,20	9,00	1	-	2	1022	10c01.21	1			
1378	7	-8	34	25	-8,31	35,19	9,03	52	-	2	722	07s01.01	1				1475	10	16	90	108	-20,71	27,09	8,65	1	-	2	1022	10c01.22	1			
1379	7	-6	34	212	-7,60	34,62	9,05	1	-	2	722	07s01.02	1				1476	10	16	90	66	-21,13	27,68	8,71	1	-	2	1022	10c01.23	1			
1380	7	-6	34	697	-7,75	34,37	8,79	22	-	2	722	07s01.03	1	0	0	0	1477	10	20	88	23	-16,98	25,55	8,87	21	-	2	1022	10c01.24	1			
1381	7	-6	34	710	-7,00	34,40	8,76	52	-	2	722	07s01.04	1				1478	10	16	92	78	-20,75	27,88	8,71	51	-	2	1022	10c01.25	1	1	0	0
1382	7	-6	34	5	-7,92	34,52	9,02	4	-	2	722	07s01.05	1				1479	10	18	90	327	-19,50	26,92	8,75	1	-	2	1022	10c01.26	1			
1383	7	-8	34	10	-8,33	35,03	9,05	1	-	2	722	07s02.01	1	0	0	0	1480	10	18	90	234	-18,77	26,71	8,81	1	-	2	1022	10c01.27	1			
1384	7	-8	34	7	-8,16	34,60	9,06	22	-	2	722	07s02.02	1	0	0	0	1481	10	16	90	30	-21,56	27,56	8,91	51	-	2	1022	10c01.28	1	2		
1385	7	-	13	-	-	-	-	4	-	2	722	07s02.03	1	0	0	0	1482	10	16	90	86	-20,47	26,98	8,66	21	-	2	1022	10c01.29	1			
1386	7	-6	32	183	-6,72	33,78	8,81	22	-	2	720	07s04.01	1	0	0	0	1483	10	16	90	155	-20,98	27,40	8,58	4	-	2	1022	10c01.30	1			
1387	7	-6	34	484	-7,80	34,29	8,99	51	-	2	720	07s04.02	1				1484	10	16	92	183	-21,54	29,42	8,60	1	-	2	1020	10c02.01	1	1	0	0
1388	7	-	13	-	-	-	-	4	-	2	720	07s04.03	1				1485	10	16	92	159	-20,98	28,88	8,65	1	-	2	1020	10c02.02	1	2		
1389	7	-4	34	2	-5,38	34,06	9,10	1	-	1	710	07s05.01	1				1486	10	16	90	156	-21,36	27,66	8,58	1	-	2	1020	10c02.03	1	1	0	0
1390	7	-6	34	200	-6,98	35,24	9,05	1	-	1	710	07s05.02	1				1487	10	16	94	125	-21,19	31,20	8,52	21	-	2	1020	10c02.04	1	3		
1391	7	-6	34	224	-7,80	34,59	9,05	1	-	1	710	07s05.03	1				1488	10	20	90	227	-17,20	25,89	8,88	22	-	2	1020	10c02.05	1	2		
1392	7	-6	34	75	-7,20	35,01	9,11	22	-	1	710	07s05.04	1	0	0	0	1489	10	22	90	14	-14,99	25,80	8,88	22	-	2	1020	10c02.06	1	2		
1393	7	-6	34	510	-7,17	34,70	8,97	4	-	1	710	07s05.05	1				1490	10	20	92	84	-17,25	28,04	8,94	22	-	2	1020	10c02.07	1	2		
1394	7	-6	32	37	-6,42	33,56	9,05	7	-	2	720	07s06.01	3				1491	10	20	90	27	-16,98	27,22	9,00	22	-	2	1020	10c02.08	1	1	0	0
1395	7	-6	32	97	-7,15	33,66	8,99	7	-	2	720	07s06.02	3				1492	10	20	92	112	-18,00	27,98	8,89	1	-	2	1020	10c02.09	1	1	0	0
1396	7	-6	32	143	-6,41	33,77	8,95	7	-	2	720	07s06.03	3				1493	10	20	88	28	-17,72	25,22	8,81	1	-	2	1020	10c02.10	1			
1397	7	-6	34	416	-7,13	34,88	8,97	22	-	2	722	07s07.01	1	0	0	0	1494	10	16	92	202	-21,44	29,11	8,52	52	-	2	1020	10c02.11	1	1	0	0
1398	7	-6	34	255	-7,45	34,98	9,05	22	-	2	722	07s07.02	1	0	0	0	1495	10	22	92	31	-15,80	28,32	8,95	21	-	2	1020	10c02.12	1	2		
1399	7	-6	34	389	-7,62	34,70	9,00	22	-	2	722	07s07.03	1	0	0	0	1496	10	-	-	3	-16,30	25,00	9,00	21	-	2	1020	10c02.13	1	1	0	0
1400	7	-6	34	370	-6,75	34,43	8,99	1	-	1	710	07s08.01	1				1497	10	20	88	54	-16,63	24,75	8,82	4	-	2	1020	10c02.14	1	1	0	0
1401	7	-6	34	524	-6,53	34,50	8,93	1	-	1	710	07s08.02	1				1498	10	20	88	39	-17,88	24,85	8,81	1	-	2	1023	10c03.01	1	2	0	0
1402	7	-6	34	231	-6,90	34,90	9,05	1	-	1	710	07s08.03	1				1499	10	18	90	372	-19,60	25,94	8,69	1	-	2	1023	10c03.02	1			
1403	7	-4	32	41	-5,94	34,00	9,04	4	-	1	710	07s08.04	1				1500	10	22	92	6	-14,98	28,43	9,05	1	-	2	1023	10c03.03	1			
1404	7	-6	32	36	-7,10	33,54	9,07	1	-	2	722	07s09.01	1				1501	10	20	92	78	-16,56	28,13	8,95	22	-	2	1023	10c03.04	5			
1405	7	-6	32	75	-7,63	32,93	8,90	1	-	2	722	07s09.02	1				1502	10	22	92	10	-14,40	29,34	9,05	22	-	2	1023	10c03.05	5	0	0	0
1406	7	-6	32	91	-6,32	33,49	9,01	1	-	2	723	07s11.01	1				1503	10	18	90	46	-19,16	27,04	9,08	1	-	2	1023	10c03.06	1	1	0	0
1407	7	-6	32	146	-6,65	33,29	8,92	1	-	2	723	07s11.02	1	0	0	0	1504	10	22	92	30	-15,60	28,66	8,96	1	-	2	1023	10c03.07	1			
1408	7	-6	34	535	-7,22	34,68	8,95	21	-	2	721	07s12.01	1	0	0	0	1505	10	22	92	51	-14,66	28,84	8,98	1	-	2	1023	10c03.08	1	1	0	0
1409	7	-	13	-	-	-	-	21	-	2	721	07s12.02	1	0	0	0	1506	10	20	92	125	-17,12	28,42	8,89	1	-	2	1023	10c03.09	1			
1410	7	-6	34	74	-7,03	34,59	9,11	1	-	2	721	07s13.01	1	0	0	0	1507	10	22	92	47	-15,03	28,50	8,97	1	-	2	1023	10c03.10	1	1	0	0
1411	7	-6	34	390	-7,41	34,72	8,99	1	-	2	721	07s13.02	1	0	0	0	1508	10	22	92	28	-14,64	29,06	9,05	1	-	2	1023	10c03.11	1	0	0	0
1412	7	-6	34	240	-7,40	35,17	9,06	1	-	1	710	07s15.01	1				1509	13	Lv	-	-	-	-	-	21	-	2	1023	10c03.12	1	1	0	0
1413	7	-6	34	6	-7,74	34,18	9,02	22	-	1	710	07s15.02	1				1510	10	20	92	6	-16,08	28,74</										

Annex 3. Database of refitted flint artefacts. (9/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
1560	10	16	90	92	-20,40	26,40	8,68	22	-	2	1020	10s07.01	1	2			1657	10	20	90	228	-17,22	25,92	8,88	22	-	2	1020	10s48.03	3	1	0	0
1561	10	16	90	83	-20,33	27,07	8,70	22	-	2	1020	10s07.02	5	1			1658	10	16	90	19	-20,46	27,63	9,00	8	5	2	1020	10s49.01	3	0	0	0
1562	10	16	90	109	-20,80	26,10	8,65	22	-	2	1020	10s07.03	5	3			1659	10	18	90	88	-19,50	27,43	8,92	8	2	2	1020	10s49.02	6	0	0	0
1563	10	16	92	80	-20,64	28,80	8,71	51	-	2	1020	10s08.01	1	3			1660	10	18	90	160	-19,33	27,37	8,86	8	41	2	1020	10s49.03	2	1		
1564	10	18	92	33	-18,05	29,49	8,77	22	-	2	1020	10s08.02	1	2			1661	10	20	90	97	-17,73	27,68	8,94	8	2	2	1020	10s50.01	5	2		
1565	10	20	90	252	-17,87	26,04	8,87	22	-	2	1020	10s08.03	1	1			1662	10	18	90	226	-18,67	26,91	8,82	22	-	2	1020	10s50.02	5	2		
1566	10	20	90	183	-17,66	27,13	8,90	22	-	2	1023	10s09.01	1				1663	10	18	90	39	-18,06	25,98	8,78	8	3	2	1020	10s50.03	1	1	1	32
1567	10	-	-	23	-12,71	24,46	9,01	22	-	2	1023	10s09.02	5				1664	10	18	90	270	-19,04	26,59	8,77	8	2	2	1020	10s51.01	1	3		
1568	10	22	92	45	-15,56	29,05	8,93	22	-	2	1023	10s09.03	5				1665	10	22	90	16	-15,90	27,62	8,87	22	-	2	1020	10s51.02	1	3		
1569	10	22	92	88	-14,14	28,41	8,76	22	-	1	1011	10s10.01	1	2			1666	10	20	91	0	-18,00	26,70	9,00	8	5	2	1021	10s52.01	6	0	0	0
1570	10	20	92	118	-17,27	28,94	8,89	21	-	1	1011	10s10.02	5				1667	10	20	90	54	-16,73	26,46	8,97	8	5	2	1021	10s52.02	6	2		
1571	10	20	92	122	-17,29	28,79	8,85	21	-	1	1011	10s10.03	5	3			1668	10	20	90	148	-16,96	27,18	8,96	8	2	2	1020	10s52.03	2	3		
1572	10	16	90	148	-20,47	26,91	8,62	1	-	2	1020	10s11.01	3	1	0	0	1669	10	20	90	30	-17,23	26,41	9,00	22	-	2	1020	10s53.01	3	0	0	0
1573	10	18	90	212	-18,52	27,59	8,81	1	-	2	1020	10s11.02	3	2			1670	10	20	88	3	-17,44	25,64	8,99	8	2	2	1020	10s53.02	3	1	4	40
1574	10	18	88	15	-18,46	24,51	9,00	1	-	2	1020	10s11.03	3	2			1671	10	16	94	-	-21,50	30,20	9,00	8	5	2	1020	10s54.01	2			
1575	10	18	92	127	-18,33	28,20	9,01	21	-	2	1020	10s12.01	1	1	0	0	1672	10	18	90	417	-19,85	26,75	8,67	8	2	2	1020	10s54.02	2	0	3	40
1576	10	16	92	119	-20,83	28,63	8,78	4	-	2	1020	10s12.02	1				1673	10	20	90	199	-17,70	27,35	8,87	8	5	2	1020	10s55.01	2	0	0	0
1577	10	22	92	87	-14,86	28,13	8,87	52	-	2	1020	10s13.01	1				1674	10	18	90	242	-18,99	26,66	8,81	8	2	2	1020	10s55.02	2	0	2	32
1578	10	16	92	197	-21,39	28,03	8,52	4	-	2	1020	10s13.02	1				1675	10	18	90	192	-18,63	25,86	8,84	8	5	1	1011	10s56.01	2	0	1	40
1579	10	20	92	67	-17,22	28,55	8,96	22	-	2	1023	10s14.01	1				1676	10	20	90	288	-18,00	26,17	8,97	8	2	1	1011	10s56.02	2	2	3	41
1580	10	16	92	15	-20,18	27,90	8,85	22	-	2	1023	10s14.02	1	2			1677	10	16	90	121	-20,46	27,65	8,68	8	5	2	1020	10s57.01	2			
1581	10	22	90	4	-15,21	27,46	8,96	22	-	2	1023	10s15.01	1	1	0	0	1678	10	18	90	132	-18,55	26,74	8,89	8	2	2	1020	10s57.02	2	2		
1582	10	20	90	244	-16,08	27,31	8,84	22	-	2	1023	10s15.02	1	1	0	0	1679	10	20	90	48	-17,14	26,30	8,98	22	-	1	1011	10s58.01	3	3		
1583	10	16	90	147	-20,73	27,67	8,64	1	-	2	1020	10s16.01	1	1	0	0	1680	10	20	90	232	-17,33	26,27	8,89	8	42	1	1011	10s58.02	3	3		
1584	10	18	88	22	-18,48	24,20	8,80	1	-	2	1020	10s16.02	1	1	0	0	1681	10	16	92	63	-20,45	28,37	8,73	8	5	2	1010	10s59.01	2			
1585	10	18	88	53	-18,86	24,75	8,70	1	-	1	1011	10s17.01	1	3			1682	10	18	94	46	-18,60	30,09	8,79	8	5	2	1010	10s59.02	2	0	0	0
1586	10	18	92	21	-18,17	27,99	8,92	22	-	1	1011	10s17.02	1				1683	10	20	92	17	-17,42	29,39	9,03	1	-	1	1011	10s60.01	1	0	0	0
1587	10	18	88	25	-19,51	25,58	8,80	22	-	1	1011	10s18.01	1	1	0	0	1684	10	18	90	44	-18,21	26,13	8,74	8	41	1	1011	10s60.02	1	0	4	24
1588	10	16	92	85	-20,07	29,44	8,78	51	-	1	1011	10s18.02	1	0	0	0	1685	10	18	90	101	-18,35	26,40	8,92	8	5	1	1020	10s61.01	2	2		
1589	10	18	90	152	-19,22	27,61	8,85	1	-	1	1011	10s19.01	3				1686	10	18	90	271	-18,60	25,73	8,76	8	44	2	1020	10s61.02	2	2		
1590	10	16	90	143	-20,90	26,97	8,62	1	-	1	1011	10s19.02	3				1687	10	18	88	43	-18,71	25,20	8,72	8	44	2	1020	10s62.01	3	1		
1591	10	20	92	80	-16,40	27,94	8,95	22	-	1	1011	10s20.01	1	1			1688	10	22	92	12	-15,88	28,26	9,04	8	44	2	1020	10s62.02	3	2		
1592	10	20	92	81	-16,48	27,75	8,95	22	-	1	1011	10s20.02	1	2			1689	10	20	90	237	-17,77	26,08	8,89	22	-	2	1020	10s63.01	1			
1593	10	16	92	131	-21,00	28,42	8,66	1	-	2	1020	10s21.01	1	2			1690	13	-	-	38	-13,98	33,98	9,08	4	-	2	1020	10s63.02	1			
1594	10	20	90	139	-17,58	27,25	8,99	1	-	2	1020	10s21.02	1	2			1691	11	22	108	19	-14,90	44,49	9,14	1	-	2	1123	11c01.01	1	0	0	0
1595	10	20	90	146	-16,70	26,12	8,99	1	-	2	1020	10s22.01	1	0	0	0	1692	11	22	108	79	-15,52	44,50	9,00	1	-	2	1123	11c01.02	5	0	0	0
1596	10	16	92	71	-20,50	27,72	8,71	1	-	2	1020	10s22.02	1	0	0	0	1693	11	-	-	7	-	-	-	1	-	2	1123	11c01.03	5			
1597	10	20	90	193	-17,85	27,02	8,85	1	-	2	1020	10s23.01	1				1694	11	22	106	117	-15,09	43,13	9,10	22	-	2	1123	11c01.04	1	0	0	0
1598	10	20	90	14	-17,53	27,15	9,02	1	-	2	1020	10s23.02	1				1695	11	22	108	78	-15,91	44,56	9,00	1	-	2	1123	11c01.05	1	0	0	0
1599	10	20	90	101	-17,52	27,53	8,93	4	-	2	1020	10s23.03	1				1696	11	-	-	6	-	-	-	21	-	2	1123	11c01.06	1	0	0	0
1600	10	22	92	85	-14,38	29,64	8,90	22	-	2	1020	10s24.01	1	0	0	0	1697	11	22	108	81	-15,59	43,91	8,98	21	-	2	1123	11c01.07	1	0	0	0
1601	10	18	94	14	-18,41	29,90	8,92	22	-	2	1020	10s24.02	1	0	0	0	1698	11	22	108	13	-15,27	43,95	9,14	1	-	2	1123	11c01.08	1	0	0	0
1602	10	16	94	148	-20,48	29,72	8,49	22	-	2	1020	10s25.01	1	2			1699	11	22	106	137	-14,80	43,62	9,05	1	-	2	1123	11c01.09	1			
1603	10	16	92	154	-20,24	27,78	8,66	22	-	2	1020	10s25.02	1	1			1700	11	22	108	45	-15,33	44,16	9,07	1	-	2	1123	11c01.10	1	0	0	0
1604	10	18	90	8	-18,20	26,93	8,93	1	-	1	1011	10s26.01	1	2			1701	11	22	106	47	-14,40	43,12	9,12	51	-	2	1123	11c01.11	1	0	0	0
1605	10	20	90	249	-17,24	25,80	8,89	1	-	1	1011	10s26.02	1	2			1702	11	22	106	179	-13,98	42,50	9,09	4	-	2	1123	11c01.12	1			
1606	10	18	88	64	-19,82	25,61	8,66	1	-	2	1023	10s27.01	1	1			1703	11	-	-	6	-	-	-	1								

Annex 3. Database of refitted flint artefacts. (10/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
1754	11	22	106	64	-14,82	42,73	9,08	7	-	2	1125	11c07.06	1			
1755	11	22	106	56	-14,40	42,45	9,10	4	-	2	1125	11c07.07	1			
1756	11	22	106	313	-14,96	43,07	9,03	22	-	2	1120	11c08.01	1			
1757	11	24	108	3	-13,74	44,02	9,15	22	-	2	1120	11c08.02	1	0	0	0
1758	11	22	106	119	-14,64	42,63	9,10	22	-	2	1120	11c08.03	5	0	0	0
1759	11	22	106	323	-15,80	42,55	9,02	22	-	2	1120	11c08.04	5	0	0	0
1760	11	22	106	343	-15,45	43,02	9,00	8	12	2	1120	11c08.05	5	0	2	50
1761	11	22	106	291	-15,46	42,18	9,04	8	12	2	1120	11c08.06	5	4	0	0
1762	11	22	106	72	-14,87	43,34	9,07	1	-	2	1120	11s01.01	1			
1763	11	22	106	302	-15,24	42,97	9,03	21	-	2	1120	11s01.02	1			
1764	11	22	106	267	-14,79	43,68	9,03	52	-	2	1120	11s01.03	1			
1765	11	22	108	2	-14,60	44,40	9,15	1	-	2	1120	11s01.04	1	0	0	0
1766	11	22	108	11	-14,06	44,40	9,15	4	-	2	1120	11s01.05	1			
1767	11	22	104	90	-15,60	41,32	9,08	1	-	2	1120	11s02.01	1			
1768	11	22	106	121	-15,80	41,90	9,10	1	-	2	1120	11s02.02	1			
1769	11	24	104	1	-13,86	41,68	9,16	21	-	2	1120	11s02.03	1	0	0	0
1770	11	-	-	1	-13,64	42,17	9,14	4	-	2	1120	11s02.04	1			
1771	11	22	100	2	-15,73	36,85	9,17	1	-	2	1126	11s03.01	1			
1772	11	24	102	2	-13,26	38,64	9,15	21	-	2	1126	11s03.02	5	0	0	0
1773	11	24	102	1	-13,28	38,63	9,15	21	-	2	1126	11s03.03	5	0	0	0
1774	11	22	100	7	-14,05	37,11	9,15	7	-	2	1126	11s03.04	1			
1775	11	-	-	6	-	-	-	22	-	2	1126	11s04.01	1	0	0	0
1776	11	22	104	17	-15,44	41,52	9,14	4	-	2	1126	11s04.02	1			
1777	11	22	104	60	-15,23	41,56	9,05	1	-	2	1120	11s05.01	1			
1778	11	22	106	4	-15,10	42,17	9,15	1	-	2	1120	11s05.02	1			
1779	11	22	106	13	-14,28	41,78	9,15	1	-	2	1120	11s05.03	1	0	0	0
1780	11	-	-	5	-11,82	48,78	9,16	51	-	2	1121	11s06.01	5	0	0	0
1781	11	24	112	10	-13,10	48,56	9,06	51	-	2	1121	11s06.02	5	0	0	0
1782	11	-	-	7	-	-	-	22	-	2	1121	11s06.03	1	0	0	0
1783	11	22	106	157	-14,62	43,62	9,10	1	-	2	1127	11s07.01	1			
1784	11	22	108	72	-14,45	44,23	9,02	1	-	2	1127	11s07.02	1			
1785	11	24	110	4	-13,28	46,39	9,11	1	-	2	1121	11s08.01	1			
1786	11	24	108	9	-12,65	45,30	9,08	1	-	2	1121	11s08.02	1			
1787	11	26	112	3	-10,59	49,08	9,10	22	-	2	1121	11s09.01	1			
1788	11	24	110	9	-13,31	46,51	9,07	52	-	2	1121	11s09.02	1	0	0	0
1789	11	22	106	57	-15,78	43,55	9,10	1	-	2	1120	11s10.01	3	0	0	0
1790	11	22	106	190	-14,70	41,87	9,08	1	-	2	1120	11s10.02	3			
1791	11	24	112	11	-12,79	47,86	9,06	1	-	2	1127	11s11.01	1			
1792	11	24	110	8	-12,45	47,30	9,11	1	-	2	1127	11s11.02	1			
1793	11	22	106	12	-14,25	41,85	9,14	1	-	2	1120	11s12.01	3	0	0	0
1794	11	22	106	8	-14,10	41,92	9,15	1	-	2	1120	11s12.02	3			
1795	11	22	106	9	-14,12	42,04	9,15	1	-	2	1120	11s12.03	3			
1796	11	22	106	32	-15,16	42,92	9,14	1	-	2	1120	11s13.01	1			
1797	11	22	106	268	-15,30	43,60	9,03	1	-	2	1120	11s13.02	1	0	0	0
1798	11	22	108	35	-15,35	43,95	9,09	4	-	2	1120	11s13.03	1			
1799	11	22	106	214	-14,79	43,22	9,14	22	-	1	1111	11s15.01	1	0	0	0
1800	11	22	106	120	-14,79	43,52	9,09	22	-	1	1111	11s15.02	1	0	0	0
1801	11	22	106	286	-15,82	42,61	9,03	22	-	1	1111	11s16.01	1	0	0	0
1802	11	-	-	6	-	-	-	22	-	1	1111	11s16.02	1	0	0	0
1803	11	-	-	4	-	-	-	22	-	2	1120	11s17.01	1	0	0	0
1804	11	22	106	345	-15,68	42,60	9,00	8	12	2	1120	11s17.02	1	0	0	0
1805	11	20	98	2	-17,70	34,67	8,79	8	5	2	1122	11s18.01	2	0	0	0
1806	11	20	100	27	-17,30	36,28	9,00	8	5	2	1122	11s18.02	2	0	0	0
1807	11	20	100	42	-16,34	36,27	8,85	8	5	2	1122	11s18.03	2	0	0	0
1808	11	20	100	15	-17,90	36,20	9,08	8	2	2	1122	11s18.04	2	0	0	0
1809	11	22	106	16	-14,10	42,65	9,16	8	5	2	1125	11s19.01	2	0	3	40
1810	11	22	106	151	-15,20	43,16	9,11	8	2	2	1125	11s20.02	2	0	0	0
1811	11	22	106	-	-15,50	42,20	9,10	8	12	2	1120	11s20.01	3	0	0	0
1812	11	22	106	59	-15,07	43,09	9,10	8	12	2	1120	11s20.02	3	0	0	0
1813	11	20	100	9	-16,90	36,98	9,13	8	11	2	1120	11s21.01	3	1	0	0
1814	11	20	100	7	-16,90	36,72	9,14	8	11	2	1120	11s21.02	3	1	0	0
1815	11	22	106	381	-15,50	42,37	8,86	8	5	1	1110	11s22.01	2	4	0	0
1816	11	22	106	125	-15,10	43,03	9,10	8	5	1	1110	11s22.02	2	0	0	0
1817	11	22	106	199	-15,80	42,37	9,08	8	5	1	1110	11s22.03	2	4	3	40
1818	11	22	106	177	-14,61	42,65	9,11	8	44	1	1110	11s22.04	2	0	2,3	32,40
1819	11	22	106	340	-15,00	43,23	9,00	22	-	1	1111	11s23.01	1	0	0	0
1820	11	22	106	283	-15,57	43,02	9,05	22	-	1	1111	11s23.02	1	0	0	0
1821	11	22	100	3	-15,60	36,80	9,17	22	-	2	1123	11s24.01	1	0	0	0
1822	11	20	102	1	-16,70	37,94	9,18	1	-	2	1123	11s24.02	1			
1823	11	22	106	10	-14,14	42,22	9,15	4	-	2	1123	11s24.03	1			
1824	11	22	106	86	-14,83	42,58	9,08	8	5	2	1110	11s25.01	2	0	0	0
1825	11	22	106	58	-15,10	42,94	9,09	8	5	2	1110	11s25.02	2	0	0	0
1826	11	22	106	314	-14,87	43,30	9,03	8	5	2	1110	11s25.03	2	0	0	0
1827	11	22	106	161	-14,48	43,00	9,11	8	5	2	1110	11s26.01	3	0	0	0
1828	11	22	107	-	-15,50	43,20	9,87	8	5	2	1110	11s26.02	3			
1829	12	8	14	59	22,92	-7,30	9,19	7	-	2	1221	12c01.01	3			
1830	12	8	12	128	23,18	-9,53	9,96	22	-	2	1221	12c01.02	5	0	0	0
1831	12	8	14	61	22,96	-7,57	9,04	22	-	2	1221	12c01.03	1	0	0	0
1832	12	8	12	104	22,06	-8,96	9,06	22	-	2	1221	12c01.04	5	0	0	0
1833	12	8	14	332	22,26	-8,25	9,08	22	-	2	1221	12c01.05	5	0	0	0
1834	12	8	12	87	23,16	-8,56	9,11	1	-	2	1221	12c01.06	1			
1835	12	8	14	16	23,02	-8,23	9,17	22	-	2	1221	12c01.07	1	0	0	0
1836	12	8	14	198	22,40	-8,15	9,19	1	-	2	1221	12c01.08	1	0	0	0
1837	12	8	14	31	23,20	-7,19	9,12	4	-	2	1221	12c01.09	1			
1838	12	-	-	Ap	-	-	-	1	-	2	1221	12c01.10	1	0	0	0
1839	12	10	14	56	25,70	-8,26	9,23	1	-	2	1221	12c01.11	1	0	0	0
1840	12	10	14	75	25,94	-6,99	9,24	52	-	2	1221	12c01.12	1	0	0	0
1841	12	8	14	129	23,92	-7,89	9,19	1	-	2	1221	12c01.13	1	0	0	0
1842	12	12	12	8	26,06	-9,63	9,16	21	-	2	1221	12c01.14	1	0	0	0
1843	12	10	14	78	25,11	-8,14	9,24	21	-	2	1221	12c01.15	5	0	0	0
1844	12	8	14	172	23,75	-7,91	9,17	21	-	2	1221	12c01.16	5	0	0	0
1845	12	-	-	Ap	-	-	-	1	-	2	1221	12c01.17	1</			


Annex 3. Database of refitted flint artefacts. (11/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
1948	12	14	18	64	29,29	-4,68	9,03	1	-	2	1220	12s24.01	3	0	0	0	2045	13	26	100	41	-10,44	36,47	9,08	1	-	2	1321	13s04.03	1			
1949	12	14	18	72	28,61	-3,41	8,95	1	-	2	1220	12s24.02	3	0	0	0	2046	13	26	100	25	-10,29	36,48	9,10	1	-	2	1321	13s05.01	1			
1950	12	12	16	33	26,68	-4,85	9,13	22	-	2	1220	12s25.01	3	0	0	0	2047	13	26	100	31	-10,13	36,67	9,10	21	-	2	1321	13s05.02	1	0	0	0
1951	12	12	18	9	26,68	-3,99	9,26	22	-	2	1220	12s25.02	3	0	0	0	2048	13	26	100	57	-10,07	36,22	9,06	22	-	2	1321	13s05.03	1	0	0	0
1952	12	14	18	6	28,57	-4,32	9,21	7	-	1	1210	12s26.01	3				2049	13	26	100	33	-10,16	37,22	9,10	1	-	2	1321	13s06.01	1			
1953	12	12	16	24	27,92	-5,73	9,18	7	-	1	1210	12s26.02	3				2050	13	26	100	27	-10,88	36,66	9,10	1	-	2	1321	13s06.02	1			
1954	12	8	12	58	23,31	-7,49	9,16	22	-	2	1220	12s27.01	3	0	0	0	2051	14	18	22	1	-	-	-	8	12	2	2	14s01.01	3	0	0	0
1955	12	8	12	115	23,61	-8,77	9,04	22	-	2	1220	12s27.02	3	0	0	0	2052	14	18	22	92	-	-	-	8	12	2	2	14s01.02	3	0	0	0
1956	12	-	-	Ap	-	-	-	1	-	2	1224	12s28.01	1				2053	15	12	WO	55	34,65	14,90	9,11	1	-	2	1521	15c01.01	1			
1957	12	8	14	140	23,25	-7,73	9,18	21	-	2	1224	12s28.02	1	0	2	32	2054	15	12	WO	93	34,77	14,93	9,06	1	-	2	1521	15c01.02	1			
1958	12	8	14	203	23,41	-7,92	9,19	1	-	2	1224	12s28.03	1	1	0	0	2055	15	12	WO	75	35,09	14,68	9,09	1	-	2	1521	15c01.03	1	0	0	0
1959	12	8	12	44	23,54	-8,79	9,12	8	3	2	1224	12s28.04	1	0	0	0	2056	15	12	0	11	35,42	15,82	9,13	1	-	2	1521	15c01.04	1	0	0	0
1960	12	8	16	170	22,71	-5,09	9,03	21	-	2	1223	12s29.01	1				2057	15	12	0	10	35,40	15,97	9,11	1	-	2	1521	15c01.05	1			
1961	12	8	16	46	22,30	-6,24	9,11	1	-	2	1223	12s29.02	1	0	0	0	2058	15	12	WO	21	34,95	15,40	9,17	1	-	2	1521	15c01.06	1	0	0	0
1962	12	8	12	18	23,84	-8,58	9,25	8	3	2	1223	12s29.03	1	0	1,2	32	2059	15	12	0	8	35,58	16,74	9,11	1	-	2	1521	15c01.07	1	0	0	0
1963	12	10	12	23	25,43	-9,02	9,25	22	-	2	1223	12s30.01	3	0	0	0	2060	15	12	0	14	34,82	16,32	9,04	1	-	2	1521	15c01.08	1	0	0	0
1964	12	8	12	52	23,65	-8,97	9,18	8	3	2	1223	12s30.02	3	0	0	0	2061	15	12	WO	117	35,66	15,68	8,96	1	-	2	1521	15c01.09	1	0	0	0
1965	12	8	16	42	22,77	-4,76	9,11	22	-	1	1211	12s31.01	1	0	0	0	2062	15	12	WO	59	35,57	15,61	9,11	1	-	2	1521	15c01.10	1	0	0	0
1966	12	6	16	42	21,73	-5,74	9,10	51	-	1	1211	12s31.02	1	0	0	0	2063	15	14	0	1	36,73	16,14	9,13	4	-	2	1521	15c01.11	1			
1967	12	8	14	221	22,11	-6,96	9,19	8	2	1	1211	12s31.03	1	0	9	41	2064	15	12	WO	115	34,88	14,17	8,97	1	-	2	1521	15c02.01	1			
1968	12	-	-	Ap	-	-	-	8	5	2	1221	12s32.01	2	0	0	0	2065	15	12	WO	104	35,00	15,25	8,99	1	-	2	1521	15c02.02	1			
1969	12	10	14	19	25,43	-8,44	9,24	8	5	2	1221	12s32.02	2	0	0	0	2066	15	12	WO	37	35,12	14,41	9,14	1	-	2	1521	15c02.03	1			
1970	12	10	12	97	23,98	-8,90	9,21	8	5	2	1221	12s32.03	2	0	0	0	2067	15	12	WO	109	34,51	14,53	9,00	8	2	2	1521	15c02.04	1	0	0	0
1971	12	8	12	82	23,10	-10,41	9,17	8	2	2	1221	12s32.04	2	3			2068	15	12	WO	106	34,70	15,30	8,98	22	-	2	1521	15c02.05	1	0	0	0
1972	12	8	14	157	23,69	-8,74	9,16	8	5	2	1220	12s33.01	2	0	0	0	2069	15	12	WO	15	34,90	14,85	9,19	1	-	2	1521	15c02.06	1			
1973	12	10	14	140	24,33	-7,31	9,17	8	5	2	1220	12s33.02	2	0	0	0	2070	15	12	WO	44	34,45	14,28	9,13	4	-	2	1521	15c02.07	1			
1974	12	8	14	322	23,51	-8,22	9,07	8	2	2	1220	12s33.03	2	0	0	0	2071	15	12	WO	61	34,54	14,50	9,10	21	-	2	1522	15c03.01	1	0	0	0
1975	12	6	16	16	21,90	-5,99	9,20	1	-	1	1212	12s34.01	1	0	0	0	2072	15	14	0	2	36,32	15,97	9,09	22	-	2	1522	15c03.02	1			
1976	12	8	16	141	23,54	-6,25	9,11	8	2	1	1212	12s34.02	1	0	0	0	2073	15	12	WO	79	34,34	14,91	9,09	1	-	2	1522	15c03.03	1			
1977	12	10	12	14	25,51	-8,70	9,23	8	5	2	1221	12s35.01	2	0	0	0	2074	15	12	0	15	34,52	16,32	9,01	1	-	2	1522	15c03.04	1	0	0	0
1978	12	8	12	48	23,42	-8,85	9,18	8	2	2	1221	12s35.02	2	3			2075	15	12	WO	54	34,35	14,85	9,11	8	2	2	1522	15c03.05	1	0	0	0
1979	12	16	20	4	31,29	-2,86	9,07	8	5	1	1210	12s36.01	2	0	0	0	2076	15	10	WO	8	33,95	15,03	9,11	1	-	2	1522	15c03.06	1			
1980	12	16	18	7	31,42	-3,30	9,04	8	2	1	1210	12s36.02	2	0	0	0	2077	15	12	WO	18	34,30	15,08	9,16	21	-	2	1522	15c03.07	1	0	0	0
1981	12	-	-	Ap	-	-	-	8	5	2	1221	12s37.01	2				2078	15	10	WO	3	32,78	15,00	9,11	4	-	2	1522	15c03.08	1			
1982	12	8	12	123	23,30	-10,28	9,02	8	2	2	1221	12s37.02	2	0	0	0	2079	15	12	WO	17	34,07	14,98	9,16	21	-	2	1521	15c04.01	5			
1983	12	10	12	84	25,70	-9,17	9,26	21	-	2	1221	12s38.01	1	0	0	0	2080	15	12	WO	86	34,40	15,60	9,07	21	-	2	1521	15c04.02	5			
1984	12	10	14	77	25,70	-8,19	9,24	21	-	2	1221	12s38.02	1	0	0	0	2081	15	12	WO	105	35,25	15,27	8,97	22	-	2	1521	15c04.03	1	0	0	0
1985	12	10	14	27	24,17	-7,54	9,32	8	12	2	1221	12s38.03	1	0	0	0	2082	15	12	WO	107	35,28	14,55	9,01	21	-	2	1521	15c04.04	1	0	0	0
1986	12	8	14	304	22,28	-8,05	9,10	1	-	1	1211	12s39.01	1	0	0	0	2083	15	12	WO	40	34,32	14,53	9,15	21	-	2	1521	15c04.05	1			
1987	12	8	14	334	22,92	-6,99	9,06	1	-	1	1211	12s39.02	1	0	0	0	2084	15	12	WO	92	35,13	15,13	9,06	1	-	2	1521	15c04.06	1			
1988	12	8	14	12	23,82	-7,12	9,18	1	-	2	1220	12s40.01	1	0	0	0	2085	15	12	WO	1	35,00	14,15	9,19	21	-	2	1523	15c05.01	1			
1989	12	10	14	112	24,23	-7,49	9,26	1	-	2	1220	12s40.02	1	0	0	0	2086	15	12	0	2	35,12	16,25	9,14	1	-	2	1523	15c05.02	1	0	0	0
1990	12	10	12	174	25,65	-9,64	9,14	22	-	2	1220	12s41.01	1	0	2	32	2087	15	12	WO	98	35,15	14,95	9,02	1	-	2	1523	15c05.03	1			
1991	12	10	14	18	25,09	-7,52	9,24	22	-	2	1220	12s41.02	1	0	0	0	2088	15	12	WO	5	34,12	14,50	9,16	1	-	2	1523	15c05.04	1			
1992	12	10	12	147	23,99	-8,69	9,18	8	5	2	1221	12s42.01	2	0	0	0	2089	15	12	0	1	34,72	17,10	9,12	1	-	2	1523	15c05.05	1	2		
1993	12	10	12	100	24,79	-8,67	9,21	8	5	2	1221	12s42.02	2	0	0	0	2090	15	12	2	1	34,30	18,10	9,14	4	-	2	1523	15c05.06	1			
1994	12	10	12	162	24,58	-8,97	9,16	8	11	0	0	12s43.01	3	4			2091	15	12	WO	94	34,87	14,45	9,06	1	-	2	1522	15c06.01	1	0	0	0
1995	12	10	14	158																													


Annex 3. Database of refitted flint artefacts. (12/12)

Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material	Serial number	Locus	North	East	Number	Ny	Ex	Z	Artefact	Tool/waste	Raw material	Silex	Ref.nr.	Ref.type	Condition	Action	Material
2142	12	12	14	14	26,58	-8,15	8,93	1	-	2	1629	16c01.27	1	0	0	0	2229	16	6	2	127	28,30	17,77	8,79	21	-	2	1625	16c05.27	1	0	0	0
2143	16	6	2	78	29,17	18,12	8,98	22	-	2	1622	16c02.01	1	0	0	0	2230	16	6	2	6	29,60	17,95	9,09	21	-	2	1625	16c05.28	1	0	0	0
2144	16	6	0	25	29,26	17,40	9,05	22	-	2	1622	16c02.02	1	0	0	0	2231	16	8	2	6	30,57	18,72	9,02	4	-	2	1625	16c05.29	1	0	0	0
2145	16	6	2	46	28,85	17,90	9,02	22	-	2	1622	16c02.03	5				2232	16	6	0	34	28,75	17,00	9,02	21	-	2	1620	16c06.01	1	1		
2146	16	6	0	26	29,46	17,30	9,05	22	-	2	1622	16c02.04	5				2233	16	6	0	53	28,22	17,02	9,02	21	-	2	1620	16c06.02	1	1		
2147	16	6	2	76	29,19	17,92	8,98	21	-	2	1622	16c02.05	1				2234	16	6	2	97	29,03	17,85	8,95	21	-	2	1620	16c06.03	1	1		
2148	16	6	0	35	29,10	15,92	9,01	22	-	2	1622	16c02.06	1	0	0	0	2235	16	6	2	50	28,72	18,00	9,02	21	-	2	1620	16c06.04	1	1		
2149	16	6	2	7	28,20	18,83	9,09	22	-	2	1622	16c02.07	1				2236	16	6	2	61	29,10	19,00	8,99	4	-	2	1620	16c06.05	5			
2150	16	6	0	46	28,87	17,70	9,02	22	-	2	1622	16c02.08	1	0	0	0	2237	16	6	2	145	29,80	19,35	8,90	7	-	2	1620	16c06.06	3			
2151	16	6	2	75	29,42	17,96	8,98	21	-	2	1622	16c02.09	1	0	0	0	2238	16	6	2	141	29,80	18,26	9,00	7	-	2	1620	16c06.07	3			
2152	16	8	2	7	30,76	18,85	9,02	1	-	2	1622	16c02.10	1	1	0	0	2239	16	6	0	43	28,52	17,40	9,02	7	-	2	1620	16c06.08	3			
2153	16	6	0	68	29,00	17,15	8,99	1	-	2	1622	16c02.11	1	0	0	0	2240	16	6	2	111	28,67	17,85	8,95	7	-	2	1620	16c06.09	3			
2154	16	6	2	16	29,07	17,97	9,07	22	-	2	1622	16c02.12	1	0	0	0	2241	16	6	2	34	28,10	18,43	9,05	7	-	2	1620	16c06.10	3			
2155	16	8	2	1	30,06	18,93	9,16	1	-	2	1622	16c02.13	1	0	0	0	2242	16	6	2	41	28,13	18,73	9,04	7	-	2	1620	16c06.11	3			
2156	16	6	0	18	29,32	17,32	9,08	21	-	2	1622	16c02.14	1	0	0	0	2243	16	6	2	118	28,42	18,32	8,98	7	-	2	1620	16c06.12	3			
2157	16	6	2	11	28,73	18,17	9,09	22	-	2	1622	16c02.15	1	0	0	0	2244	16	0	6	1	23,15	23,52	9,06	7	-	2	1620	16c07.01	3			
2158	16	6	2	99	29,26	17,77	8,93	1	-	2	1622	16c02.16	1				2245	16	2	6	4	24,50	23,55	9,04	7	-	2	1620	16c07.02	3			
2159	16	6	2	64	29,03	17,97	9,00	22	-	2	1622	16c02.17	1	0	0	0	2246	16	4	6	5	26,02	22,64	8,97	7	-	2	1620	16c07.03	3			
2160	16	6	2	63	29,05	17,85	9,00	4	-	2	1622	16c02.18	1				2247	16	2	6	8	24,85	22,85	8,98	7	-	2	1620	16c07.04	3			
2161	16	6	0	73	28,55	17,20	8,99	22	-	2	1621	16c03.01	5	0	0	0	2248	16	4	4	48	27,15	20,20	8,86	7	-	2	1620	16c07.05	3			
2162	16	4	0	1	26,15	17,53	9,10	22	-	2	1621	16c03.02	5	0	0	0	2249	16	4	6	10	26,23	22,45	8,97	7	-	2	1620	16c07.06	3			
2163	16	4	0	6	27,82	17,17	9,07	22	-	2	1621	16c03.03	5	0	0	0	2250	16	0	6	4	22,15	22,60	9,00	7	-	2	1620	16c07.07	3			
2164	16	6	0	87	28,70	17,05	8,96	21	-	2	1621	16c03.04	1	0	0	0	2251	16	4	4	19	26,18	20,23	9,01	8	5	2	1621	16s01.01	2	0	0	0
2165	16	4	0	12	27,23	16,12	9,04	1	-	2	1621	16c03.05	1	0	0	0	2252	16	4	4	57	26,20	20,60	8,84	8	5	2	1621	16s01.02	2	0	0	0
2166	16	4	0	31	27,52	17,00	8,95	1	-	2	1621	16c03.06	1	0	0	0	2253	16	4	4	17	26,99	20,24	9,00	8	5	2	1621	16s01.03	2	0	0	0
2167	16	6	0	65	28,55	16,80	9,00	1	-	2	1621	16c03.07	1				2254	16	4	2	27	27,03	19,15	8,85	8	2	2	1621	16s01.04	2	0	0	0
2168	16	4	2	15	27,05	19,05	8,94	21	-	2	1621	16c03.08	1	1	0	0	2255	16	4	0	38	27,42	17,18	8,90	8	5	2	1621	16s01.05	3	0	0	0
2169	16	4	2	24	27,28	19,13	8,87	21	-	2	1621	16c03.09	1	0	0	0	2256	16	4	6	14	27,80	22,05	8,94	8	6	2	1621	16s02.01	2	0	0	0
2170	16	4	2	25	27,40	18,96	8,86	1	-	2	1621	16c03.10	1	0	0	0	2257	16	4	4	34	26,10	21,15	8,89	8	6	2	1621	16s02.02	2	0	0	0
2171	16	6	0	50	29,55	17,45	9,02	1	-	2	1621	16c03.11	1	0	0	0	2258	16	4	4	50	27,85	21,55	8,85	8	6	2	1621	16s02.03	2	0	0	0
2172	16	4	0	19	27,10	17,00	8,98	1	-	2	1621	16c03.12	1				2259	16	4	6	9	26,20	22,36	8,97	8	5	2	1621	16s02.04	2	0	0	0
2173	16	6	0	6	29,20	16,75	9,09	1	-	2	1621	16c03.13	5				2260	16	4	6	8	26,10	22,65	8,97	8	2	2	1621	16s02.05	2	0	0	0
2174	16	4	0	23	27,92	16,30	8,98	1	-	2	1621	16c03.14	5	0	0	0	2261	16	4	4	2	26,98	20,85	9,07	8	5	2	1621	16s03.01	2			
2175	16	4	0	43	27,90	16,53	8,83	1	-	2	1621	16c03.15	1	0	0	0	2262	16	2	6	10	25,75	22,55	8,99	8	2	2	1621	16s03.02	2	0	0	0
2176	16	6	0	121	28,05	16,80	8,93	1	-	2	1621	16c03.16	1	0	0	0	2263	16	6	2	138	29,97	19,50	9,08	21	-	2	1620	16s04.01	1			
2177	16	6	0	124	28,25	16,55	8,93	1	-	2	1621	16c03.17	1	0	0	0	2264	16	4	6	13	27,15	21,86	8,97	4	-	2	1620	16s04.02	5			
2178	16	4	0	36	27,65	16,97	8,92	1	-	2	1621	16c03.18	1	0	0	0	2265	16	6	0	36	29,62	16,97	9,01	7	-	2	1620	16s04.03	3			
2179	16	6	0	158	28,43	16,74	8,83	1	-	2	1621	16c03.19	1	0	0	0	2266	16	6	0	27	29,52	17,05	9,05	7	-	2	1620	16s04.04	3			
2180	16	4	0	39	27,45	17,05	8,90	1	-	2	1621	16c03.20	1	0	0	0	2267	16	6	2	74	29,01	17,73	9,00	7	-	2	1620	16s04.05	3			
2181	16	6	2	30	28,93	18,53	9,05	22	-	2	1621	16c03.21	1	0	0	0	2268	16	6	2	95	28,54	17,77	8,95	1	-	2	1621	16s05.01	1			
2182	16	6	0	55	28,40	16,70	9,01	1	-	2	1621	16c03.22	1				2269	16	4	2	20	27,95	19,60	8,87	1	-	2	1621	16s05.02	5			
2183	16	4	2	26	27,40	18,50	8,86	1	-	2	1621	16c03.23	1	0	0	0	2270	16	4	0	2	26,92	17,45	9,09	1	-	2	1621	16s05.03	5			
2184	16	6	2	36	29,60	18,05	9,02	1	-	2	1621	16c03.24	1	0	0	0	2271	16	6	0	106	28,37	16,80	8,96	21	-	2	1621	16s05.04	1	0	0	0
2185	16	6	0	170	28,32	16,53	8,77	21	-	2	1621	16c03.25	1	0	0	0	2272	16	4	4	44	26,10	20,42	8,89	1	-	2	1620	16s06.01	1			
2186	16	6	0	2	28,07	17,00	9,08	1	-	2	1621	16c03.26	1				2273	16	4	2	17	26,30	19,22	8,93	1	-	2	1620	16s06.02	1			
2187	16	4	4	37	27,92	20,25	8,90	1	-	2	1621	16c03.27	1	0	0	0	2274	16	2	4	21	25,88	20,97	8,87	1	-	2	1620	16s06.03	1			
2188	16	4	4	24	27,94	20,32	8,89	4	-	2	1621	16c03.28	1				2275	16	4	2	13	27,94	18,04	8,94	1	-	2	1620	16s07.01	1			
2189	16	6	2	79	29,52	18,50	8,98	1	-	2	1621	16c04.01	1	0	0	0	22																


Map 21 *Rekem 11 & Rekem 13. Refits & tools of non-flint rocks.*




Map 22 *Rekem 12. Refits & tools of non-flint rocks.*



Map 12 *Rekem 11 & Rekem 13. Distribution of rocks (sandstone, quartzite, quartz), flint & red ochre.*



Map 13 Rekem 12. Distribution of rocks (sandstone, quartzite, quartz) & flint.



By combining various research methods, the authors of this two-volume book present a reconstruction of prehistoric life in one of the largest Palaeolithic camp sites excavated in NW Europe: the Federmesser camp at Rekem (near Maastricht), situated on a sand ridge on the left bank of the river Meuse. Following careful excavation and the individual mapping of some 25,000 stone artefacts across an area of 1.7 ha, the 13,000-year-old assemblage has been subjected to a range of laboratory analyses. Refitting of several thousand artefacts (tools, tool waste, and debitage) in their original sequence of knapping, shed light on lithic manufacturing, tooling, and maintenance processes. Use-wear analysis of 2,500 pieces has unveiled a series of activities performed at and away from the camp area: hunting and arrow manufacture, butchery, hide fleshing and currying, bone and antler work, etc. These results were systematically tested with appropriate experiments. Lastly, extensive spatial analyses of all the above observations allowed for a neat reconstruction of the chain of activities performed in this hunter-gatherer settlement, where the locations of the work areas, in the dwellings, near communal hearths or at specific work shops, also hint at fascinating aspects of social and spiritual life in a Lateglacial environment.

Cover illustration: manufacturing of arrow armatures at Rekem 7.
Drawing by Benoit Clarys.